TO:

STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING

266 N. Main St., Ste. 220

Wichita, KS 67202-1513

API Well Number: 15-007-22698-00-00

Spot: <u>E2NE</u>

Sec/Twnshp/Rge: 36-32S-15W

3721 feet from S Section Line,

658 feet from E Section Line

Lease Name: CARR

Well #: 3A-36

County: BARBER

Total Vertical Depth: 4980 feet

Operator License No.: 32811	String Size	Depth (ft) Pulled (ft) Comments
Op Name: OSAGE RESOURCES, LLC	ClBP	3700	WITH 10' CMT
Address: PO BOX 1185 MCPHERSON, KS 67460	CIBP	4250	WITH 10' CMT
	CIBP	4660	WJTH 10' CMT
	CIBP	4800	WITH 10' CMT
	PROD 5.5	4978 0	WITH 250 SX CMT
	SURF 10.75	345	WITH 320 SX CMT

Well Type: GAS

UIC Docket No:

Date/Time to Plug: 09/05/2017 9:00 AM

Plug Co. License No.: 31925

Plug Co. Name: **QUALITY WELL SERVICE, INC.**

Proposal Revd. from: DAVID BRADY

Company: QUALITY WELL SERVICE, INC.

Phone: (620) 727-3410

Proposed Set CIBP at 4800' and dump 10' cement on top. Set CIBP at 4660' and dump 10' cement on top. Set CIBP at 4250' and Plugging dump 10' cement on top. Set CIBP at 3700' and dump 10' cement on top. Test casing to 300 psi. Perforate squeeze holes at Method: 875' and circulate cement inside and outside of 5-1/2" casing from 875' to surface. Cut off wellhead 3' below ground level. weld on steel plate and restore location.

Plugging Proposal Received By: STEVE PFEIFER

WitnessType: COMPLETE (100%)

Date/Time Plugging Completed: 09/05/2017 10:15 AM

KCC Agent: SCOTT ALBERG

Actual Plugging Report:

Perfs:

CIBP @ 4800' WITH 10' CMT. CIBP @ 4660' WITH 10' CMT. CIBP @ 4250' WITH 10' CMT. CIBP @ 3700' WITH 10' CMT. PRESSURE TEST CASING TO 300#. PERFORATE AT 875' WITH 4 SHOTS BREAK CIRCULATION WITH WATER. CIRCULATED WELL WITH CMT. 345 SX CMT TOTAL. CEMENTED INSIDE & OUTSIDE 5 1/2" CASING TO SURFACE, GOOD CIRCULATION THROUGHOUT JOB.

Top	Bot	Thru	Comments
4840	4844	·	
4700	4702		
4280	4284		
3746	3754		 ,

Remarks:

USED 60/40 POZMIX 4% GEL BY QUALITY WELL SERVICE.

Plugged through: CSG

District: 01

Signed

(TECHNICIAN)

INVOICED

SEP 1 5 2017