


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Stafford County, Sec. 30 Twp. 21 Rge. 13 (E) W(W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines C E/2, NE/4, SW/4
Lease Owner Stanolind Oil and Gas Company
Lease Name J. Keenan Well No. 3
Office Address P. O. Box 1654, Oklahoma City, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed 11-3 1951
Application for plugging filed 11-14 1951
Application for plugging approved approval by telephone 11-2 1951
Plugging commenced 11-3 1951
Plugging completed 11-3 1951



Locate well correctly on above
Section Flat

Reason for abandonment of well or producing formation Formations dry
If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. D. Stough
Producing formation None Depth to top Bottom Total Depth of Well 3805 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Lansing	Dry	3391	3638	8-5/8	812	None
Arbuckle	sulphur water	3755	3805			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

- Hvy. rotary mud 3805 - 270
- set plug 270 - 268
- 15 sx cement 268 - 223
- hvy. rotary mud 223 - 30
- set plug 30 - 28
- 10 sx cement 28 - 5 bottom of cellar




(If additional description is necessary, use BACK of this sheet)
Correspondence regarding this well should be addressed to G. A. Younie
Address Box 7, Ellinwood, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.
G. A. Younie (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *G. A. Younie*
Box 7, Ellinwood, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 14th day of November, 1951
Louis E. Donovan
Notary Public.


My commission expires May 2, 1955



FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Sand	0	50			
Sand, gravel, black shale	50	325			
Red bed	325	810			
Anhydrite	810	865			
Shale	865	1390			
Shale and gyp.	1390	1745			
Lime	1745	2160			
Lime and shale	2160	2720			
Lime	2720	2855			
Lime and shale	2855	3080			
Lime	3080	3230			
Shale and lime	3230	3391			
Lensing Top	3391				
Shale and lime	3391	3442			
Lime	3442	3469			
Lime and shale	3469	3547			
Lime	3547	3638			
Viola Top	3638				
Lime	3638	3657			
Lime and chert	3657	3680			
Simsen Top	3680				
Lime and chert	3680	3695			
Lime	3695	3730			
Lime - shale	3730	3735			
Gr. waxy shale	3735	3755			
Arbuckle Top	3755				
Dolomite & shale stringers no show, sulphur water	3755	3805			
Schlumberger Elec. Log to TD					
<u>Total Depth</u>					
By Schlumberger		3805			
By Rotary Drill		3805			
Well plugged and abandoned 11-3-51 in Arbuckle @ TD		3805			



 WORKING FILE NO. 3071 R-130

STANOLIND OIL AND GAS COMPANY

WELL RECORD

TWP. 21 S N OR S

SUPPLEMENTAL (ENTER "X" WHEN APPLICABLE)

Grid for well location with '30' and '13' marked in the center.

RANGE

TOWNSHIP

E OR W

LEASE J. Keenan WELL NO. 3

LOCATION OF WELL: 1980 FT. NORTH SOUTH OF THE 2310 FT. NORTH SOUTH LINE AND

EAST WEST OF THE WEST LINE OF THE 0 E/2 1/4 NE 1/4 SW 1/4

OF SECTION 30 TOWNSHIP 21 NORTH SOUTH RANGE 13 EAST WEST

Stafford Kansas COUNTY STATE

ELEVATION: RDE - 1920

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING: COMMENCED 10-15 1951 COMPLETED 11-2- 1951

LOCATE WELL CORRECTLY

OPERATING COMPANY Stanolind Oil and Gas Company ADDRESS Box 1654, Oklahoma City, Oklahoma

OIL OR GAS SANDS OR ZONES

Table with columns: NAME, FROM, TO, NAME, FROM, TO. Rows include Lansing, Viola, Simpson, Arbuckle.

WATER SANDS

Table with columns: NAME, FROM, TO, WATER LEVEL, NAME, FROM, TO, WATER LEVEL.

CASING RECORD (OVERALL MEASUREMENT)

LINER-SCREEN RECORD

Table with columns: CSG. SIZE, WEIGHT, DESCRIPTION, MAKE - GRADE, QUANTITY FEET, SIZE, QUANTITY FEET, SET AT, MAKE AND TYPE.

PACKER RECORD

Table with columns: SIZE, LENGTH, SET AT, MAKE AND TYPE.

CEMENTING RECORD

MUDDING RECORD

Table with columns: SIZE, WHERE SET FEET, CEMENT SACKS, BRAND, TYPE, METHOD, FINAL PRESS, METHOD, RESULTS.

RECEIVED STATE CORPORATION COMMISSION NOV 16 1951 CONSERVATION DIVISION Wichita, Kansas

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED?

WERE BOTTOM HOLE PLUGS USED?

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED

ROTARY TOOLS WERE USED FROM 0 FEET TO 3205 FEET, AND FROM FEET TO FEET

CABLE TOOLS WERE USED FROM FEET TO FEET, AND FROM FEET TO FEET

24-HOUR PRODUCTION OR POTENTIAL TEST

Dry Hole, Plugged and abandoned

WATER BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 14th DAY OF NOVEMBER 1951. Notary Public signature and name.