

15.185.01786.0000

LEASE NAME Pundsack Unit

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

WELL NUMBER 306 W

4950 Ft. from S Section Line

990 Ft. from E Section Line

SEC. 30 TWP. 21S RGE. 13 (E) or (W)

COUNTY Stafford

Date Well Completed 1-18-54

Plugging Commenced 10-23-90

Plugging Completed 10-23-90

LEASE OPERATOR OXY USA Inc.

ADDRESS P. O. Box 26100, Oklahoma City, OK 73126-0100

PHONE#(405) 749-2471 OPERATORS LICENSE NO. 5447

Character of Well Input

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on October 15, 1990 (date)

by Mr. Duane Rankin of Dist. #1 (KCC District Agent's Name).

Well was completed on:
Is ACO-1 filed? 1-18-54 If not, is well log attached? Yes

Producing Formation LKC Depth to Top 3494 Bottom 3558 T.D. 3739'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS | CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled out
LKC	Input	3494	3558	8 5/8"	189'	-
				5 1/2"	3725	-

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.
Ran down csg & perf. 5 1/2" pipe at 825'. RIH w/workstring tubing & spotted 75 sx cmt across LKC. Pulled tubing to 900' & circulated 210 sx 60/40 cmt w/6% gel to surface. Tied into the 8 5/8" csg & pumped 70 sx cmt down the annulus. State witness: Duane Rankin

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Work Well Servicing License No.

Address Wichita, KS

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: OXY USA Inc.

STATE OF Oklahoma COUNTY OF Oklahoma, ss.

Bryan Humphries (Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) Bryan Humphries

(Address) P. O. Box 26100, OKC, OK 73126-0100

RECEIVED
SUBSCRIBED AND SWORN TO before me this 31st day of October, 19 90

NOV 2 1990

Kay Ann Kilmer
Notary Public

My Commission Expires: 4-12-94

CONSERVATION DIVISION
Wichita, Kansas

E & S TRIMMING, INC.
 113. S BROWN

RM 113 Dec. 30-211-134
 Stafford County, Kansas

Casing
 8 5/8" Set @ 189'
 5" Set @ 3725'

Cement
 150 Sacks
 150 Sacks

DATE: 12-27-53
 Comp: 1-3-54
 Total Depth: 3730'

<u>FORMATION</u>	<u>DEPTH</u>
Surface soil	0 - 159
Shale and shells	159 - 225
Sand and shale	225 - 300
Shale and shells	300 - 400
Red bed & shale	400 - 500
Red bed	500 - 700
Anhydrite	700 - 825
Shale and shells	825 - 935
Shale and shells	935 - 1200
Lime and shale	1200 - 1400
Shale and shells	1400 - 1605
Shale and lime	1605 - 1815
Lime and shale	1815 - 1915
Lime and shale	1915 - 2000
Lime and shale	2000 - 2150
Lime and shale	2150 - 2205
Shale and lime	2205 - 2300
Lime and shale	2300 - 2400
Lime and shale	2400 - 2455
Lime	2455 - 2605
Lime and shale	2605 - 2800
Lime	2800 - 2845
Lime and shale	2845 - 3045
Lime	3045 - 3175
Lime and chert	3175 - 3307
Shale and lime	3307 - 3509
Lime and shale	3509 - 3730

STATE OF KANSAS)
) SS
 BERGVIEW COUNTY)

I hereby certify that the above information is true and correct to the best of my knowledge.

Arthur J. [Signature]

Subscribed and sworn to before me this 14 day of January, 1954.

W. [Signature]
 Notary Public

My Commission Expires: 10-29-75

WELL HISTORY SHEET

Well Name & No.: PUNDEACK UNIT #304W
 Location: 330' N L & 990' E L Section 30 T 21S R 13W
 County: STAFFORD State: KANSAS
 Elevation - RKB: 1915 GL: _____ Date Completed: 1-18-54
 Initial Production & Zone: ARBUCKLE 4080-5HRS Top: _____
 Current Producing Formation: LKC INJECTION - TA'ED Top: _____
 Current Production: _____ BOPD _____ BOPD _____ MCFPD
 Well Cumulative Production: _____ BO _____ BW _____ MCF
 Lease Production: _____ BOPD _____ BOPD _____ MCFPD
 Casing Record: 8 5/8" 25.5 #2 189' W/150SX
5 1/2" 15.5 #2 3725' W/150SX
 Total Depth: 3739 PBTD: 3622 DV: _____
 Top of Cement - Long String: _____ TOC-DV: _____
 Logs Run: _____

WELL HISTORY:

COMPLETION: DRILL OUT SHOE. DEEPEN TO 3734' A2 W/500 GAL
 DEEPEN TO 3739.

3/55 SET CIBP @ 3622'. PERF LKC 3494-99' (H)

6/67 RAN GRN LOG. PERF 3512-22 (I) 3534-40 (J) AND
 3554-58 (K). TREAT W/2370 GAL RET. ACID. ALL ZONES
 COMMUNICATED. (PREVIOUSLY OPERATED BY K&E DRILLING)
 BWO: 480-2BW AWO: 680-10BW

8/67 CONVERT TO WIW

- 3494
- 3499
- 3512
- 3522
- 3534
- 3540
- 3554
- 3558

PBTD

3622

5 1/2" @ 3725'
 W/150SX

TD
 3739

Future Remedial: P&A

Prepared By: C.W. HORSMAN

Date: 9/20/89

Revised (2/86)

STATE OF KANSAS
 MAY 17 1990
 CONSERVATION DIVISION
 WICHITA, KANSAS

Pundsack Unit #306W
NW NE NE
Section 30-T21S-R13W
Stafford County, Kansas

Plugging Procedure

1. Sand back the 4-1/2" casing to 3440' or higher.
2. Place 5 sacks Portland cement on sand.
3. Shoot holes at Anhydrite (\pm 825'). Pump down 5-1/2" using 60/40 pozmix containing 6% gel. Continue procedure to the point where 500# SIP is attained or until cement circulates.
4. If circulation is not obtained, pump down 8-5/8" x 5-1/2" casing annulus using the same blend of cement until 200# SIP is evident.
5. Cut off casing strings 3' below ground level. Reclaim location.

RECEIVED
STATE CORPORATION COMMISSION
STATE CORP. DIVISION
MAY 14 1990
CONSERVATION DIVISION
Wichita, Kansas