


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
801 Bittling Building
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above Section Plat

Stafford County. Sec. 29 Twp. 21 Rge. 13 (E) W. (W)
Location as "NE/CNWxSWx" or footage from lines NE SW NE
Lease Owner Cities Service Oil Company
Lease Name Essmiller "A" Well No. 4
Office Address Box 144, Great Bend, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Oil Well
Date well completed June 16, 19 53
Application for plugging filed November 19, 19 56
Application for plugging approved November 20, 19 56
Plugging commenced November 20, 19 56
Plugging completed November 27, 19 56
Reason for abandonment of well or producing formation Depleted formation.

If a producing well is abandoned, date of last production July 28, 19 56
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well R. M. Brundage
Producing formation Arbuckle Depth to top 3727 Bottom 3733 Total Depth of Well 3733 Feet
Show depth and thickness of all water, oil and gas formations. P. B. T. D. 3596'

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	354'	None
				5-1/2"	3729'	1782'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

3596-3480', river sand.
3480-3439', 5 sacks cement.
3439'-240', mud.
240- 170', rock bridge and 20 sacks cement.
170- 35', mud.
35' to base of cellar, rock bridge and 10 sacks cement.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Wilson, Inc. - Chas. D. Wilson, Operator
Address 2921 Bonita, Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.
V. M. Conover (employee of owner) or (Conservation Agent) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) V. M. Conover
Box 144, Great Bend, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 30th day of November, 19 56

My commission expires March 12, 1959.

W. D. Smith
Notary Public.

PLUGGING
FILED SEC. 29 T. 21 R. 13 W.
BOOK PAGE 117 LINE 36

RECEIVED
CORPORATION COMMISSION
DEC 1 - 1956
CONSERVATION DIVISION
Wichita, Kansas

12-1-1956

WELL RECORD

Company Cities Service Oil Co. Well No. 4 Farm Essmiller "A"
 Location 990' North and 990' East of Center Sec. 29 T. 21 R. 13W
 Elevation 1908 (1906 Gr.) County Stafford State Kansas
 Drlg. Comm. June 4, 1953 Contractor Holm Drilling Company
 Drlg. Comp. June 16, 1953 Acid None
 T. D. 3733' Initial Prod. 195 oil, 231 water, 24 hrs. (June 24, 1953)

CASING RECORD:

8-5/8" @ 354' com. 250 sx cement
 5-1/2" @ 3729' com. 150 sx cement

FORMATION RECORD:

clay & sand	0-40
sand	125
shale	145
sand & shale	215
sand	275
shale	790
anhydrite	820
shale	935
shale & shells	1730
lime & shale	1996
lime	2145
lime & shale	2325
shale	2790
shale & shells	2950
lime	3250
lime & shale	3350
lime	3621
lime & chert	3676
lime	3708
lime & shale	3724
lime	3734

3734 RTD = 3733 SIM

Corr. Brown Limestone	3360'
Corr. Lansing	3373'
Corr. Conglomerate	3624'
Corr. Viola	3629'
Corr. Simpson	3680'
Corr. Arbuckle	3727'
Penetration	6'
Total Depth	3733'

FILLUP: 322' fluid in 25 mins.
 723' fluid in 1 1/2 hrs.
 1121' fluid in 2 1/2 hrs.

SYFO:	500'	1°
	1000'	1°
	1500'	1°
	2000'	2°
	2500'	1°
	3000'	0°
	3500'	0°

RECEIVED
 STATE CORPORATION COMMISSION

NOV 20 1953

PLUGGING

FILE SEC _____ T _____

BOOK PAGE _____ LINE _____

