

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

FORMATION PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

OR

Strike out upper line  
when reporting plug-  
ging off formations.

NORTH

			X

Locate well correctly on above  
Section Plat

Stafford County. Sec. 19 Twp. 21S Rge. (E) 12 (W)  
 Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SW SE NE  
 Lease Owner Stanolind Oil and Gas Company  
 Lease Name E. B. Hall Well No. 2  
 Office Address Box 1633, Oklahoma City, Oklahoma  
 Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
 Date well completed June 7 19 47  
 Application for plugging filed 19  
 Application for plugging approved 19  
 Plugging commenced June 7 19 47  
 Plugging completed June 7 19 47  
 Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production 19  
 Was permission obtained from the Conservation Division or its agents before plugging was com-  
 menced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. H. W. Kerr  
 Producing formation Arbuckle Depth to top 370 Bottom 371.7 Total Depth of Well 371.7 Feet  
 Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Top Lansing		3263		8-5/8	691	None
Arbuckle		3704	3717			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Plugged with heavy mud 371.7' - 650'  
 Plug 650'  
 15 sax cement 650' - 615'  
 Heavy mud 615' - 12'  
 Plug 12'  
 8 sax cement 12' - surface



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Mr. T. L. Regan  
 Address Box 1633, Oklahoma City, Oklahoma

STATE OF Kansas, COUNTY OF Barton, ss.  
 H. G. Nething (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *H. G. Nething* Field Supt.

Box 8, Ellinwood, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 2nd day of July, 1947

*H. G. Cox*  
 Notary Public.

My Commission Expires October 18, 1950

21-871-8 9-45-6M PLUGGING  
 FILE SEC 19 T 21 R 12W  
 BOOK PAGE 113 LINE 25



FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Red Beds & Shale	0	682			
Anhydrite	682	720			
Sand, Shale, & Shells	720	1178			
Salt and Shale	1178	1400			
Shale and Shells	1400	1525			
Shale and Lime	1525	1565			
Lime	1565	2005			
Lime and Shale	2005	2025			
Lime	2025	2257			
Shale	2257	2400			
Lime and Shale	2400	3023			
Lime	3023	3130			
Shale	3130	3133			
Limestone	3133	3161			
Shale	3161	3167			
Lime	3167	3180			
Shale	3180	3185			
Lime	3185	3238			
Shale	3238	3249			
Lime (Top Iatan 3249)	3249	3252			
Shale	3252	3263			
Lime (Top Lansing 3263)	3263	3342			
Lime and Shale	3342	3351			
Lime	3351	3484			
Shale	3484	3486			
Lime	3486	3502			
Lime (Top Viola 3502)	3502	3532			
Shale Top (Stinson 3532)	3532	3589			
Conglomerate	3589	3704			
Lime (Top Arbuckle	3704	3717			
Rotary T.D.	3717				
Schlumberger Run	692	3714			
Rotary T.D. 3717					
Date Drilling Began	5-19-47				
Drilling Completed	6-6-47				
Well Plugged	6-7-47				