STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

Form CP-1

RECEIVED STATE CORPORATION COMMISSION

WELL PLUGGING APPLICATION FORM

File One Copy

APR 8 1970
CONSERVATION DIVISION
Wichita Kansas

Wichita, Kansas
Lease Owner (Applicant) Address 5252 Mr. Brandway, Wilhita Kansas
Lease (Farm Name) Well No. 3
Well Location SE/Nul/Sw Sec. 7 Twp. 21 Rge. 6 (E) (W) 4
County Field Name (If any)
Total Depth 3500 Oil Well Gas Well Input Well SWD Well D & A
Was well log filed with application? If not, explain:
Date and hour plugging is desired to begin
Plugging of the well will be done in accordance with the Rules and Regulations of the State
Corporation Commission.
Name of the person on the lease in charge of well owner
Address Some
Plugging Contractor Ash Carrie License No: 440
Address 2809 Ling St- Huthenson Lo 67460
Invoice covering assessment for plagging this well should be sent to fat Simmon 5252 no Braces Address Wichta Kansas
and payment will be guaranteed by applicant.
Signed: Applicant or Acting Agent
Date: 84-7-70

15.159.04267.0000



State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg.

212 N. Market

WICHITA, KANSAS 67202

April 8, 1970

WELL PLUGGING AUTHORITY

Well No.

3

Lease

Dresback

Description

SE NW SW 7-21-6W

County

Rice

Total Depth

3500

Plugging Contractor

Art Lomb Casing Pulling

Pat Simmons 5252 N. Broadway Wichita, Kansas 67219

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

J. Lewis Brock, Administrator

Mr. Gilbert Toman Box 180 Holyrood, Kansas is hereby assigned to supervise the plugging of the above named well.

Will log bureau –Kansas Geological Society 508 East Murdock,

Wichita, Kansus



R. ॄ 6₩

Company-HENRY BENNETT Farm- D responk

No. 3

sec. 7 7 T. 21 SB N" SW

Total Depth. 3500 Commu. 1-5-55

Comp. 1-17-55

Shot or Treated.

Contractor. Salina Drilling Corp., Inc. Issued. 5-21-55

CALING: 140: cem 100 sx. cem. Circ. 3494: cem w/ 75 sx 8 5/8°

.5 1/2"

County	Rice				
		KANS	AS		
	•	ĸ	,		
•		į		~	
		j	ح.		
		4		 	ĩ

Storation, 1671 D.F

Production. 12 BO 1 10 BW per day

Figure's Incidete Bottom of Formations

cellar,base &	rotary	tab	le 8
sand, clay	•		140
shale .			340
shale, shells		1.	640
salt	•	;	740
shals			1000
shale, shells			.1320
'lime broken			1400
lime			1550
shale, shells		•	1670
lime, shale			2080
lime			2770
lime, sand		•	2900
lime	•		3385
lime broken	•*	•	3455
shale	•		3477
conglomerate			3487
miss.			3500
Total Depth			

STATE CORPORATION COMMISSION APR 8 1970 CONSERVATION DIVISION Wichita, Kansas

Tops:

Conglommrate Mississippi

3477

3487