

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

WELL PLUGGING RECORD

Kearny County, Sec. 27 Twp. 21S Rge. 35 (E) (W)

Location as "NE/CNW/SE/SW" or footage from lines CSW/4, SW/4

Lease Owner Pan American Petroleum Corporation

Lease Name J. M. McNellis Well No. 1

Office Address P. O. Box 432 Liberal, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 9-22 19 65

Application for plugging filed (verbal) 9-22 19 65

Application for plugging approved 9-22 19 65


Plugging commenced 9-22 19 65

Plugging completed 9-22 19 65

Reason for abandonment of well or producing formation
Drilling Tools Stuck in Hole at 1660'

If a producing well is abandoned, date of last production - 19 -

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Hugh Scott

Producing formation - Depth to top - Bottom - Total Depth of Well 4650 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8	1254	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

50 Sx Cement	1660 - 1510
Hvy Mud	1510 - 700
35 Sx Cement	700 - 600
Hvy Mud	600 - 45
15 Sx Cement	45 - 0

RECEIVED
STATE CORPORATION COMMISSION
OCT 5 1965
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Murfin Drilling Co.
Address Wichita, Kansas

STATE OF Kansas, COUNTY OF Seward, ss.
I, D. M. Liles (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) [Signature]
P. O. Box 432 Liberal, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 1 day of October 19 65
[Signature] Notary Public.

PAN AMERICAN PETROLEUM CORPORATION

WELL RECORD

SUPPLEMENTAL (ENTER "X" WHEN APPLICABLE)

Grid for locating the well correctly, with '27' marked in the center.

LOCATE WELL CORRECTLY

LEASE J. M. McNellis WELL NO. 1
LOCATION OF WELL: 660 FT. NORTH SOUTH OF THE SOUTH LINE AND 660 FT. EAST WEST OF THE WEST LINE OF THE 1/4 1/4 SW 1/4.
OF SECTION 27 TOWNSHIP 21 NORTH SOUTH RANGE 35 EAST WEST.
Kearny COUNTY Kansas STATE

ELEVATION: Ground 3100 RDB 3110

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING COMMENCED 9-6 19 65 COMPLETED 9-23 19 65

OPERATING COMPANY Pan American Petroleum Corporation ADDRESS P. O. Box 432 Liberal, Kansas

OIL OR GAS SANDS OR ZONES

Table with columns: NAME, FROM, TO, NAME, FROM, TO. Row 1: Des Moines, 4432, 4650, 4.

WATER SANDS

Table with columns: NAME, FROM, TO, WATER LEVEL, NAME, FROM, TO, WATER LEVEL. Rows 1 and 2 are empty.

CASING RECORD (OVERALL MEASUREMENT)

Table with columns: CSG. SIZE, WEIGHT, DESCRIPTION (THREADS, MAKE - GRADE), QUANTITY FEET. Row 1: 8-5/8, 24, 8RT J-55, 1254.

LINER SCREEN RECORD

Table with columns: SIZE, QUANTITY FEET, SET AT (TOP, BOTTOM), MAKE AND TYPE. All cells are empty.

PACKER RECORD

Table with columns: SIZE, LENGTH, SET AT, MAKE AND TYPE. All cells are empty.

CEMENTING RECORD

Table with columns: SIZE, WHERE SET FEET, CEMENT (SACKS, BRAND, TYPE), METHOD, FINAL PRESS. Row 1: 8-5/8, 1255, 1100 Pozmix Bulk, Dowell.

MUDDING RECORD

Table with columns: (CABLE TOOLS) METHOD, RESULTS. Contains a 'RECEIVED' stamp and date 'OCT 5 1965'.

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED? CONSERVATION DIVISION Wichita, Kansas WERE BOTTOM HOLE PLUGS USED?

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED

ROTARY TOOLS WERE USED FROM 0 FEET TO 4650 FEET, AND FROM FEET TO FEET

CABLE TOOLS WERE USED FROM FEET TO FEET, AND FROM FEET TO FEET

24-HOUR PRODUCTION OR POTENTIAL TEST Dry Hole


WATER BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 1 DAY OF October 19 65 Area Supt.

MY COMMISSION EXPIRES NOTARY PUBLIC



FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Clay, Sand	0	233			
Sand, Shale	233	1261			
Shale, Red Bed	1261	2136			
Anhydrite	2136	2151			
Shale, Sandy Lime	2151	2535			
Lime	2535	2689			
Lime, Shale	2689	4367			
Lime	4367	4523			
Lime, Shale	4523	4593			
Lime	4593	4650			
Total Depth		4650			