		9-26	•
To:	ı 120472	API NUMBER 15- 15-185	5.30272 0000
STATE SOR	PORATION COMMISSION		
CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING		NW NE SW, SEC. 22 , T	
WICHLYA,	KANSAS 67202	2310 feet fr	om S section line
TECHNICIA	N'S PLUGGING REPORT	3630 feet fr	om Esection line
Operator	License #5430	Loose Nome M. Hammeke	Woll # 4
Name&	Energy Three, Inc.	County Stafford	118.65
	P.O. Box 1505	Well Total Depth	3651
	Great Bend, KS 67530	Conductor Plpe: Size	
	· · · · · · · · · · · · · · · · · · ·	Surface Casing: Size 8 5	
Abandoned	1 Oll Well Gas Well	 -	
	l as hereinafter indicated	<u> </u>	
	Contractor Kelso Casing Pulling,	Inc. License	Number 6050
	P.O. Box 347, Chase, KS 67524		
	to plug at: Hour: <u>l p.m.</u> Day:	26 Marths 9	
		· · · · · · · · · · · · · · · · · · ·	Tear: 19 <u>~</u>
	proposal received from Mills		
	nome) Kelso Casing Pulling, Inc.		
were: 5%	at 3636' w/90 sx cement, Perfs	at 3610-16, 3622-28', Eleva	TION 1846 GL
lst plug	s sand back to 3560 and dump 5 sx	cement on top of sand throug	h bailer,
2nd plug	pump in 8 5/8" casing with 400 1	os, hulls, 10 sx gel, 50 sx c	ement, 10 sx gel,
100 lbs.	hulls, release 8 5/8" wiper plug	and pump 100 sx cement.	,
	·		
	Plugging Propo	osal Received by	Rankin
			ECHNICIAN)
Plugging	Operations attended by Agent?: A	<u> </u>	None
Operation	ns Completed: Hour: 4:30 p.mDay:	26 Month: 9	Year:19 90
ACTUAL PL	UGGING REPORT 1st plug sanded 5½"	casing back to 3560' and dum	np 5 sx cement on
top of s	sand through bailer,		
2nd plug	g pumped into 8 5/8" surface casing	g with 400 lbs. hulls, 10 sx	gel, 50 sx cement,
10 sx ge	el, 100 lbs. hulls and 100 sx cemer	nt. STATE CORPORATION	
Pumping	pressure 0-500 psi and shut in 200		
- Camp - 117			990
0	Hood 60/40 Posmin 6% and her Addison	CONSERVATION I	
Kemarks:_	Used 60/40 Pozmix 6% gel by Allied (If additional description is		
N W O	정(국자왕자) observe this plugging.		

DATE 0CT 0 5 1990

Signed Desankanker