

EFFECTIVE DATE: 10-26-91

"OWWO"

NOTICE OF INTENTION TO DRILL

ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date .. November 7, 1991 ..  
month day year

NW/4 NW/4 NW/4 Sec .25. Twp 28. S, Rg 16. X West

OPERATOR: License # 8392  
Name: Jim Emerson  
Address: 3108 Natalie  
City/State/Zip: Plano, Tx, 75074  
Contact Person: Eli Hammerschmidt  
Phone: 316/532-5388

4950 feet from South line of Section  
4950 feet from East line of Section  
(Note: Locate well on Section Plat on Reverse Side)

CONTRACTOR: License #: Unknown  
Name:

County: Kiowa  
Lease Name: Peoples Bank Well #: 1-25  
Field Name: Wellsford Extension  
Is this a Prorated Field? yes X no  
Target Formation(s): Mississippian  
Nearest lease or unit boundary: 330'  
Ground Surface Elevation: 2079 feet MSL  
Domestic well within 330 feet: yes X no  
Municipal well within one mile: yes X no  
Depth to bottom of fresh water: 200'  
Depth to bottom of usable water: 260'  
Surface Pipe by Alternate: X 1 2  
Length of Surface Pipe set: 446'  
Length of Conductor pipe required: None  
Projected Total Depth: 4765'  
Formation at Total Depth: Mississippian  
Water Source for Drilling Operations:  
X well farm pond other  
DWR Permit #:  
Will Cores Be Taken? yes X no  
If yes, proposed zone:

Well Drilled For: Well Class: Type Equipment:  
X Oil Inj Infield X Mud Rotary  
Gas Storage X Pool Ext. Air Rotary  
X OWD Disposal Wildcat Cable  
Seismic: # of Holes

If OWD: old well information as follows:  
Operator: Brunson-Spines, Inc.  
Well Name: No. 1 Peoples Bank  
Comp. Date: 4-26-81 Old Total Depth: 4760'

Directional, Deviated or Horizontal wellbore? yes X no  
If yes, total depth location:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.

It is agreed that the following minimum requirements will be met:

- 1. The appropriate district office shall be notified before setting surface pipe;
- 2. The minimum amount of surface pipe as specified above shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation;
- 3. If the well is dry, a plugging proposal shall be submitted to the district office. An agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 4. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 5. If an Alternate II completion, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. In all cases, notify district office prior to any cementing.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: 10-18-91 Signature of Operator or Agent: Jim Emerson Title:

FOR KCC USE:  
API # 15- 097-20 742-A-0001  
Conductor pipe required None feet  
Minimum surface pipe required 280 feet per Alt. ①  
Approved by: mlw 10-21-91  
EFFECTIVE DATE: 10-26-91  
This authorization expires: 4-21-92  
(This authorization void if drilling not started within 6 months of effective date.)  
Spud date: Agent:

RECEIVED  
STATE CORPORATION COMMISSION  
OCT 21 1991  
CONSERVATION DIVISION  
Wichita, Kansas

25  
28  
1600

REMEMBER TO:


- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.

PLAT OF ACREAGE ATTRIBUTABLE TO A WELL

State Corporation Commission, Conservation Division  
200 Colorado Derby Bldg. Wichita, Kansas 67202

OPERATOR Jim Emerson LOCATION OF WELL:  
 LEASE Peoples Bank 4950 feet north of SE corner  
 WELL NUMBER 1-25 4950 feet west of SE corner  
 FIELD Wellsford Extension NW NW NW, Sec. 25 T 28S R 16 E/W  
 COUNTY Kiowa  
 NO. OF ACRES ATTRIBUTABLE TO WELL 10 IS SECTION X REGULAR IRREGULAR?  
 IF IRREGULAR, LOCATE WELL FROM NEAREST  
 DESCRIPTION OF ACREAGE NW NW NW CORNER BOUNDARY.

NOTE: If plat depicted is insufficient for your circumstances, you may attach your own scaled or surveyed plat.



In plotting the proposed location of the well, you must show:

- 1) The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding partial sections, 4 sections, 16 sections, etc.;
- 2) the well's location relative to the location of other wells producing from the same common source or supply in adjoining drilling units, pursuant to K.A.R. 82-3-108, 82-3-207, 82-3-312, or special orders of the Commission;
- 3) the distance of the proposed drilling location from the section's east and south lines; and
- 4) the distance to the nearest lease or unit boundary line.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Signature of Operator or Agent Jim Emerson  
 Date 10-18-91 Title \_\_\_\_\_

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date 7.....1.....89.....  
month day year

NW NW NW Sec 25 Twp 28 S, Rg 16 X East  
West

OPERATOR: License # 5422  
Name: Abercrombie Drilling, Inc.  
Address: 150 N. Main, Suite 801  
City/State/Zip: Wichita, KS 67202  
Contact Person: Jack L. Partridge  
Phone: (316) 262-1841

4950..... feet from South line of Section  
4950..... feet from East line of Section  
(Note: Locate well on Section Plat Below)

CONTRACTOR: License #: 5422  
Name: Abercrombie Drilling, Inc.

County: Kiowa  
Lease Name: Peoples Bank Well #: (OWWO) 1  
Field Name: Unknown  
Is this a Prorated Field? .... yes X no  
Target Formation(s): Kinderhook  
Nearest lease or unit boundary: 330'  
Ground Surface Elevation: 2079..... feet MSL  
Domestic well within 330 feet: .... yes X no  
Municipal well within one mile: .... yes X no  
Depth to bottom of fresh water: 200'  
Depth to bottom of usable water: 250'  
Surface Pipe by Alternate: X 1 2  
Length of Surface Pipe ~~Planned to be set:~~ 440' ~~440'~~ Set  
Length of Conductor pipe required: None  
Projected Total Depth: 4760'  
Formation at Total Depth: Kinderhook  
Water Source for Drilling Operations:  
X well .... farm pond .... other  
DWR Permit #: Unknown  
Will Cores Be Taken?: .... yes X no  
If yes, proposed zone: .....

Well Drilled For: Well Class: Type Equipment:  
X Oil ... Inj ... Infield X Mud Rotary  
... Gas ... Storage X Pool Ext. ... Air Rotary  
X OWWO ... Disposal ... Wildcat ... Cable  
... Seismic; ... # of Holes

If OWWO: old well information as follows:  
Operator: Brunson-Spines, Inc.  
Well Name: Peoples Bank #1  
Comp. Date: 4-27-81 Old Total Depth 4760'

Directional, Deviated or Horizontal wellbore? .... yes X no  
If yes, total depth location: .....

**AFFIDAVIT**


The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.

It is agreed that the following minimum requirements will be met:

1. The appropriate district office shall be notified before setting surface pipe;
2. The minimum amount of surface pipe as specified above shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation;
3. If the well is dry, a plugging proposal shall be submitted to the district office. An agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
4. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
5. If an Alternate II completion, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. In all cases, notify district office prior to any cementing.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: 6-22-89..... Signature of Operator or Agent: Jack L. Partridge..... Title: VP, Abercrombie Drllg, Inc  
Jack L. Partridge



RECEIVED  
STATE COMPLETION COMMISSION  
MAY 3 1989  
CONSERVATION DIVISION  
Wichita, Kansas

FOR KCC USE:

API # 15- 097-20,742-A-0001  
Conductor pipe required NONE feet  
Minimum surface pipe required 440 feet per Alt. (1) X  
Approved by: DPW 7-03-89  
EFFECTIVE DATE: 7-08-89  
This authorization expires: 1-03-90  
(This authorization void if drilling not started within 6 months of effective date.)  
Spud date: \_\_\_\_\_ Agent: \_\_\_\_\_

REMEMBER TO:

- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.