

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

Rice County. Sec. 11 Twp. 21 Rge. (E) 9 (W)

Location as "NE/CNW/SW" or footage from lines NW NE SE

Lease Owner E. H. Adair Oil Co.

Lease Name Schafer Well No. B-1

Office Address Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 6-14-62 19

Application for plugging filed 6-14-62 19

Application for plugging approved 6-14-62 19


Plugging commenced 6-14-62 19

Plugging completed 6-14-62 19

Reason for abandonment of well or producing formation _____

If a producing well is abandoned, date of last production _____ 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above
Section Plat

Name of Conservation Agent who supervised plugging of this well Cecil Jones

Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3453 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED OUT |
|---------------------------------------|---------|------|----|------|--------|------------|
| Copy of Drillers Log attached hereto. | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Mudded to 225 feet. Set plug with 25 sacks of cement and 1/4 sack of hulls. Mudded to 30 feet. Set plug with eight sacks of cement and 1/4 sack of hulls. Two sacks of cement in the rat hole.

RECEIVED
STATE CORPORATION COMMISSION

JUN 21 1962

CONSERVATION DIVISION
Wichita, Kansas

6-21-1962

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor E. H. Adair Oil Co.

Address Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
Sherrill Compton (employee of owner) or (~~owner~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Sherrill Compton

Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 15th day of June, 19 62

[Signature]

My commission expires 9-15-62

Notary Public.



R. H. Adair Oil Company
1005 East Second Street
Wichita 14, Kansas

Lee Phillips Oil Company, and
R. H. Adair Oil Company
Schafer "B" - No. 1
NW NE SE of
Sec. 11-Twp. 21S., Rge. 9-W.
Rice County, Kansas.

Conn.: 6-6-62
Comp.: 6-14-62
Contractor:
Adair - Rig No. 3
6-5/8 in. @ 225 ft.
w/175 sax.
Prod. D. & A.

Figures indicate bottom of formations:

| | | | |
|-------------------|------|----------------|---------|
| Shale and lime to | 2500 | Shale | to 3236 |
| Lime | 2760 | Lime | 3241 |
| Black shale | 2769 | Shale | 3317 |
| Lime and shale | 2800 | Sand and shale | 3327 |
| Shale | 2897 | Lime and shale | 3344 |
| Lime | 3003 | Lime and sand | 3350 |
| Shale | 2928 | Shale | 3405 |
| Lime | 3178 | Lime | 3412 |
| Shale | 3189 | Shale and lime | 3453 |
| Lime | 3327 | T. D. | 3453 |

Sample Tops:

| | |
|--------------|--------------|
| HEBBER | 2660 (-1091) |
| DOUGLAS | 2800 (-1131) |
| BROWN LIMB | 2897 (-1228) |
| LANSING | 2928 (-1259) |
| CONGLOMERATE | 3241 (-1573) |
| MISNER | 3344 (-1675) |
| VIOLA | 3405 (-1736) |
| T.D. | 3453 |

DST No. 1: 2944-62:

Open 45 minutes. Recovered 20 feet of mud.
IBHP = 49 lbs. in 20 minutes;
FBHP = 58 lbs. in 20 minutes.

DST No. 2: 3340-51:

Open 2 hours. Gauged 277,000 CFGPD in 10 min.;
416,000 CFGPD in 30 min.;
499,000 CFGPD in 1 hr.;
572,000 CFGPD in 1-1/2 hrs.;
621,000 CFGPD in 2 hrs.
Recovered 90 feet of mud.
IBHP = 1,073 lbs. in 20 min.;
FBHP = 1,073 lbs. in 30 min.;
IFP = 39 lbs.;
FFP = 85 lbs.

Certified correct:

Sherrill Compton
Sherrill Compton - Geologist.

RECEIVED
STATE CORPORATION COMMISSION

JUN 2 1 1962

CONSERVATION DIVISION
Wichita, Kansas