

WELL RECORD

Company Cities Service Oil No. 2 Farm Scouting
 Location 330'N - 330'E of SW Cor. Sec. 26 T. (21) R. 13W
 Elevation _____ County Stafford State Kansas
 Date Commenced: 7-17-38
 Date Completed 8-18-38 Initial Production D. & A.
 Drld. by Twin Drlg. Co. T.D. 3733'

Casing Record:
 10 3/4" 278' set at 263' Cen. w/ 250 sxs.

Formation:	Depth:
sand	220
shale	300
shale, red soft	695
lime grey med.	740
shale blue soft	750
shale red soft	782
shale & shells	850
shale blue	925
shale red	970
shale & shells	1002
lime light med.	1040
shale blue med.	1087
shale & shells, blue	1192
salt	1480
shale & lime shells	1560
lime light med.	1636
shale blue soft	1646
lime light med.	1702
lime light	1795
broken lime	1818
shale & shells	1842
lime light broken	1945
lime light med.	1964
lime grey hard	2093
lime light hard	2112
lime light med.	2130
broken lime	2145
shale blue med	2160
shale blue & lime	2237
lime broken med.	2260
lime grey med.	2300
shale blue med.	2316
lime grey med.	2412
shale & shells	2426
lime med.	2431
broken lime med.	2450
lime dark med.	2470
lime & shale med.	2545
shale & lime shells	2560
lime sandy med.	2604

Formation:	Depth:
shale blue med.	2640
lime grey med.	2668
lime grey broken	2681
lime grey med.	2725
lime broken hard	2773
shale blue	2795
lime grey med.	2865
lime & shale blue	2875
shale & shells blue	2885
lime dark hard	2891
shale blue med.	2901
lime grey broken	2974
shale dark hard	2988
lime light hard	3010
lime light med.	3058
broken lime med.	3095
lime light hard	3121
lime broken med.	3204
lime light	3310
shale blue med.	3321
lime light hard	3325
broken lime med.	3345
lime light med.	3364
S.L.M. Corr.	3384-3390
lime light med.	3402
lime light broken	3440
lime light med.	3462
lime broken	3476
lime light med.	3486
lime light med.	3495
lime light med.	3532
lime broken med.	3544
lime light hard	3557
lime light med.	3569
lime & shert hard	3617
chat broken	3628
shale green sticky	3635
shale green hard	3644
conglomerate	3620
shale	3671
cored lime	3733
Total Depth	3733

PLUGGING
 FILE NO. 26-21-R-1310
 BROOKARD PAGE 30-LINE 20

(over)

Top Lansing	3319'
Top Arbuckle	3670'
Pens	63'
T.D.	3733'

Fill-up
90' water in 30 min.