

Give All Information Completely
Make Required Affidavit
Mail on Cover Report to:
Conservation Division
State Corporation Commission,
800 Bittling Building
Wichita, Kansas


WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

NORTH



Locate well correctly on above
Section Flat

McPherson

County. Sec. 3 Twp. 21S Rge. 3 (W)

Location as "NE1/4NW1/4SW1/4" or footage from lines SW/4

Lease Owner Gulf Oil Corporation

Lease Name J. P. Krehbiel

Well No. 1

Office Address Box 661 Tulsa, Oklahoma

Character of Well (Completed as Oil, Gas or Dry Hole) Oil

Date, well completed. 4-1 193 0

Application for plugging filed. 193

Application for plugging approved. 193

Plugging Commenced. 4-1- 193 9

Plugging Completed. April 13 193 9

Reason for abandonment of well or producing formation. No longer profitable to produce.

If a producing well is abandoned, date of last production. March 25 193 9

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well. Guy Wiershing

Producing formation Wilcox sand Depth to top. 3424 Bottom. 3432 Total Depth of Well. 3432 Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				15 1/2"	193'	None
				8 1/4"	3005'	598'
				6-5/8"	3339'	311 1/2'
				5-3/16"	54' 6"	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Mudded hole from 3432' to 3392', Ran 10 sacks cement. Mudded to 3037. Bridged with rock at 3037' and ran 4 sacks cement. Top cement at 3018. Mudded to 3008'. Ran cement plug from 3008' to 2988' with 4 sacks cement. Mudded to 2500'. Ran 15 sacks cement from 205 to 190'. Mudded to 15'. Cemented with 15 sacks to top of surface pipe and over base of cellar.



(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to Gulf Oil Corporation

Address Box 661 Tulsa, Oklahoma

STATE OF Kansas, COUNTY OF Rice, ss.

O. L. Stevenson

(employee of owner) or (owner of property) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) O. L. Stevenson

(Address)

SUBSCRIBED AND SWORN to before me this 18th day of April, 19 39

My commission expires 9-7-41

RECEIVED
APR 12 1939
TOTAL DEPTH

CASING RECORD

[illegible]

(*) "F," FLOWING NATURALLY; "L," AIR GAS LIFT; "S," SWABBING; "P," PUMPING.

S- 3 T-218 R- 3W

[illegible]

ELEVATION— 1450'

SHOT:
PRODUCTION

DEPTH

1-27-33 To 2-26-33
1-30-33 with 40 quarts from 3404' to 3432'
"P" 2 oil and 22 water(1-15) - "P" 15 oil and 100 water (2/27)
Corrected by Steel Line Measurement (1/29/33) 3432'

1758
1757
1756
1755
1754
1753
1752
1751
1750
1749
1748
1747
1746
1745
1744
1743
1742
1741
1740
1739
1738
1737
1736
1735
1734
1733
1732
1731
1730
1729
1728
1727
1726
1725
1724
1723
1722
1721
1720
1719
1718
1717
1716
1715
1714
1713
1712
1711
1710
1709
1708
1707
1706
1705
1704
1703
1702
1701
1700
1699
1698
1697
1696
1695
1694
1693
1692
1691
1690
1689
1688
1687
1686
1685
1684
1683
1682
1681
1680
1679
1678
1677
1676
1675
1674
1673
1672
1671
1670
1669
1668
1667
1666
1665
1664
1663
1662
1661
1660
1659
1658
1657
1656
1655
1654
1653
1652
1651
1650
1649
1648
1647
1646
1645
1644
1643
1642
1641
1640
1639
1638
1637
1636
1635
1634
1633
1632
1631
1630
1629
1628
1627
1626
1625
1624
1623
1622
1621
1620
1619
1618
1617
1616
1615
1614
1613
1612
1611
1610
1609
1608
1607
1606
1605
1604
1603
1602
1601
1600
1599
1598
1597
1596
1595
1594
1593
1592
1591
1590
1589
1588
1587
1586
1585
1584
1583
1582
1581
1580
1579
1578
1577
1576
1575
1574
1573
1572
1571
1570
1569
1568
1567
1566
1565
1564
1563
1562
1561
1560
1559
1558
1557
1556
1555
1554
1553
1552
1551
1550
1549
1548
1547
1546
1545
1544
1543
1542
1541
1540
1539
1538
1537
1536
1535
1534
1533
1532
1531
1530
1529
1528
1527
1526
1525
1524
1523
1522
1521
1520
1519
1518
1517
1516
1515
1514
1513
1512
1511
1510
1509
1508
1507
1506
1505
1504
1503
1502
1501
1500
1499
1498
1497
1496
1495
1494
1493
1492
1491
1490
1489
1488
1487
1486
1485
1484
1483
1482
1481
1480
1479
1478
1477
1476
1475
1474
1473
1472
1471
1470
1469
1468
1467
1466
1465
1464
1463
1462
1461
1460
1459
1458
1457
1456
1455
1454
1453
1452
1451
1450
1449
1448
1447
1446
1445
1444
1443
1442
1441
1440
1439
1438
1437
1436
1435
1434
1433
1432
1431
1430
1429
1428
1427
1426
1425
1424
1423
1422
1421
1420
1419
1418
1417
1416
1415
1414
1413
1412
1411
1410
1409
1408
1407
1406
1405
1404
1403
1402
1401
1400
1399
1398
1397
1396
1395
1394
1393
1392
1391
1390
1389
1388
1387
1386
1385
1384
1383
1382
1381
1380
1379
1378
1377
1376
1375
1374
1373
1372
1371
1370
1369
1368
1367
1366
1365
1364
1363
1362
1361
1360
1359
1358
1357
1356
1355
1354
1353
1352
1351
1350
1349
1348
1347
1346
1345
1344
1343
1342
1341
1340
1339
1338
1337
1336
1335
1334
1333
1332
1331
1330
1329
1328
1327
1326
1325
1324
1323
1322
1321
1320
1319
1318
1317
1316
1315
1314
1313
1312
1311
1310
1309
1308
1307
1306
1305
1304
1303
1302
1301
1300
1299
1298
1297
1296
1295
1294
1293
1292
1291
1290
1289
1288
1287
1286
1285
1284
1283
1282
1281
1280
1279
1278
1277
1276
1275
1274
1273
1272
1271
1270
1269
1268
1267
1266
1265
1264
1263
1262
1261
1260
1259
1258
1257
1256
1255
1254
1253
1252
1251
1250
1249
1248
1247
1246
1245
1244
1243
1242
1241
1240
1239
1238
1237
1236
1235
1234
1233
1232
1231
1230
1229
1228
1227
1226
1225
1224
1223
1222
1221
1220
1219
1218
1217
1216
1215
1214
1213
1212
1211
1210
1209
1208
1207
1206
1205
1204
1203
1202
1201
1200
1199
1198
1197
1196
1195
1194
1193
1192
1191
1190
1189
1188
1187
1186
1185
1184
1183
1182
1181
1180
1179
1178
1177
1176
1175
1174
1173
1172
1171
1170
1169
1168
1167
1166
1165
1164
1163
1162
1161
1160
1159
1158
1157
1156
1155
1154
1153
1152
1151
1150
1149
1148
1147
1146
1145
1144
1143
1142
1141
1140
1139
1138
1137
1136
1135
1134
1133
1132
1131
1130
1129
1128
1127
1126
1125
1124
1123
1122
1121
1120
1119
1118
1117
1116
1115
1114
1113
1112
1111
1110
1109
1108
1107
1106
1105
1104
1103
1102
1101
1100
1099
1098
1097
1096
1095
1094
1093
1092
1091
1090
1089
1088
1087
1086
1085
1084
1083
1082
1081
1080
1079
1078
1077
10

Willcox Sand
Sandy shale
Green shale
Lime
Limestone
Lime & shale
Broken lime
Blue shale
Brown shale
Gray shale
Blue shale
Blue shale
Gast
Lime & chat
Gast
Lime & chat
Gast
Lime & shale
Lime & shale
Lime & shale
Broken lime & shale
Shale
Shale & lime
Shale & sand shales
Surface Formation

PLUGGING
FILE NO. 3-21-R-3W
BOOK & PAGE 57 LINE 35



2- 3 1-512 14-51

[illegible]

ELEVATION—

Corrected by Steel Line Measurement (1/29/57) water
to (2/27)
S oil and S2 water (1-18) - "P" IS oil and S2
to distribution from 3044.
To
S-26-57

RECEIVED
NOV 14 1966
20-11-1966