


GARDEN ET AL.
 McCracken No. 1.

SEC. 10 T. 21 R. 7W.
 NE 1/4

Total Depth. 3361.
 Comm. 3-21-34 Comp. 7-11-34
 Shot or Treated.
 Contractor.
 Issued. 7-21-34

County. Rice.



CASING.

15 1/2" 485' 8" 2875' UR 3111' UR 3157
 12 1/2" 1662' 6" 3350'
 10" 2391'

Elevation.

Production. Potential
 862 B.

Figures Indicate Bottom of Formations.

cellar	13	lime	1670	shale	2910
sand	43	shale and shells	1715	lime	2945
red rock	200	red rock	1720	sand	2950
shale	265	lime	1725	3/4 BW 45-50	
red gyp	360	shale	1730	lime	2995
shale	455	lime	1750	sdv lime 1 3/4 BW	3000
red rock	465	shale	1755	lime	3040
shale	611	lime	1790	shale	3053
salt	940	shale	1812	lime	3114
shale	950	lime	1817	2 1/4 BW 3100-05	
salt	980	shale and shells	1850	lime	3125
lime	985	shale	1870	lime	3128
shale	995	shale and shells	1935	shale	3131
lime	1035	red rock	1948	sdv lime	3145
shale	1045	lime	1960	sand 1/2 BW	3150
lime	1065	shale	1970	lime	3171
shale	1075	red rock	2000	shale	3174
lime	1080	shale	2010	broken lime	3192
shale and shells	1110	lime	2015	lime	3235
lime	1115	shale	2032	shale	3249
shale	1120	lime	2052	lime	3255
lime	1150	shale	2100	shale	3265
shale	1170	lime	2125	red rock	3272
lime	1200	shale	2130	lime	3283
shale	1205	lime	2145	shale	3288
lime	1210	shale	2158	lime	3303
shale	1218	lime	2170	lime shells	3311
red rock	1230	red rock	2176	Top of chat	3358
lime	1280	shale	2182	Var. col shale and lime	
shale	1285	lime	2192	shells	3333
lime	1315	shale	2197	show gas	3355-59
shale	1318	lime	2215	show oil	3361
lime	1340	1/2 BW		lime shells & shale	3350
1/2 BW 1345-52		shale	2270	Var. col shale	3358
sdv lime	1360	lime	2295	Chat	3361
shale	1380	shale	2300	T.D.	
red rock	1385	lime	2315		
lime	1388	shale	2323		
shale blk	1405	lime	2338		
lime	1410	sdv shale	2346		
shale	1420	shale	2349		
lime	1445	sand 5 BW	2355		
shale	1460	sdv shale	2380		
shale and shells	1510	lime	2497		
red rock	1515	shale	2501		
lime	1525	lime	2577		
shale	1530	shale	2580		
lime	1540	lime	2680		
red rock	1545	shale	2685		
lime	1550	lime	2690		
shale	1560	shale	2695		
shale	1575	lime	2710		
lime	1580	shale	2765		
shale	1585	sand	2780		
lime	1595	HFV 2765-80			
shale	1610	lime	2793		
lime	1632	shale	2839		
red rock	1647	shale	2853		
		red rock	2857		
		lime	2905		

654 3350

Wichita, Kansas
 7/21/34
 55-34

KANSAS WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY.
 Union National Bank Bldg., Wichita, Kansas

GARDEN ET AL.
 McCracken No. 1.

SEC. 10 T. 21 R. 7W.
 NE $\frac{1}{4}$

15,159.05390.0000

County, Rice.

Total Depth. 3361.
 Comm. 3-21-34 Comp. 7-11-34
 Shot or Treated.
 Contractor.
 Issued, 7-21-34

CASING.

15 $\frac{1}{2}$ " 485' 8" 2875' UR 3111' UR 3157
 12 $\frac{1}{2}$ " 1662' 6" 3350'
 10" 2391'

Elevation.

Production. Potential
 862 B.

Figures Indicate Bottom of Formations.

cellar	13	lime	1670	shale	2910
sand	43	shale and shells	1715	lime	2945
red rock	200	red rock	1720	sand	2950
shale	265	lime	1725	3/4 BW 45-50	
red gyp	360	shale	1730	lime	2995
shale	455	lime	1750	sdv lime 1 3/4 BW	3000
red rock	465	shale	1755	lime	3040
shale	611	lime	1790	shale	3053
salt	940	shale	1812	lime	3114
shale	940	lime	1817	2 $\frac{1}{4}$ BW 3100-05	
salt	980	shale and shells	1850	lime	3125
lime	985	shale	1870	lime	3128
shale	995	shale and shells	1935	shale	3131
lime	1035	red rock	1948	sdv lime	3145
shale	1045	lime	1960	sand $\frac{1}{2}$ BW	3150
lime	1065	shale	1970	lime	3171
shale	1075	red rock	2000	shale	3174
lime	1080	shale	2010	broken lime	3192
shale and shells	1110	lime	2015	lime	3235
lime	1115	shale	2032	shale	3249
shale	1120	lime	2052	lime	3255
lime	1150	shale	2100	shale	3265
shale	1170	lime	2125	red rock	3272
lime	1200	shale	2130	lime	3283
shale	1205	lime	2145	shale	3288
lime	1210	shale	2158	lime	3303
shale	1218	lime	2170	lime shells	3311
red rock	1230	red rock	2176	Top of chat 3358	
lime	1280	shale	2182	Var. col shale and lime	
shale	1285	lime	2192	shells	3333
lime	1315	shale	2197	show gas 3355-59	
shale	1318	lime	2215	show oil 3361	
lime	1340	$\frac{1}{2}$ BW		lime shells & shale 3350	
$\frac{1}{2}$ BW 1345-52		shale	2270	Var. col shale	3358
sdv lime	1360	lime	2295	Chat	3361
shale	1380	shale	2300	T.D.	
red rock	1385	lime	2315		
lime	1388	shale	2323		
shale blk	1405	lime	2338		
lime	1410	sdv shale	2346		
shale	1420	shale	2349		
lime	1445	sand 5 BW	2355		
shale	1460	sdv shale	2380		
shale and shells	1510	lime	2497		
red rock	1515	shale	2501		
lime	1525	lime	2577		
shale	1530	shale	2580		
lime	1540	lime	2680		
red rock	1545	shale	2685		
lime	1550	lime	2690		
shale	1560	shale	2695		
shale	1575	lime	2710		
lime	1580	shale	2765		
shale	1585	sand	2780		
lime	1595	HFW 2765-80			
shale	1610	lime	2793		
lime	1632	shale	2830		
red rock	1647	shale	2853		
		red rock	2857		
		lime	2905		

PLUGGING
 FILE SEC 10 T. 21 R. 7 W.
 BOOK PAGE 55 LINE 34