

STATE OF KANSAS
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Flat

Rice County. Sec. 10 Twp. 21 Rge. 7W (E) (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines C. EL. E 1/2 NW
Lease Owner Mid-Plains Oil Corporation
Lease Name Van Blarcom Well No. 1
Office Address Union National Bldg., Wichita, Kan.
Character of Well (completed as Oil, Gas or Dry Hole) Oil Well
Date well completed 4 - 5 - 38 19
Application for plugging filed 10 - 8 - 42 19
Application for plugging approved 10 - 10 - 42 19
Plugging commenced Oct. 26, 1942 19
Plugging completed Nov. 2nd, 1942 19
Reason for abandonment of well or producing formation No longer productive

If a producing well is abandoned, date of last production June 3, 1942 19
Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? Yes

Name of Conservation Agent who supervised plugging of this well Durkee, McPherson, Kan.
Producing formation Conglomerate Depth to top 3364 Bottom 3375 Total Depth of Well 3382 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|---------------------|------------|-------------|-------------|------------------|-------------|-------------|
| <u>Conglomerate</u> | <u>Oil</u> | <u>3364</u> | <u>3375</u> | <u>7" OD</u> | <u>3364</u> | <u>2330</u> |
| | | | | <u>10-3/4 OD</u> | <u>102</u> | <u>None</u> |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

3382' to 3360' Mud
3360' to 3340' Cement 6 sax.
3340' to 150' Mud
150' to 130' Cement 12 sax.
130' to 8' Mud
8' to base of cellar, Cement 5 sax.

PLUGGING
FILE SEC 10-T-21 R-7W
BOOK PAGE 52 LINE 44



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Mid-Plains Oil Corporation
Address Union National Bldg., Wichita, Kansas.

STATE OF Kansas, COUNTY OF Sedgwick, ss.
C. L. Steinberg & Company (employee of owner) or (~~owner or operator~~) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. L. STEINBERG & CO. *C. L. Steinberg*
809 Petroleum Bldg.,
Wichita, Kansas. (Address)

SUBSCRIBED AND SWORN to before me this 4th day of November, 19 42

Clytell Smalley
Notary Public.

My commission expires Dec. 6th, 1945.

MID PLAINS OIL CORPORATION

VAN BLARCOM - WELL #1

Gen. E $\frac{1}{2}$ E $\frac{1}{2}$ NW $\frac{1}{4}$ 10-21S-7W

Rice County, Kansas

CASING

| | | | |
|--------------|-----------------------------|--------------|---------|
| Total Depth. | 3,377' | | |
| Comm. | 3-6-38 | Comp. | 3-28-38 |
| Contractor. | Jock Garden Contracting Co. | 10-3/4" O.D. | 102' |
| Elevation. | 1,609' | 7" O.D. | 3,364' |
| Production. | 691 Barrels | | |

Figures Indicate Bottom of Formation.

| | |
|-----------------------------|------|
| Surface | 12 |
| Sand | 68 |
| Red Shale | 98 |
| Lime Shell | 102 |
| Shale & Gip Shells | 570 |
| Shale & Shells | 610 |
| Salt | 990 |
| Lime | 1020 |
| B. Lime | 1125 |
| Broken Lime | 1280 |
| B. Lime | 1350 |
| Broken Lime | 1440 |
| Shale & Shells | 1630 |
| Shale Shells | 1705 |
| Shale & Shells | 1780 |
| Shale, Lime & Sand | 1845 |
| Shale Shells | 1915 |
| Shale & Shells | 1960 |
| Shale Shells | 2050 |
| Shale & Shells | 2235 |
| Shale Shells | 2310 |
| Shale & Shells | 2365 |
| Lime | 2690 |
| Shale | 2720 |
| Lime | 2830 |
| Shale | 2895 |
| Lime | 2980 |
| Broken Lime | 2990 |
| Lime | 3225 |
| Shale & Lime | 3355 |
| Shale & Shells | 3364 |
| Conglomerate - Hard | 3366 |
| Conglomerate - Soft | 3373 |
| (3,000' fillup immediately) | |
| Conglomerate - Hard | 3375 |
| Red Rock | 3377 |
| Total Depth. | 3377 |

DEEPENING RECORD

Lime
Chat

(No increase in oil)



PLUGGING
FILE SEC-10-T-21-R-7K-
BOOK PAGE 52-LINE-44a

15.159.05398.0000

MID PLAINS OIL CORPORATION

I. Van Blarcom - Well #1

C. E. L. NW $\frac{1}{4}$ Sec. 10, Twp. 21 S., Rg. 7W.
Rice County, Kans.

Drilling Contractor - Jock Garden Cont. Co.
Drilling Comm. 3-6-38 Comp. 4-5-38
Standardized at 3,364'
Total Depth. - 3,382'
Elevation - 1,609'

Casing Record:
10-3/4" O.D. 102'
7" O.D. 3364'
Production - 691 B. Pot.

| | |
|-----------------------------|------|
| surface | 12 |
| sand | 68 |
| red shale | 98 |
| lime shell | 102 |
| shale & gyp shells | 570 |
| shale & shells | 610 |
| salt | 990 |
| lime | 1020 |
| B. lime | 1125 |
| brkn lime | 1280 |
| B. lime | 1350 |
| brkn lime | 1440 |
| shale & shells | 1630 |
| shale shells | 1705 |
| shale & shells | 1780 |
| shale, lime & sand | 1845 |
| shale shells | 1915 |
| shale & shells | 1960 |
| shale shells | 2050 |
| shale & shells | 2235 |
| shale shells | 2310 |
| shale & shells | 2365 |
| lime | 2690 |
| shale | 2720 |
| lime | 2830 |
| shale | 2895 |
| lime | 2980 |
| brkn lime | 2990 |
| lime | 3225 |
| shale & lime | 3355 |
| shale & shells | 3364 |
| conglomerate - hard | 3366 |
| conglomerate - soft | 3373 |
| (3,000' fillup immediately) | |
| conglomerate - hard | 3375 |
| red rock | 3377 |

DEEPENING RECORD

| | |
|------|------|
| lime | 3380 |
| chat | 3382 |

(No increase in oil)

PLUGGING
FILE SEC 10 T 21 R 7W
BOOK PAGE 136 LINE 44

