STATE OF KANSAS STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Mike Bequired Affidavit
Mail of Deliver Report to:
Conservation Division
State Corporation Commission

FORMATION PLUGGING RECORD Strike out upper line when reporting plugging off formations.

vate Vorporation Commission 00 Bitting Building Vichita Kansas	Rice Co	*************				e7(<i>E</i>)NW(
NORTH	Location as "N Lease Owner	NEWNWWSWW" Simon Le	or footage fro	om lines E. N	w Bldø. Ti	ulsa, Okla #5
	Lease Owner	Oden #5				Well No. #5
	Office Address	OUI TATE	ice Bldg	, Tulsa,	Oklahoma	Well No#5
	Character of V	Well (completed a	s Oil, Gas or l	Dry Hole)Ω	0.1 11	
	Application for	r plugging filed	9/23/47			
	Application for	r plugging approv	$\frac{9}{2}$	4/47		19
	Plugging comm	nenced	toper z	1047	»	19
.	Plugging com	pleted	vemper o		www.Wole	19
	heason for aba	andoninent of we		g tormanon	······································	
	If a producing	well is abandone	d, date of last	t production		19
Locate well correctly on above	Was permissio menced? Ye	n obtained from	the Conservat	tion Division o	r its agents before	re plugging was co
Section Plat the of Conservation Agent who solution formation Conglom we depth and thickness of all wat	upervised plugging of the rate	his well Mr . oth to top 33	Ruel Du 32 Botton	rkee, Bo	x 597, Mc	Pherson, K Well 3332' _I
L, GAS OR WATER RECOR					(CASING RECORI
Formation	Content	From	To	Size	Put In	, Pulled Out
onglomerate						
	****	.,,,				
			-			

		****		*********************		
ducing it into the hole. If cem feet for each pl numbed 6 sacks of	nent or other plugs were lug set. Cement at 3	e used, state the o	character of sa	at 2800	placed, from	and got
ducing it into the hole. If cem feet for each pl numped 6 sacks of t loose at 2600! acks of cement a	nent or other plugs were lug set. Cement at 3 Pulled pi	e used, state the o	character of sa ot pipe dded ho s of cen	at 2800' le to 150 nent at t	placed, from	and got ed 30 face pipe
Oumped 6 sacks of it loose at 2600's acks of cement a	onent or other plugs were lug set. Cement at 3 Pulled pi t 150' and p	e used, state the of 315°. She and mut 8 sack	character of sa ot pipe dded ho; s of cen y, use BACK of Le bow	at 2800's le to 150 nent at t	placed, from 1, 8700', D'. Dumppe top of sur	and got ed 30 face pipe
ducing it into the hole. If cem feet for each pl Dumped 6 sacks of Lt loose at 2600! sacks of cement a Correspondence regarding this sess 807 Palace Blc	(If additional of well should be addressed of Tulsa, (e used, state the of 315°. She and munut 8 sack	character of sa ot pipe dded ho; s of cen	at 2800' le to 150 nent at t	placed, from 1, 8700', D'. Dumppe top of sur	and got ed 30 face pipe
Correspondence regarding this sess 807 Palace Bld	cement at 3 Cement at 3 Pulled pi t 150' and p (If additional contents and content	e used, state the of 315°. She and munut 8 sack. lescription is necessared to Simon oklahoma.	character of sa ot pipe dded ho s of cen y, use BACK of Lebow	at 2800' le to 150 nent at t	placed, from 1, 8700', 1, Dumppe 1, Solution 1, 1947	and got ed 30 face pipe
Correspondence regarding this sees 807 Palace Blocks The Or Correspondence regarding the sees at 2600 to	Cement at 3 Cement at 3 Pulled pi t 150' and p (If additional of the second se	e used, state the of 315°. She and mult 8 sack. description is necessared to Simon oklahoma.	character of sa ot pipe dded ho; s of cen y, use BACK of Lebow Sa ploy@of.own	at 2800° le to 150 nent at t	placed, from 9, 8700', 10', Dumpe 100 of sur 151947	and got ed 30 face pipe
Correspondence regarding this test 807 Palace Bld	cement at 3 Cement at 3 Pulled pi t 150' and p (If additional c well should be addresse ig., Tulsa, (, COUN	e used, state the of 315 . Sh pe and murut 8 sack lescription is necessar d to Simon oklahoma NTY OF Tules (Simon of Sign of the facts, series of the fact	character of sa ot pipe dded ho; s of cen y, use BACK of Lebow Sa ployeeofown tatements, an	at 2800° le to 150 nent at t	placed, from 9, 8700', 10', Dumpe 100 of sur 151947	and got ed 30 face pipe
Correspondence regarding this test 807 Palace Bld	cement at 3 Cement at 3 Pulled pi t 150' and p (If additional c well should be addresse ig., Tulsa, (, COUN	e used, state the of 315 . Sh pe and murut 8 sack lescription is necessar d to Simon oklahoma NTY OF Tules (Simon of Sign of the facts, series of the fact	ot pipe dded hol s of cen y, use BACK of Lebow Sa ploy & of own statements, an God.	at 2800° le to 150 nent at t	placed, from 9, 8700', 10', Dumpe 100 of sur 151947	and got ed 30 face pipe
correspondence regarding this vess 807 Palace Bld	cement at 3 Cement at 3 Pulled pi t 150' and p (If additional c well should be addresse ig., Tulsa, (, COUN	e used, state the of 315°. She pa and murut 8 sack description is necessared to Simon oklahoma NTY OF Tule (Smile) lige of the facts, sect. So help me of the facts of the f	ot pipe dded hol s of cen y, use BACK of Lebow Sa ploy & of own statements, an God.	at 2800° le to 150 nent at t	placed, from 9, 8700', 10', Dumpe 100 of sur 151947	and got ed 30 face pipe
Correspondence regarding this sess 807 Palace Blocks The Oklahoma Simon Lebow first duly sworn on oath, says ibed well as filed and that the state of the care of	Cement at 3 Cement at 3 Pulled pi t 150' and p (If additional of the content of	e used, state the of 315 . Sh pa and murut 8 sack description is necessar description is necessar description is necessar description. Tulk (Shift dige of the facts, sect. So help me of (Signature)	ot pipe dded ho s of cen y, use BACK of Lebow Sa ploy & of own statements, an God.	at 2800' le to 150 nent at t this sheet) there or (owner or d matters herei	placed, from 9, 8700', 10', Dumpe 100 of sur 151947	and got ed 30 face pipe
Correspondence regarding this sess 807 Palace Bld	Cement at 3 Cement at 3 Pulled pi t 150' and p (If additional of the content of	e used, state the of 315 . Sh pa and murut 8 sack description is necessar description is necessar description is necessar description. Tulk (Shift dige of the facts, sect. So help me of (Signature)	ot pipe dded ho s of cen y, use BACK of Lebow Sa ploy & of own statements, an God.	at 2800' le to 150 nent at t this sheet) there or (owner or d matters herei	sylvanian sylvan	and got ed 30 face pipe
Correspondence regarding this sess. 807 Palace Blocks of Chahoma Simon Lebow for the first duly sworn on cath, says ibed well as filed and that the sess of the correspondence o	Cement at 3 Cement at 3 Pulled pi t 150' and p (If additional of the content of	e used, state the of 315 . Sh pa and murut 8 sack description is necessar description is necessar description is necessar description. Tulk (Shift dige of the facts, sect. So help me of (Signature)	ot pipe dded ho s of cen y, use BACK of Lebow Sa ploy & of own statements, an God.	at 2800' le to 150 nent at t this sheet) there or (owner or d matters herei	sylvanian sylvan	and got ed 30 face pipe

And pay of the pay of the said of the said

Sinon Lebou

1

, Box 59%, Moth son, Ke.

PUBLICA

SI'M M

A.

TELL FOR YOUR GOOD

WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY. 412 Union National Bk Blag. Wichita, Kansas.



15.159.05296.0000

SEC. 5 T. 21 R. 7W NW NE NW

Total Depth. 3332

Comm. 9-11-37 Comp. 10-21-37

Shot or Treated.

Contractor. Jock Garden Centr.Co.

Issued. 2-26-38

CASING:

123" 7" 931

3315

County. Rice



Elevation.

Production - Pot. 5379 B.

Figures Indicate Bottom of Formations.

rend	60
rod bed & shells	90
shells	93
shale & shells	615
r.1t	1000
bukn lime	1105
Lime	1220
orkn line	1420
shele & shells	1620
shale & Lime	1845
lume .	1870
shale & shells	2065
snele & lime shells	2235
shale & shells	2275
brkn line	2400
ilme	2595
brkn line	2615
lime	2700
chale & shells	2723
she le	2755
shale & shells	2840
lime	3224
brkn lime	3285
red rock	3295
brkn lime	3315
conglomerate	3332
Total Depth.	
TOOM DOPOILS	

J.B. GARDEN
Oden #6

Sec. 5 T. 21 R 7W NW NE NW

Total Depth 3332 Comm. 9-11-37 Comp. 10-21-37 Shot or Treated Contractor, Jock Garden Contr. Co.

Issued 2-26-38

CASING:

12½" 93¹ 7" 3315¹

· Elevation.

Production. Pot 5379 B.

Figured Indicate Bottom of Formations.

sand	60
red bed & shells	90
shells	93
shale & shells	615
salt	1000
brkn lime	1105
Lime	1220
brkn lime	14 20
shale & shells	1620
shale & lime	1845
lime	1870
shale & shells	2065
shale & lime shells	2235
shale & shells	2275
bekn lime	2400
lime .	2595
brkn lime	2615
lime	2700.
shale & shells	2723
shale	2755
shale & she ls	2840
lime	3224
brkn lime	3285
red rock	3295
brkn lime	3315
conglomerate	3332
Total Depth.	

NOV 15 1947

W. Troil Ita

PLUGGING
FILE SEC 5 TO 1 R-7 LA
BOOK PAGE 135 LINE 21