

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR  
FORMATION PLUGGING RECORD


Strike out upper line  
when reporting plug-  
ging off formations.

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

Rice County. Sec. 5 Twp. 21 Rge. ~~7~~ 7 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SWc SE SW  
Lease Owner The El Dorado Refining Company  
Lease Name L. Gossman Well No. 1  
Office Address Box 551, El Dorado, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed January 6, 19 37  
Application for plugging filed December 31, 19 46  
Application for plugging approved January 7, 19 47  
Plugging commenced January 21, 19 47  
Plugging completed January 31, 19 47  
Reason for abandonment of well or producing formation Non-Profitable to operate.  
If a producing well is abandoned, date of last production January 8, 19 47  
Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes

NORTH



Locate well correctly on above  
Section Flat

Name of Conservation Agent who supervised plugging of this well R. Durkee  
Producing formation Conglomerate Depth to top Bottom Total Depth of Well 3382 Feet  
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size               | Put In | Pulled Out |
|-----------|---------|------|----|--------------------|--------|------------|
|           |         |      |    | 8 $\frac{1}{2}$ "  | 3332'  | 2436' 2"   |
|           |         |      |    | 15 $\frac{1}{2}$ " | 102'   |            |
|           |         |      |    |                    |        |            |
|           |         |      |    |                    |        |            |
|           |         |      |    |                    |        |            |
|           |         |      |    |                    |        |            |
|           |         |      |    |                    |        |            |
|           |         |      |    |                    |        |            |
|           |         |      |    |                    |        |            |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set.

Mudded from bottom of hole to 150'  
Set bridge and run 40 sacks of cement at 150'  
Mudded to 15' of base of cellar  
Run 10 sacks of cement to cap.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The El Dorado Refining Company  
Address Box 551, El Dorado, Kansas

STATE OF Kansas, COUNTY OF Butler

H. L. McQuiston, Gen'l Production Supt. (employee of owner) or (owner's agent) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-  
described well as filed and that the same are true and correct. So help me God.

(Signature) H. L. McQuiston 2-13-47  
P.O. Box 551, El Dorado, Kansas  
Address

SUBSCRIBED AND SWORN to before me this 11th day of February, 19 47.  
My commission expires 3-15-50.  
Notary Public.

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


OR  
FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

Rice County. Sec. 5 Twp. 21 Rge. 7 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SWc SE SW  
Lease Owner The El Dorado Refining Company  
Lease Name L. Gossman Well No. 1  
Office Address Box 551, El Dorado, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed January 6, 19. 37  
Application for plugging filed December 31, 19. 46  
Application for plugging approved January 7, 19. 47  
Plugging commenced January 21, 19. 47  
Plugging completed January 31, 19. 47  
Reason for abandonment of well or producing formation Non-Profitable to operate.



Locate well correctly on above  
Section Plat

If a producing well is abandoned, date of last production January 8, 19. 47  
Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes

Name of Conservation Agent who supervised plugging of this well R. Durkee  
Producing formation Conglomerate Depth to top Bottom Total Depth of Well 3382 Feet  
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size    | Put In | Pulled Out |
|-----------|---------|------|----|---------|--------|------------|
|           |         |      |    | 8 1/2"  | 3332'  | 2436' 2"   |
|           |         |      |    | 15 1/2" | 102'   |            |
|           |         |      |    |         |        |            |
|           |         |      |    |         |        |            |
|           |         |      |    |         |        |            |
|           |         |      |    |         |        |            |
|           |         |      |    |         |        |            |
|           |         |      |    |         |        |            |
|           |         |      |    |         |        |            |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Mudded from bottom of hole to 150'  
Set bridge and run 40 sacks of cement at 150'  
Mudded to 15' of base of cellar  
Run 10 sacks of cement to cap.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The El Dorado Refining Company  
Address Box 551, El Dorado, Kansas

STATE OF Kansas, COUNTY OF Butler, ss.  
H. L. McQuiston, Gen'l Production Supt. (employee of owner) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-  
described well as filed and that the same are true and correct. So help me God.

(Signature) H. L. McQuiston

P.O. Box 551, El Dorado, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 11th day of February, 1947

[Signature] Notary Public.

My commission expires 3-15-50.

2-13-47

SWc SE SW 5-21-7W

L. Gossman #1

Company The El Dorado Refining Company et al

8-5/8" 3332'

Commenced 12-1-36

Completed 1-6-37

Total Depth 3382'

Elevation 1623'

| <u>Depth</u> | <u>Formation</u>    |
|--------------|---------------------|
| 72           | Surface             |
| 102          | Red Shale           |
| 280          | Shells & Shale      |
| 310          | Lime Shell & Shale  |
| 690          | Shale & Shells      |
| 1010         | Salt                |
| 1067         | Lime Shale          |
| 1145         | Lime                |
| 1614         | Lime & Shale        |
| 1680         | Shells & Shale      |
| 1705         | Lime                |
| 1794         | Shale & Shells      |
| 1882         | Shale               |
| 2001         | Lime & Shale        |
| 2113         | Shale & Shells      |
| 2128         | Shale               |
| 2191         | Lime                |
| 2210         | Shale & Shells      |
| 2234         | Lime                |
| 2300         | Shale               |
| 2322         | Broken Lime & Shale |
| 2362         | Lime                |
| 2404         | Shale               |
| 2746         | Lime                |
| 2817         | Lime Shells & Shale |
| 2824         | Shale               |
| 2842         | Lime                |
| 2919         | Lime & Shale        |
| 2960         | Shale               |
| 3000         | Lime                |
| 3010         | Sandy               |
| 3197         | Lime                |
| 3226         | Lime                |
| 3232         | Shale               |
| 3265         | Shale & Shells      |
| 3310         | Lime & Shale        |
| 3333         | Lime Shells & Shale |
| 3335         | Lime & Shale        |
| 3336         | Conglomerate        |
| 3340         | Oil Sand            |
| 3345         | Oil Sand            |
| 3359         | Conglomerate        |
| 3364         | Chat                |
| 3382         | Chat                |

Plugged Back to 3353

PLUGGING  
 FILE SEC 5-21-7W  
 BOOK 41-1

SWC SE SW 5-21-7W

L. Gossman #1

Company The El Dorado Refining Company et al

8-5/8" 3332'

Commenced 12-1-36

Completed 1-6-37

Total Depth 3382'

Elevation 1623'

| <u>Depth</u> | <u>Formation</u>    |
|--------------|---------------------|
| 72           | Surface             |
| 102          | Red Shale           |
| 280          | Shells & Shale      |
| 310          | Lime Shell & Shale  |
| 690          | Shale & Shells      |
| 1010         | Salt                |
| 1067         | Lime Shale          |
| 1145         | Lime                |
| 1614         | Lime & Shale        |
| 1680         | Shells & Shale      |
| 1705         | Lime                |
| 1794         | Shale & Shells      |
| 1882         | Shale               |
| 2001         | Lime & Shale        |
| 2113         | Shale & Shells      |
| 2128         | Shale               |
| 2191         | Lime                |
| 2210         | Shale & Shells      |
| 2234         | Lime                |
| 2300         | Shale               |
| 2322         | Broken Lime & Shale |
| 2362         | Lime                |
| 2404         | Shale               |
| 2746         | Lime                |
| 2817         | Lime Shells & Shale |
| 2824         | Shale               |
| 2842         | Lime                |
| 2919         | Lime & Shale        |
| 2960         | Shale               |
| 3000         | Lime                |
| 3010         | Sandy               |
| 3197         | Lime                |
| 3226         | Lime                |
| 3232         | Shale               |
| 3265         | Shale & Shells      |
| 3310         | Lime & Shale        |
| 3333         | Lime Shells & Shale |
| 3335         | Lime & Shale        |
| 3336         | Conglomerate        |
| 3340         | Oil Sand            |
| 3345         | Oil Sand            |
| 3359         | Conglomerate        |
| 3364         | Chat                |
| 3382         | Chat                |

Plugged Back to 3353

