

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD  
OR  
FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
606 Biting Building  
Topeka, Kansas

Pawnee County, Sec. 22 Twp. 20S Rge. (E) 20 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines G S/2, SE, SE,

Lease Owner Gulf Oil Corporation

Lease Name Nora Shockey Well No. 1

Office Address P. O. Box 661 Tulsa, Okla.

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 19

Application for plugging filed September 16 19 43

Application for plugging approved September 17 19 43


Plugging commenced September 18 19 43

Plugging completed September 18 19 43

Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes



Locate well correctly on above  
Section Plat

Name of Conservation Agent who supervised plugging of this well C. T. Alexander

Producing formation Depth to top Bottom Total Depth of Well 233 Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Relled Out
Shale				13"	233'	Left in hole.
Shale				8-5/8"	1279'	Left in hole.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled hole with heavy mud to 300'. Placed plug at 300' and cemented through drill pipe with 20 sacks of cement from 300' to 236'. Filled with heavy mud to 30'. Placed plug and capped with 20 sacks of cement.



(If additional description is necessary, use BACK of this sheet)


Correspondence regarding this well should be addressed to Gulf Oil Corporation  
Address P. O. Box 661  
Tulsa, Oklahoma

STATE OF Kansas COUNTY OF Rice, ss.

Chas. Prater (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Chas Prater

(Address)



SUBSCRIBED AND SWORN to before me this 27th day of October, 1943

My commission expires May 18, 1946

Notary Public.



15.145.00965.0000

WELL NO. 1 LEASE **Wata Choctaw** COMPANY **Gulf Oil Corporation** A.F.E. 3387  
 DATE—DRILLING BEGAN **8-15-43** WELL COMPLETED **9-17-43** FIRST PRODUCTION  
 SAND RECORD **Armerica line 4765' - 4823'** TOTAL DEPTH **4823'**  
 INITIAL PRODUCTION **Dry Hole - Plugged 9-17-43**

CASING RECORD

SIZE	WEIGHT	THD.	CLASS	MAKE	SET AT DEPTH	SACKS CEMENT	LBS. CAL. CHLO.	PULLED	LEFT IN
13	50	8	C-1	Low. St.	235	325	360	-	235
8-5/8	32	10	2	Salv. Co. Grade 2	1279	525	400	-	1279

S- 27 T- 200 R- 200


ELEVATION— 2163' AP

- 0 - 130 Surface sand & shale
- 130 - 269 Shale & shells
- 269 - 305 Hard sand
- 305 - 505 Shale & shells
- 505 - 610 Red bed
- 610 - 640 Sandy loam & shale
- 640 - 695 Red shale & sand
- 695 - 733 Red sand
- 733 - 763 Shells & red bed
- 763 - 855 Sand & red bed
- 855 - 1070 Sand & shale
- 1070 - 1350 Red bed
- 1350 - 1385 Limestone
- 1385 - 1965 Shale & shells
- 1965 - 2110 White limestone
- 2110 - 2130 Limestone & shale
- 2130 - 2170 Shale
- 2170 - 2210 White limestone
- 2210 - 2245 Shale
- 2245 - 2315 Limestone & shale
- 2315 - 2380 Limestone
- 2380 - 2425 Limestone & shale
- 2425 - 2595 Limestone
- 2595 - 2640 Limestone & shale
- 2640 - 2675 Limestone
- 2675 - 2805 Limestone & shale
- 2805 - 2805 Broken line
- 2805 - 3200 Limestone & shale
- 3275 Broken line
- 3540 Shale & limestone
- 4185 Limestone
- 4177 Limestone & shale
- 4198 Shale
- 4216 Limestone
- 4251 Shale & limestone
- 4277 Limestone & sand
- 4356 Limestone
- 4439 Cherty limestone
- 4446 Chert
- 4534 Limestone
- 4545 Limestone & chert
- 4548 Hard sand
- 4557 Hard sandy limestone
- 4580 Limestone & chert
- 4593 Cherty limestone
- 4594 Limestone & chert
- 4607 Chert
- 4627 Chert & limestone
- 4662 Cherty limestone
- 4685 Limestone & chert
- 4698 Chert
- 4723 Limestone & chert
- 4733 Sand
- 4823 Limestone (Total Depth)

11/00

**PLUGGING**  
 FILE NO. 22 20 420W  
 BOOK PAGE 91 LINE 32

