Form CP-4

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission

WELL PLUGGING RECORD

211 No. Broadway Wichita, Kansas	Pawne	ee	Count	y, sec. <u> </u>	wp <u>avo</u> nge.	<u>aur (au</u>	(W)	
NORTH		E/CNW#SW#" o			E SE SW	1 37 1 4		
	Lease Owner_1 Lease Name	D. R. Lauc	CK UIL	company,				
		301 S. Bro	adway.	Wichita		_ Well No1		
-						Hole		
	Character of Well (completed as Oil, Gas or Dry Hole) Date well completed October 6. 1964							
1 1	Application for plugging filed. October 6. 1964							
		Application for plugging approved					19 64	
ļ . ļ ·	Plugging comm	Plugging commenced					1964	
		Plugging completed 0ctober 6, 1964						
	Reason for abar	ndonment of well	or producing	g formation		Dry Hol	<u>e</u>	
	If a producing well is abandoned, date of last production							
		well is abandone n obtained from		-			19	
Locate well correctly on above Section Plat	menced?		me Conserv	anon Division c	or its agents ber	ore plugging v	as com-	
me of Conservation Agent who sup			ion Pet	ty				
		Depth to top Bottom						
w depth and thickness of all water								
OIL, GAS OR WATER RECOR	DS				,	CASING REC	OND	
OIL, GAS ON WATER IECOIL	1	1 -		 	1	CASING REC	OKD :	
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED O		
	81	0 '	318 *	8-5/8"	318'	None		
		 				 		
	<u> </u>					 		
Describe in detail the manner in ntroducing it into the hole. If cerfeet for each plug s	ment or other plugs we set.	ere used, state the						
ntroducing it into the hole. If cer	4272 -540 -540 -536 -536 -496 -	Mud Plug Cement		f same and dept				
ntroducing it into the hole. If cer	4272 -540 ! 540 -536 ! 536 -496 !	Mud Plug Cement, Mud	e character o	f same and dept				
ntroducing it into the hole. If cer	4272 -540 : 540 -536 : 536 -496 : 496 -240 : 240 -236 :	Mud Plug Cement, Mud Plug	e character o	f same and dept				
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement,	e character o	f same and dept				
ntroducing it into the hole. If cer	4272 -540 -540 -540 -540 -240 -240 -236 -196 -40 -40 -40 -40 -40 -40 -40 -40 -40 -40	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud	e character o	f same and dept				
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks	h placed, from_			
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks				
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks	h placed, from_			
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks	h placed, from_			
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks (Rott	om of Ce	1.1ar)	feet to	
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks (Rott	om of Ce	1.1ar)	feet to	
troducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks (Rott	om of Ce	llar)	feet to	
stroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks (Rott	om of Ce	llar)	feet to	
ntroducing it into the hole. If cer	### description of the plugs we set. ### 4272	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug	20 sac	ks (Bott	om of Ce	11ar) WE 1000 1000 1000 1000 1000 1000 1000 10	feet to	
ntroducing it into the hole. If cer	ment or other plugs we set. 4272 !=540 ! 540 !=536 ! 536 !=496 ! 496 !=240 ! 240 !=236 ! 236 !=196 ! 196 != 40 ! 40 != 36 ! 36 != 6 !	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug Cement,	20 sac	ks (Bott	om of Ce	1.1ar) 1.0v COMMISS! 2.1964	feet to	
ntroducing it into the hole. If cerfeet for each plug s	ment or other plugs we set. 4272 !=540 ! 540 !=536 ! 536 !=496 ! 496 !=240 ! 240 !=236 ! 236 !=196 ! 196 != 40 ! 40 != 36 ! 36 != 6 !	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, Mud Plug Cement,	20 Sac 20 Sac 10 Sac	ks (Bott	om of Ce	1.1ar) 1.0v COMMISS! 2.1964	feet to	
ntroducing it into the hole. If cer	### definition and the company of th	Mud Plug Cement,	20 Sac 20 Sac 10 Sac	ks (Bott	om of Ce	1.1ar) 1.0v COMMISS! 2.1964	feet to	
ntroducing it into the hole. If cerfeet for each plug s	ment or other plugs we set. 4272 !=540 ! 540 !=536 ! 536 !=496 ! 496 !=240 ! 240 !=236 ! 236 !=196 ! 196 != 40 ! 40 != 36 ! 36 != 6 !	Mud Plug Cement,	20 Sac 20 Sac 10 Sac	ks (Bott	om of Ce	1.1ar) 1.0v COMMISS! 2.1964	feet to	
ntroducing it into the hole. If cerfeet for each plug s ne of Plugging Contractor	### description of the company of th	Mud Plug Cement,	20 Sac 20 Sac 10 Sac	ks (Bott	om of Ce	1.1ar) 1.0v COMMISS! 2.1964	feet to	
ntroducing it into the hole. If cer	## definition and content of the content of the results of the content of the results of the content of the con	Mud Plug Cement,	20 Sac 20 Sac 20 Sac 10 Sac SEDGWI	ks (Bott	om of Ce: OCT 12 ONSERVATION Wichita, X	11ar) ON COMMISSI N DIVISION ansas 2-/2-/	_feet to	
ntroducing it into the hole. If cer	### description of the control of th	Mud Plug Cement,	20 Sac 20 Sac 10 Sac SEDGWI mployee of c	ks (Bott	om of Ce OCT 12 ONSERVATION Wichita, X // // , ss. er or operator)	N Olvish Andrew of the above-of	feet to	
ntroducing it into the hole. If cer	### A COUNTY COLUMN AND COLUMN AN	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, (ement)	20 Sac 20 Sac 10 Sac 10 Sac SEDGWI mployee of capts, stateme	ks (Bott	om of Ce OCT 12 ONSERVATION Wichita, X // // , ss. er or operator)	N Olvish Andrew of the above-of	feet to	
ntroducing it into the hole. If cer	### A COUNTY COLUMN AND COLUMN AN	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, So he	20 Sac 20 Sac 10 Sac SEDGWI mployee of capts, statemer	ks (Bott	om of Ce OCT 12 ONSERVATION Wichita, X // // , ss. er or operator)	N Olvish Andrew of the above-of	feet to	
ntroducing it into the hole. If cer	### A COUNTY COLUMN AND COLUMN AN	Mud Plug Cement, Mud Plug Cement, Mud Plug Cement, (ement)	20 Sac 20 Sac 10 Sac SEDGWI mployee of capts, statemer	ks (Bott	om of Ce OCT 12 ONSERVATION Wichita, X // // , ss. er or operator)	N Olvish Andrew of the above-of	feet to	
ntroducing it into the hole. If cer	### A COUNTY COLUMN AND COLUMN AN	Mud Plug Cement, Mud Cement, Mud Plug Ce	20 Sac 20 Sac 20 Sac 10 Sac SEDGWI mployee of coacts, statements of the cool.	ks ks ks Ks CKS	om of Ce: ATE CORPORATION Wichita, X // , ss. er or operator) s herein contain with ta	ON COMMISSION OF the above-oned and the local control of the above-oned and the local	escribed g of the	
troducing it into the hole. If cer	### description of the same are true ar	Mud Plug Cement, Mud Cement Conting Cont	20 Sac 20 Sac 20 Sac 10 Sac SEDGWI mployee of cacts, statement of the second of t	ks ks ks Rott CK Owner) or (ownents, and matter	om of Ce: ATE CORPORATION Wichita, K // // // // // // // // //	N Olvishon of the above-oned and the lower a	escribed g of the	
troducing it into the hole. If cer	### description of the same are true ar	Mud Plug Cement, Mud Cement, Mud Plug Ce	20 Sac 20 Sac 20 Sac 10 Sac SEDGWI mployee of cacts, statement of the sac statement of t	ks ks ks Rott CK Owner) or (ownents, and matter	om of Ce: ATE CORPORATION Wichita, X // , ss. er or operator) s herein contain with ta	N Olvishon of the above-oned and the lower a	escribed g of the	

D. R. Lauck Oil Company, Inc. and Nadel & Gussman

Risse #1

4.> " "

SE SE SW Sec. 14-20S-20W Pawnee County, Kansas

Commenced: September 23, 1964 Completed: October 6, 1964

Casing Record: 318' 8-5/8" Cemented with 200 sacks Cement,

4 sacks Calcium Chloride.

Elevation: 2198 GL; 2200 DF; 2202 KB.

Drillers Log	·	Tops
Sand & Shale Shale & Sand Shale & Red Bed Anhydrite Shale & Lime Shale & Red Bed Shale Shale Lime Lime & Shale	314 600 1335 1365 1444 1900 2208 2525 2600	Sam ple Welex Heebner 3644-1442 3639-1437 Lansing 3695-1493 3699-1497 Base Kansas City 4070-1868 4070-1868 Cherokee Shale 4157-1955 4157-1955 Cherokee Sand 4172-1970 4172-1970 Mississippian 4253-2051 4253-2051 Total Depth 4272-2070 4272-2070
Shale & Lime Lime & Shale Shale & Lime Shale & Lime Lime & Shale Shale & Lime Lime & Shale Lime Lime Lime & Shale Lime Lime, Shale, Chert Lime	2793 2886 2988 3605 3800 3840 3917 4034 4198 4243 4260 4272 RTD	DST #1 (M) 4210-4260, open 20 minutes, weak blow 20 minutes. Recovered 15' mud. No ISIP taken. FSIP 920# sti 11 climbing 10 min. IFP 70#. FFP 85#. DST #2,(M) 4260-4272, open 90 minutes, weak blow 90 minutes. Recovered 5' clean oil, 120' muddy water. ISIP 1340#/30 min. FSIP 1092#/30 min. IFP 47#. FFP 105#.

D&A

Straddle DST, 4150-4179, (Welex 4152-91)
Open 15 minutes, weak blow 8 min.
Recovered 3' mud. No ISIP taken.
FSIP 31#/10 min. IFP 31#. FFP 31#.

I hereby certify that this is a true and correct log of the above mentioned well, to the best

of my knowjedge and belief.

Subscribed and sworn to be one this

9 day of October 1964

Notary Public

My commission expires 3-12-6

RECEIVED
STATE CORPORATION COMMISSION

OCT 12 1984

CONSERVATION DIVISAGE
Wichita, Kansas

