


15-009-03327-00-00

STATE OF KANSAS
CONSERVATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
P. O. Box 17027
Wichita, Kansas 67217
NORTH



Locate well correctly on above
Section Plot

Location as "NE/CNW/SW" or footage from lines Barton County, Sec. 21 Twp. 16 Rge. 12(E) (W) X
NE SE SW
Lease Owner John Jay Darrah Jr.
Lease Name Norton Well No. #3
Office Address 1010 Century Plaza Bldg. Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) _____
Date well completed _____ 19____
Application for plugging filed 6-19-74 19____
Application for plugging approved _____ 19____
Plugging commenced 6-29-74 19____
Plugging completed 7-8-74 19____
Reason for abandonment of well or producing formation _____

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? _____

Name of Conservation Agent who supervised plugging of this well Donald Truan
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3525'
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				5 1/2"	3277'	2444.23'
				8 5/8"	326'	

RECEIVED
JUL 10 1974
CONSERVATION DIVISION
Wichita, Kansas

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Made bottom hole plug back with sand to 3100'. Mixed and ran 5 sacks cement thru dump bailer.
Plugged hole with 3 sacks hulls - 20 sacks gel and 100 sacks cement to base of cellar.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Southwest Casing Pulling Co.
Address Box 364 Great Bend, Kansas

STATE OF Kansas COUNTY OF Barton, ss.
Southwest Casing Pulling Co. (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. C. Spencer, Sec.
Box 364 Great Bend, Kansas
(Address)

Subscribed and Sworn to before me this 9 day of July, 19 74



My commission expires 24 October 1976

Sidney D. Miller
Notary Public.

DRILLING TIME LOG

DEPTH ACTUAL TIME REMARKS

From To

One foot drilling time from 2700 feet to total depth.

2700	2710	4-2-2-11-7-9-9-6-3-4	
	2720	7-4-4-3-3-3-4-3-3-3	
	2730	4-3-4-2-3-3-7-8-8-15	Trip at 2731
	2740	7-6-4-4-8-5-4-4-5-5	
	2750	6-7-5-4-4-4-4-6-4-4	
	2760	4-3-4-3-4-5-3-4-4-4	
	2770	4-4-5-4-5-3-3-3-4-5	
	2780	4-5-6-4-5-6-8-6-5-6	
	2790	6-5-6-4-3-4-5-4-9-9	
	2800	5-7-9-10-10-10-10-8-9-7	
2800	2810	6-5-3-4-5-9-4-7-11-9	
	2820	10-10-7-7-9-12-11-7-8-7	
	2830	9-9-10-9-7-8-9-10-8-9	
	2840	9-9-9-9-9-10-9-9-7-6	
	2850	5-8-5-5-7-9-10-10-7-9	
	2860	8-9-8-4-4-11-10-15-8-5	
	2870	7-9-10-10-10-12-12-13-14-12	
	2880	10-5-5-3-5-4-4-4-2-3	
	2890	4-15-13-8-8-8-10-12-12-12	
	2900	12-12-10-13-13-13-16-14-12-11	
2900	2910	15-12-11-14-16-10-15-6-4-4	
	2920	4-17-18-18-16-13-9-14-17-16	
	2930	15-4-4-14-17-12-7-7-7-7	Trip at 2926
	2940	4-4-4-5-11-9-10-10-10-12	
	2950	11-10-9-10-8-10-10-10-10-10	
	2960	8-10-10-7-5-5-5-6-4-3	
	2970	4-5-7-7-5-5-6-8-8-4	
	2980	6-4-3-4-5-7-7-9-8-8	
	2990	8-8-10-7-7-5-8-10-10-10	
	3000	10-10-9-9-8-7-6-5-5-5	
3000	3010	7-7-8-6-7-8-10-11-10-6	
	3020	5-4-9-14-17-10-10-7-7-5	
	3030	9-10-6-7-5-12-14-14-10-9	
	3040	10-6-10-12-12-13-13-6-3-3	
	3050	6-6-5-6-5-5-5-5-7-5	
	3060	4-6-4-4-4-4-4-3-4-4	
	3070	2-2-4-5-6-4-4-4-7-4	
	3080	5-6-4-5-6-5-6-5-5-6	
	3090	5-5-6-5-4-6-5-6-6-3	
	3100	6-5-6-5-6-6-6-15-13-17	
3100	3110	16-12-13-13-9-8-10-10-9-8	
	3120	8-9-11-9-14-13-13-7-9-16	Trip at 3122
	3130	13-17-9-8-6-6-6-5-8-8	
	3140	8-7-11-10-8-9-8-11-5-6	
	3150	5-5-7-9-5-6-4-8-11-12	
	3160	8-10-7-9-7-5-10-8-8-8	
	3170	6-6-8-8-8-11-11-10-9-6	
	3180	8-10-9-7-10-9-6-6-5-5	Circ. at 3180 D.S.T. #1 at 3180
	3190	10-7-10-12-15-9-15-12-16-17	
	3200	16-17-16-17-8-3-3-2-1-1	Circ. at 3200

RECEIVED
STATE CORPORATION COMMISSION
JUN 20 1914
CONSERVATION DIVISION
Wichita, Kansas

<u>DEPTH</u>		<u>ACTUAL TIME</u>	<u>REMARKS</u>
<u>From</u>	<u>To</u>		
3200	3210	1-1-2-1-5-4-3-1-1-1	
	3220	2-3-3-2-2-3-6-10-11-12	
	3230	13-17-17-15-16-14-14-14-14-15	
	3240	15-14-14-13-14-14-13-12-12-16	
	3250	8-12-12-9-11-9-7-9-7-12	
	3260	12-12-17-13-14-14-12-17-10-13	
	3270	15-6-6-6-7-6-8-7-10-7	Trip at 3261
	3280	5-5-4-5-9-8-9-8-8-8	
	3290	7-6-7-7-9-7-8-7-6-5	
	3300	9-10-9-10-9-9-10-9-10-10	
3300	3310	13-10-6-8-7-7-7-7-7-7	
	3320	9-9-7-7-13-12-12-11-11-12	
	3330	9-12-11-14-13-13-12-13-13-13	
	3340	13-13-13-10-11-13-14-10-10-12	
	3350	11-10-12-12-14-14-12-11-11-12	
	3360	11-11-11-10-10-10-9-10-10-9	
	3370	9-8-9-9-13-12-12-10-6-13	
	3380	15-11-7-12-14-10-8-6-9-6	Circ. at 3372 Circ. at 3377 Circ. at 3381 D.S.T. #2 at 3381 Circ. at 3387 Circ. at 3392 D.S.T. #3 at 3392
	3390	7-2-3-3-6-4-4-4-6-5	
	3400	5-4-5-4-4-4-4-7-9-4	
3400	3410	5-5-6-5-4-6-8-6-3-5	
	3420	6-6-6-5-6-9-6-7-6-7	
	3430	7-6-9-5-7-8-9-9-9-7	
	3440	9-6-6-7-7-8-9-7-5-4	
	3450	5-8-5-8-5-8-11-6-5-5	
3450	3500		Drilling time lost. Time varied from 4 to 10 minutes per foot.
3500	3510	7-7-8-5-7-6-7-7-5-6	
	3520	5-7-7-5-3-7-5-6-3-2	
	3525	6-6-5-6-10-	Circ. at 3525

R.T.D. 3525 R.B.

RECEIVED
STATE CORPORATION COMMISSION
JUN 20 1974
CONSERVATION DIVISION
Wichita, Kansas

SOUTHWEST CASING PULLING CO.

P. O. BOX 522

PHONE 793-8966

GREAT BEND, KANSAS

PLUGGING RECORD

Moved In _____ Completed _____

Company John Jay Darrah, Jr.

Address 1010 Century Plaza Building, Wichita, KS 67202

Lease Norton Well No. 3 Cy. Barton State Kansas

Legal Description N/E S/E S/W Sec. 21 Twp. 16 Rng. 12

Total Depth 3525. Size Pipe 5 1/2 Weight 14?

Casing Cemented At 3447' (78ft. of ^{cemented} open hole) With 150 Sacks

Size Surface Pipe 8 5/8

Cemented At 326' With 200 Sacks

Other Strings None

Well Plugged Back To

Top Perforations 31-36 to 33-89

Plugging Orders

RECEIVED
STATE CORPORATION COMMISSION
JUN 19 1974
CONSERVATION DIVISION
Wichita, Kansas

Well located 1/2 mile east of Beaver, Kansas.

State Supervisor John Jay Darrah, Jr.

Phone 263-8959

Company Representative Richard Schreiber, Beaver, Kansas

Phone 587-3415

DRILLING TIME LOG

<u>DEPTH</u>	<u>ACTUAL TIME</u>	<u>REMARKS</u>	
<u>From</u>	<u>To</u>		
<u>One foot drilling time from 2700 feet to total depth.</u>			
2700	2710	4-2-2-11-7-9-9-6-3-4	
	2720	7-4-4-3-3-3-4-3-3-3	
	2730	4-3-4-2-3-3-7-8-8-15	Trip at 2731
	2740	7-6-4-4-8-5-4-4-5-5	
	2750	6-7-5-4-4-4-4-6-4-4	
	2760	4-3-4-3-4-5-3-4-4-4	
	2770	4-4-5-4-5-3-3-3-4-5	
	2780	4-5-6-4-5-6-8-6-5-6	
	2790	6-5-6-4-3-4-5-4-9-9	
	2800	5-7-9-10-10-10-10-8-9-7	
2800	2810	6-5-3-4-5-9-4-7-11-9	
	2820	10-10-7-7-9-12-11-7-8-7	
	2830	9-9-10-9-7-8-9-10-8-9	
	2840	9-9-9-9-9-10-9-9-7-6	
	2850	5-8-5-5-7-9-10-10-7-9	
	2860	8-9-8-4-4-11-10-15-8-5	
	2870	7-9-10-10-10-12-12-13-14-12	
	2880	10-5-5-3-5-4-4-4-2-3	
	2890	4-15-13-8-8-8-10-12-12-12	
	2900	12-12-10-13-13-13-16-14-12-11	
2900	2910	15-12-11-14-16-10-15-6-4-4	
	2920	4-17-18-18-16-13-9-14-17-16	
	2930	15-4-4-14-17-12-7-7-7-7	Trip at 2926
	2940	4-4-4-5-11-9-10-10-10-12	
	2950	11-10-9-10-8-10-10-10-10-10	
	2960	8-10-10-7-5-5-5-6-4-3	
	2970	4-5-7-7-5-5-6-8-8-4	
	2980	6-4-3-4-5-7-7-9-8-8	
	2990	8-8-10-7-7-5-8-10-10-10	
	3000	10-10-9-9-8-7-6-5-5-5	
3000	3010	7-7-8-6-7-8-10-11-10-6	
	3020	5-4-9-14-17-10-10-7-7-5	
	3030	9-10-6-7-5-12-14-14-10-9	
	3040	10-6-10-12-12-13-13-6-3-3	
	3050	6-6-5-6-5-5-5-7-5	
	3060	4-6-4-4-4-4-4-3-4-4	
	3070	2-2-4-5-6-4-4-4-7-4	
	3080	5-6-4-5-6-5-6-5-5-6	
	3090	5-5-6-5-4-6-5-6-6-3	
	3100	6-5-6-5-6-6-6-15-13-17	
3100	3110	16-12-13-13-9-8-10-10-9-8	
	3120	8-9-11-9-14-13-13-7-9-16	Trip at 3122
	3130	13-17-9-8-6-6-6-5-8-8	
	3140	8-7-11-10-8-9-8-11-5-6	
	3150	5-5-7-9-5-6-4-8-11-12	
	3160	8-10-7-9-7-5-10-8-8-8	
	3170	6-6-8-8-8-11-11-10-9-6	
	3180	8-10-9-7-10-9-6-6-5-5	Circ. at 3180 D.S.T. #1 at 3180
	3190	10-7-10-12-15-9-15-12-16-17	
	3200	16-17-16-17-8-3-3-2-1-1	Circ. at 3200

RECEIVED
STATE CORPORATION COMMISSION
JUN 19 1974
CONSERVATION DIVISION
Wichita, Kansas

<u>DEPTH</u>		<u>ACTUAL TIME</u>	<u>REMARKS</u>
<u>From</u>	<u>To</u>		
3200	3210	1-1-2-1-5-4-3-1-1-1	
	3220	2-3-3-2-2-3-6-10-11-12	
	3230	13-17-17-15-16-14-14-14-14-15	
	3240	15-14-14-13-14-14-13-12-12-16	
	3250	8-12-12-9-11-9-7-9-7-12	
	3260	12-12-17-13-14-14-12-17-10-13	
	3270	15-6-6-6-7-6-8-7-10-7	Trip at 3261
	3280	5-5-4-5-9-8-9-8-8-8	
	3290	7-6-7-7-9-7-8-7-6-5	
	3300	9-10-9-10-9-9-10-9-10-10	
3300	3310	13-10-6-8-7-7-7-7-7-7	
	3320	9-9-7-7-13-12-12-11-11-12	
	3330	9-12-11-14-13-13-12-13-13-13	
	3340	13-13-13-10-11-13-14-10-10-12	
	3350	11-10-12-12-14-14-12-11-11-12	
	3360	11-11-11-10-10-10-9-10-10-9	
	3370	9-8-9-9-13-12-12-10-6-13	
	3380	15-11-7-12-14-10-8-6-9-6	Circ. at 3372 Circ. at 3377 Circ. at 3381 D.S.T. #2 at 3381 Circ. at 3387 Circ. at 3392 D.S.T. #3 at 3392
	3390	7-2-3-3-6-4-4-4-6-5	
	3400	5-4-5-4-4-4-4-7-9-4	
3400	3410	5-5-6-5-4-6-8-6-3-5	
	3420	6-6-6-5-6-9-6-7-6-7	
	3430	7-6-9-5-7-8-9-9-9-7	
	3440	9-6-6-7-7-8-9-7-5-4	
	3450	5-8-5-8-5-8-11-6-5-5	
3450	3500		Drilling time lost. Time varied from 4 to 10 minutes per foot.
3500	3510	7-7-8-5-7-6-7-7-5-6	
	3520	5-7-7-5-3-7-5-6-3-2	
	3525	6-6-5-6-10-	Circ. at 3525

R.T.D. 3525 R.B.

RECEIVED
STATE CORPORATION COMMISSION
JUN 19 1974
CONSERVATION DIVISION
Wichita, Kansas