• *			API NUMBER 15- 185-22,231-0000		
•	To: STATE COR	PORATION COMMISSION			
	CONSERVAT	TION DIVISION - PLUGGING SECTION RADO DERBY BUILDING	SW NE SE, SEC. 31, T	21 S, R 14 W/&X	
	WICHITA, KANSAS 67202		1650feet fro	m \$ section line	
	TECHNICIAN'S PLUGGING REPORT		990 feet from E section line		
	Operator License # 6412		Lease Name Russell Well # 1		
	Operator:	Sid Tomlinson	CountyStafford	126.75	
	Name& Address	812 Shoshone Street East	Well Total Depth 3900 Ar		
		Twin Falls, ID 83301	Conductor Pipe: Size		
			Surface Casing: Size <u>8 5/</u>		
	Abandoned	1 Oll WellGas Well			
		as hereinafter indicated			
	Plugging Contractor Reviin Drilling, Inc. License Number 5671				
	Address P. O. Box 293, Russell, KS 67655				
	Company to plug at: Hour: 10:00 pm Day: 5 Month: September Year:1985				
	Plugging proposal received from Duane Pope				
	(company name) Revlin (phone) 913-483-5355				
	Elevation 1955 KB were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 881-906				
	1st plug in the top of the Arbuckle with 50 sx cement				
	2nd plug at the base of the Anhydrite with 50 sx cement				
	3rd plug 30' out of the base of the surface pipe with 40 sx cement				
		solid bridge			
		4th plug hulls - plug at 40' cement to surface with 10 sx cement 6th plug to circulate rat hole with 10 sx cement. 7th plug to circulate mouse hole			
	6th plug to circulate rat hole with 10 sx cement. 7th plug to circulate mouse hole with 10 sx cement- Plugging Proposal Received by Steve Durrant (TECHNICIAN)				
	Plugaina	Operations attended by Agent?:	All Part	None _v	
	Operations Completed: Hour: 12:30 amDay: 6 Month: September Year: 1985				
	-	ACTUAL PLUGGING REPORT 1st plug at 3800' with 50 sx cement, 2nd plug at 900' with 50 sx			
		cement, 3rd plug at 480' with 40 sx cement, 4th & 5th plugs - solid bridge - hulls			
	plug at 40' cement to surface with 10 sx cement, 6th plug to circulate rat hole with				
	10 sx cement, 7th plug to circulate mouse hole with 10 sx cement.				
	Remarks:	Remarks: Used 60/40 Pozmix 6% gel by Halliburton			
		· · · · · · · · · · · · · · · · · · ·	s necessary, use BACK of this PECENTS	form.)	
1 1/	1 N Republic	\mathcal{L}_{d} D_{ot}) observe this plug \mathfrak{g} \mathfrak{m}_{d} \mathfrak{g}_{c}	RECEIVED PRESERVED RECEIVED	el.	
	SEP 1 71	י י	EP 1 6 1850 (TECHNIC	TAN)	
INV. N	1()	35	9-16-85	FORM CP-2/3	
110 A 9 W	4204	9-6 CONS.	ERVATION DIVISION	Rev. 01-84	