

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

NORTH



Locate well correctly on above
Section Flat

Stafford County. Sec. 13 Twp. 21 Rge. (E) 12 (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines SW/4 NE/4 NE/4
Lease Owner. Phillips Petroleum Co.
Lease Name. Eyeleigh Well No. 2
Office Address. Bartlesville, Okla.
Character of Well (completed as Oil, Gas or Dry Hole) Dry
Date well completed 11-14-47 19
Application for plugging filed 1-5-48 19
Application for plugging approved 1-6-48 19
Plugging commenced 1-20-48 19
Plugging completed 1-23-48 19
Reason for abandonment of well or producing formation dry hole

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? yes

Name of Conservation Agent who supervised plugging of this well H.W.Kerr
Producing formation Depth to top Bottom Total Depth of Well 3515 Feet
Show depth and thickness of all water, oil and gas formations. P.B.T.D 3443


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
L.K.C.		3180		8 5/8"	591'	none
Viola		3417				
Simpson		3443		5 1/2"	3512'	2448
Arbuckle		3489				

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

During drilling operations well was plugged back to 3449' with cement. Lane Wells plugs were set at 3346' - 3300' and 3246' resp. and driven #to P.B.T.D. of 3443' During plugging operations well was filled with crushed rock from 3443 to 3180' - 5 sacks cement were dumped at 3180' Filled with mud to 250' - Dumped 15 sacks cement at 250' - Filled with mud to 15' - Dumped 10 sacks cement, filling to base of cellar.



(If additional description is necessary, use BACK of this sheet)


Correspondence regarding this well should be addressed to N.C.Mortimer
Address Box 779 Great Bend, Kans.

STATE OF Kansas, COUNTY OF Barton, SS.
N.C.Mortimer (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) [Signature]
Box 779 Great Bend, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 27 th. day of July, 19 48
[Signature] Notary Public.

My commission expires March 27 th. 1950



Formation Record

Lease Eveleigh

Well No. 2

FROM	TO	Formation	REMARKS
0	35	Surface soil	
35	130	Sand and gravel	
130	135	Shale	
135	195	Sand	
195	568	Red rock and shale	
568	580	Shells	
580	650	Anhydrite	8 5/8" casing set @ 595.54' R.B.
650	1520	Shale and shells	
1520	1750	Lime and shale	
1750	1865	Lime, broken	
1865	1945	Shale and lime	
1945	2185	Shale and shells	
2185	2355	Shale and lime shells	
2355	2620	Shale and lime	
2620	2665	Shale	
2665	2685	Lime, hard	
2685	2840	Lime and shale	
2840	2984	Lime	
2984	3043	Lime and shale	
3043	3125	Lime, broken	
3125	3170	Shale and lime	
3170	3495	Lime	5 1/2" casing set 3491' R.B.
3495	3515	Lime	
3443		P.B.T.D.	

Drilled to 3495 with rot. tools. Drilled 3495 to 3515 with cable tools. Plugged back with cement to 3449. Set Lane Wells plug at 3346, drove same to bottom (3449) Set Lane Wells plug at 3300, drove same to bottom. Set Lane Wells plug at 3246, drove same to 3443 S.L.M.

D.S.T. with packer set 3354, open 40 min. with slight blow for 10 min. Recovered 8' mud.

D.S.T. with packer set 3417, open 40 min. with weak blow for 5 min. Recovered 7' mud.

