


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Rice County, Sec. 8 Twp. 21 Rge. 6 (E) (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines NW/4 SE/4
Lease Owner W. L. Hartman & Mitchell Drilling Co.
Lease Name Walsten Well No. 1
Office Address P.O. Box 54, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed Nov. 9, 1941 19 41
Application for plugging filed November 11 19 41
Application for plugging approved By Ruel Durkee November 11 19 41
Plugging commenced 19
Plugging completed November 11 19 41
Reason for abandonment of well or producing formation Hole Full of Water
If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? Yes

Name of Conservation Agent who supervised plugging of this well Ruel Durkee
Producing formation None Depth to top 3508 Bottom 3560 Total Depth of Well 3560 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Conglomerate	Stain	3508	3541	10-3/4"	10-15-41	Left in
Chat	Dry	3541	3560	5-3/16"	11-2-41	Pulled Out

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set.

3560 to 3504 filled with sand, put in 5 3/16 wood plug dumped 6 sacks of cement and filled with mud to bottom of surface pipe 10 3/4", depth 200 ft. put in 10 3/4" wood plug dumped 10 sacks of cement and filled hole up with mud to bottom of cellar and cemented base of cellar with 6 sacks of cement.



8 21 6W PD
14 3 11/25/41
Ka

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to W. L. Hartman
Address P.O. Box 54, Wichita, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.
W. L. Hartman (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. L. Hartman (Signed)

(Address)

SUBSCRIBED AND SWORN TO before me this 30th day of December, 19 41

SEAL Nina Schoeb (Signed) Notary Public

My commission expires Feb. 16, 1942

I hereby certify that the above is a true and correct copy of a copy of the Plugging Report filed with the Corporation Commission on December 30th, 1941 (Copy in our file)

Commission expires 2/16/46


Nina Schoeb Harrison
Notary Public

Drilling Report on the Galston well No. 1/Section 8, Twp. 21 Nge. 6 Rice County, Kansas.

0	to	150	Sand and Red Sand
150	to	160	Hard Sand
160	to	200	Red Bed
200	to	300	Red Bed
300	to	317	Shale
317	to	425	Shale & Shells
425	to	675	Shale & Lime Shells
675	to	675	Shale Lime
675	to	985	Shale & Shells
985	to	1020	Salt & Shale
1020	to	1080	Lime
1080	to	1150	Lime & Slip
1150	to	1210	Lime Shale bed
1210	to	1240	Lime
1240	to	1285	Shale
1285	to	1302	Lime
1302	to	1455	Lime
1455	to	1520	Lime
1520	to	1655	Lime Broken
1655	to	1695	Lime
1695	to	1795	Lime Broken
1795	to	1805	Shale
1805	to	1843	Shale
1843	to	2025	Lime & Shale
2025	to	2095	Lime
2095	to	2167	Lime Broken
2167	to	2225	Lime Broken
2225	to	2250	Shale Soft
2250	to	2305	Lime
2305	to	2347	Lime Broken
2347	to	2391	Lime Broken
2391	to	2400	Lime
2400	to	2447	Shale
2447	to	2490	Lime Broken
2490	to	2525	Lime
2525	to	2572	Lime
2572	to	2624	Lime
2624	to	2635	Lime
2635	to	2665	Lime
2665	to	2695	Lime
2695	to	2741	Lime
2741	to	2780	Lime
2780	to	2824	Shale
2824	to	2860	Shale
2860	to	2902	Lime
2902	to	2942	Lime
2942	to	2980	Lime
2980	to	3012	Lime
3012	to	3024	Lime
3024	to	3080	Chert & Lime
3080	to	3130	Lime H.
3130	to	3170	Broken Lime
3170	to	3214	Broken Lime
3214	to	3224	Broken Lime
3224	to	3260	Lime
3260	to	3280	Shale
3280	to	3326	Broken Lime
3326	to	3352	Lime
3352	to	3384	Shale
3384	to	3440	Shale & Shells
3440	to	3480	Lime & Shale
3480	to	3508	Shale
3508	to	3560	Total Depth.

8 21 6K
 14 3

I hereby certify the above information to the best of my knowledge is correct in every way.



 Dec. 1925.