

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
200 Colorado Derby Building
Wichita, Kansas 67202

FORM CP-
Rev. 6/4/8-

WELL PLUGGING APPLICATION FORM

API NUMBER 15-145-20645-0000 (of this well) 6/87
(This must be listed; if no API# was issued, please note drilling completion date.)

LEASE OPERATOR LEBSACK OIL PRODUCERS, INC. OPERATORS LICENSE NO. 5210
ADDRESS Box 489, Hays, KS 67601 PHONE # (913) 625-3046
LEASE (FARM) Baird WELL NO. #1 WELL LOCATION SW SW COUNTY Pawnee
SEC. 26 TWP. 23 RGE. 16W ~~(S)~~ or (W) TOTAL DEPTH 4176' PLUG BACK TD 3800'

Check One:

OIL WELL GAS WELL _____ D & A _____ SWD or INJ WELL _____ DOCKET NO. _____
SURFACE CASING SIZE 8 5/8" SET AT 270' CEMENTED WITH 200 SACKS
CASING SIZE 4 1/2" SET AT 4160' CEMENTED WITH 150 SACKS
PERFORATED AT 3724-28', and 4150-59'

CONDITION OF WELL: GOOD _____ X POOR _____ CASING LEAK _____ JUNK IN HOLE _____

OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL _____

We will plug well according to the rules and regulations of the State of
Kansas.

(If additional space is needed use back of form)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? yes IS ACO-1 FILED? _____
(If not, explain)

DATE AND HOUR PLUGGING IS DESIRED TO BEGIN Immediately

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seq AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

Wayne Lebsack PHONE # 316 938-2396

ADDRESS 603 S. Douglas, Lyons 67554 (home 257-3825)

PLUGGING CONTRACTOR Kelso Casing Pulling, Inc. LICENSE NO. 6050 6/87

ADDRESS P.O. Box 347, Chase, KS 67524 PHONE # (316) 938-2457

PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT Wayne Lebsack
(Operator of Agent)

6-17-87

CONSERVATION DIVISION
Wichita, Kansas

6-15-87

①



BOND LOG

ACOUSTIC CEMENT BOND LOG

COMP. LEBSACK OIL PRODUCERS, I WELL BAIRD NO. 1 FIELD COUNTY PAWNEE ST. KANSAS	COMPANY LEBSACK OIL PRODUCERS, INC. <i>B445-20665-0000</i>						
	WELL BAIRD NO. 1						
	FIELD						
	COUNTY PAWNEE	STATE KANSAS					
	API NO. LOCATION 380 FT. FWL 380 FT. FSL SW-SW	OTHER SERVICES PLUG PERF					
SEC. 26	TWP. 29S	RGE. 16W					
PERMANENT DATUM	GROUND LEVEL	ELEV. 2060					
LOG MEASURED FROM	9.0 FT. ABOVE PERM. DATUM	ELEV.: K.B. 2069					
DRILLING MEASURED FROM KELLY BUSHING		D.F.					
		G.L. 2060					
DATE & TIME LOGGED	06/09/87	TYPE OF FLUID IN HOLE					
RUN NO.	ONE	WATER/OIL					
DEPTH - DRILLER	4000	DENSITY OF FLUID					
DEPTH - WELEX	4000	NA					
BTM. LOGGED INTERVAL	3995	FLUID LEVEL					
TOP LOGGED INTERVAL	3450	1250					
MAX TEMP. DEGREE	118	CEMENT TOP EST. - LOGGED					
		NA 3624					
CEMENTING DATA	SURFACE STRING	EQUIPMENT & LOCATION					
DATE/TIME CEMENTED		3499 ST. BEND					
PRIMARY/SQUEEZE		RECORDED BY					
EXPECTED		FRANK MAYERS					
COMP. STRENGTH		WITNESSED BY					
CEMENT VOLUME		WAYNE LEBSACK					
CEMENT TYPE/WEIGHT							
FORMULATION							
MUD TYPE/MUD HEIGHT							
RUN NO.	BOREHOLE RECORD			CASING AND TUBING RECORD			
	BIT	FROM	TO	SIZE	WGT.	FROM	TO
ONE	12.125	0	270	8.625		0	270
THO	7.875	270	NA	4.5		0	NA

State of Kansas



15-145-20645-0600

Mike Hayden Governor
Keith R. Henley Chairman
Rich Kowalewski Commissioner
Margalee Wright Commissioner
Judith A. McConnell Executive Director

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
200 Colorado Derby Building
202 West 1st Street
WICHITA, KANSAS 67202-1286

THIS NOTICE

SEP 17 '87

EXPIRES

June 17, 1987

WELL PLUGGING NOTICE

Baird #1
SW SW
Sec. 26-23S-16W
Pawnee County

Lebsack Oil Producers, Inc.
Box 489
Hays, KS 67601

Gentlemen:

This is your notice to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This notice is void after ninety (90) days from the above date.

Sincerely,

Handwritten signature of Shari Feist in cursive.

Shari Feist
Acting Director
State Corporation Commission

Please contact the district office to review your suggested method of plugging

DIST. #1 302 West McArtor, Dodge City, KS 67801 (316) 225-6760

five days prior to plugging the well (KAR-82-3-113).