

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


OR

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

NORTH



Locate well correctly on above Section Plat

Barton County, Sec. 24 Twp. 16S Rge. 12WE (W)
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines GNL 7 $\frac{1}{2}$ 1B $\frac{1}{2}$
Lease Owner Bainbridge Black Marshall Oil Company
Lease Name Dolchok Well No. 1
Office Address 405 Union National Bank Bldg.
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date, well completed 3/25/40, at 4 p.m. 193
Application for plugging filed 3/26/40 193
Application for plugging approved March 26, 1940 193
Plugging Commenced March 27 at 8 A.M., 1940 193
Plugging Completed March 30, 1940 at 4 p.m. 193
Reason for abandonment of well or producing formation No Oil
Dry and Abnd.
If a producing well is abandoned, date of last production 193
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Alexander
Producing formation Silicious Depth to top 3361 Bottom 3364 Total Depth of Well 3390 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Water Sand	Water	170	180	12 $\frac{1}{2}$	280 ft.	280 ft.
Water Sand	Water Dakota	330	340	10	755 ft.	755 ft.
Sandy Lime	Water 1 B.W.	1825	1830	8 $\frac{1}{2}$	2425 ft.	2425 ft.
Sandy Lime	Water 1 B.W.	2800	2810			
Sandy Lime	Water 1 B.W.	3030	3040			
Sand	Small Show Oil	3361	3364			
Sand	Water 12 H. W.	3384	3390			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Put mud in with a steel drum & sand line good heavy mud and run tools every little while to see that the hole was not bridged. Filled up in 8 $\frac{1}{2}$ pipe good, then started 8 $\frac{1}{2}$ pipe and pulled out a couple of joints, then had a casing crew help carry mud with buckets until we were sure the hole was well mudded, then pulled out about 500 feet and mudded more, then pulled out about 500 ft. more, then remudded, then came on out with 8 $\frac{1}{2}$ pipe. Then mudded good and plenty with steel drum, casers helped, after mudding the hole full with heavy mud then we pulled out the 10 inch pipe. Then filled the hole with good heavy mud up to 310 feet, then put in good bridge, then filled up to 300 feet. Then put in 15 feet of cement plug which took 19 sacks of cement. We bailed the hole dry to our bridge, then mixed our cement good and heavy and put it in on the bridge, then mudded the hole with steel drum until it was full to the top. Then we pulled the 12 $\frac{1}{2}$ pipe up a ways then out in more mud, then pulled the 12 $\frac{1}{2}$ pipe. Then we mudded the hole good with heavy mud up to within 12 feet of the bottom of the cellar, then put a bridge there that was to keep the cement and mud from mixing. Then put in 16 sacks of cement in hole and capped the bottom of the cellar in good shape.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to _____
Address _____


STATE OF _____, COUNTY OF _____, ss.

_____ (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) _____

(Address) _____

SUBSCRIBED AND SWORN to before me this _____ day of _____, 19____



Notary Public.

My commission expires _____

15-009-15806-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging of formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plot

Barton County, Sec. 24 Twp. 16S Rge. 12 (E) W. (W)
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. CNL $\frac{1}{2}$ NE
Lease Owner Black-Marshall Oil Company
Lease Name Dolachak Well No. 1
Office Address 405 Union National Bank Bldg., Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) DRY Hole
Date, well completed March 25, at 4 P.M. 193 40
Application for plugging filed March 26, 193 40
Application for plugging approved March 28 at 11 A.M. 193 40
Plugging Commenced March 27 at 8 A.M. 193 40
Plugging Completed March 30 at 4 P.M. 193 40
Reason for abandonment of well or producing formation No oil

If a producing well is abandoned, date of last production. 193.
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Alexander
Producing formation SILICIOUS Depth to top 3361 Bottom 3364 Total Depth of Well 3390 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

W	Formation	Content	From	To	Size	Put In	Pulled Out
	Water Sand	Water	170	180	12 $\frac{1}{2}$	280 Ft.	280 Ft.
	Water SAND	Water	330	340	10	755 Ft.	755 Ft.
	sandy Lime	Water 1 B.W.	1825	1830	8 $\frac{1}{2}$	2425 Ft.	2425 Ft.
	sandy Lime	Water 1 B.W.	2800	2810			
	sandy Lime	Water 1 B.W.	3030	3040			
	sand	Small show oil	3361	3364			
	Sand	Water 12 B.W.	3384	3390			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

put mud in with a steel drum & sand lime good heavy mud and run tools every little while to see that the hole was not bridged. Filled up in 8 $\frac{1}{2}$ pipe good, then started 8 $\frac{1}{2}$ pipe and pulled out a couple of joints, then had a casing crew help carry mud with buckets until we were sure the hole was well mudded then pulled out about 300 ft and mudded more, then pulled out about 500 ft more, then remudded, then came on out with 8 $\frac{1}{2}$ pipe. THEN mudded good and plenty with steel drum, casers helped, after mudding the hole full with heavy mud then we pulled out the 10 in pipe. Then filled the hole with good heavy mud up to 310 ft. then put in good bridge then filled up to 300 ft. Then put in 15 ft. of cement plug which took 19 sacks of cement. We bailed the hole dry to our bridge, then mixed our cement good and heavy and put it in on the bridge, then mudded the hole with steel drum until it was full to the top, then we pulled the 12 $\frac{1}{2}$ pipe up a ways then put in more mud, then pulled the 12 $\frac{1}{2}$ pipe. Then we mudded the hole good with heavy mud up to within 12 ft of the bottom of the cellar, then put a bridge there that was to keep the cement and mud from mixing. Then put in 16 sacks of cement in hole and capped the bottom of the cellar in good shape.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to _____

Address _____

STATE OF Kansas, COUNTY OF Barton, SS. A. A. Benson


(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) A. A. Benson

(Address) _____

SUBSCRIBED AND SWORN to before me this 5 day of April, 1940

My commission expires July 11 - 1943



Notary Public.

15-009-15806-00-00

LOG OF DOLECHEK NO. 1

Located in the Center of the
North Line, West Half of the
Northeast Quarter of Section
24-16-12, Barton County, Kansas

Commenced February 21, 1940
Completed March 26, 1940

8 feet to	10 feet	Foot Rock	2290	to	2320	Lime
10 "	50 "	Sand & Shale	2320	2340	Shale & Shells	
50 "	110 "	Blue Mud	2340	2355	Lime	
110 "	155 "	Blue Mud	2355	2360	Shale	
155 "	165 "	Lime	2360	2405	Shale & Shells	
165 '	200'	Lime Sandy	2405	2425	Shale	
200 '	230'	Shale	2425	2480	Sandy Shale	
230 '	240'	Red Rock	2480	2500	Shale	
240 '	280'	Shale & Shells	2500	2525	Lime	
280 '	290'	Shale Light	2525	2540	Shale	
290 '	315'	Shale	2540	2550	Lime	
315 '	340'	Lime	2550	2560	Lime	
340 '	350'	Shale	2560	2580	Shale	
350 '	355'	Shale	2580	2590	Lime	
355 '	425'	Blue Shale	2590	2645	Shale	
425 '	435'	Sand	2645	2670	Lime Broken	
435 '	450'	Shale	2670	2685	Shale	
450 '	495'	Broken Shale	2685	2695	Lime	
495 '	510'	Red Shale	2695	2700	Shale	
510 '	580'	Red Shale	2700	2735	Lime	
580 '	748'	Red Shale	2735	2765	Lime	
748 '	755'	Anhrite-Lime	2765	2820	Lime	
755 '	780'	Lime	2820	2830	Shale	
780 '	785'	Red Shale	2830	2835	Lime	
785 '	990'	Red Shale	2835	2840	Shale	
990 '	1045'	Blue Shale	2840	2865	Lime	
1045 '	1105'	Blue Shale	2865	2870	Shale	
1105 '	1170'	Shale	2870	2880	Lime	
1170 '	1450'	Salt	2880	2965	Lime	
1450 '	1465'	Shale	2935	2965	White Lime	
1465 '	1575'	Shale & Shells	2965	2970	Lime	
1575 '	1605'	Lime	2970	2975	Shale	
1605 '	1620'	Shale & Shells	2975	3004	Lime	
1620 '	1640'	Lime	3004	3010	Red Rock	
1640 '	1645'	Shale	3010	3070	Sandy Shale	
1670 '	1690'	Lime	3070	3075	Lime	
1690 '	1695'	Shale	3075	3085	Shale	
1695 '	1705'	Red Rock	3085	3200	Lime	
1705 '	1720'	Shale & Shells	3200	3210	Lime Brown	
1720 '	1770'	Lime Broken	3210	3280	Lime	
1770 '	1825'	Lime Broken	3280	3290	Shale	
1825 '	1890'	Lime Broken	3290	3300	Lime	
1890 '	1900'	Shale & Shells	3300	3306	Shale	
1900 '	1905'	Lime	3306	3315	Lime Broken	
1905 '	1920'	Shale	3315	3325	Lime, Hard	
1920 '	1965'	Shale & Shells	3325	3335	Lime, Broken	
1965 '	1970'	Red Rock	3335	3361	Red Shale	
1970 '	1995'	Lime Broken	3361	3371	Sand S.O.	
1995 '	2000'	Red Rock	3371	3378	Cong.	
2000 '	2105'	Broken Lime	3378	3390	Sand S.O.	
2105 '	2135'	Lime				
2135 '	2140'	Shale				
2140 '	2150'	Lime				
2150 '	2160'	Shale & Shells				
2160 '	2165'	Lime				
2165 '	2180'	Shale & Shells				
2180 '	2215'	Sandy Lime				
2215 '	2240'	Lime				
2240 '	2250'	Shale				
2250 '	2270'	Shale & Shells				
2270 '	2290'	Shale				

PROCESSED
FILED 24 16-12-40
BOOKED 97-115-5

D + A.
APR 9 1940
STATE CORP. COMMER.
CONSERV. DIV.
WETZEL