

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32773  
Name: E. L. Gorsuch  
Address: 11248 East Baltic Drive  
City/State/Zip: Aurora, Colorado 80014  
Purchaser: unknown **RELEASED**  
Operator Contact Person: E. L. Gorsuch  
Phone: (303) 752-9943  
Contractor: Name: Murfin Drilling Co.  
License: 30606  
Wellsite Geologist: Ron Osterbuhr

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Exps, Cathodic, etc.)  
If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
06/04/01 06/06/01 06/14/01  
Spud Date or 06/06/01 06/14/01  
Recompletion Date Date Reached TD Completion Date or  
Recompletion Date

API No. 15 - 055-21725-0000  
County: Finney  
SE Sec. 14 Twp. 21S S. R. 33  East  West  
1320 feet from (S) / N (circle one) Line of Section  
1250 feet from (E) / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW  
Lease Name: Pfeifer Well #: 1  
Field Name: Hugoton  
Producing Formation: Chase Group  
Elevation: Ground: 2885' Kelly Bushing: 2890'  
Total Depth: 2665' Plug Back Total Depth: 2663'  
Amount of Surface Pipe Set and Cemented at 307 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 2664  
feet depth to surface w/ 425 sx cmt.

Drilling Fluid Management Plan ALT 2 gfk 02/22/02  
(Data must be collected from the Reserve Pit)  
Chloride content 21,000 ppm Fluid volume 550 bbls  
Dewatering method used evaporation  
Location of fluid disposal if hauled offsite:  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.  
Signature: Ronald Osterbuhr  
Title: AGENT Date: 6/30/01  
Subscribed and sworn to before me this 30th day of June, 2001.  
Notary Public: K. Renee Spillman  
Date Commission Expires: 2-21-03

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received

K. RENEE SPILLMAN  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appt. Exp. 2-21-03

15.055.21725.0000

Side Two

CONFIDENTIAL ORIGINAL

Operator Name: E. L. Gorsuch Lease Name: Pfeifer Well #: 1  
 Sec. 14 Twp. 21S S. R. 33  East  West County: Finney

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	T/Permian	1086'	+1804'
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	T/Cedar Hills	1615'	+1275'
List All E. Logs Run:		B/Stone Corral	2096'	+ 794'
Dual Induction-G/R, Compensated Neutron/Density		T/Hollenberg	2591'	+ 299'
		T/Herington	2620'	+ 270'

CASING RECORD <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.250"	8.625"	23#	304	Common	190	3%CC,2% gel
Production	7.872"	5.500"	14#	2664'	Lite/"C"	325/100	.25# Flo-cele

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additive
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone			<b>KCC</b>	<b>RELEASED</b>
			<b>JUN 30 2001</b>	<b>JUN 30 2002</b>

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD (Amount and Kind of Material Used)	
		Depth	
4	2622'-2628'	1000 gallons of 20% FE acid	

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
N.A.						
Date of First, Resumed Production, SWD or Enhr. N.A.		Producing Method				
		<input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
		112mcf-CAOF	0		.8015	

Disposition of Gas      METHOD OF COMPLETION      Production Interval

Vented    Sold    Used on Lease     
  Open Hole    Perf.    Dually Comp.    Commingled   2622'-2628'  
*(If vented, Sumit ACO-18.)*       Other (Specify) \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

7024

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
OAKLEY

DATE <u>6-4-01</u>	SEC. <u>14</u>	TWP. <u>215</u>	RANGE <u>33 W</u>	CALLED OUT	ON LOCATION <u>5:30 PM</u>	JOB START	JOB FINISH <u>8:00pm</u>
LEASE <u>PFEIFFER</u>	WELL # <u>1</u>	LOCATION <u>FRIEND 1/2 E-23/4S-WINTO</u>			COUNTY <u>FINNEY</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>							

CONTRACTOR MURFIN DRAG. RIG #16 OWNER SAME

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 308' CEMENT AMOUNT ORDERED 190 SKS Com 3% CC 2% GEL

CASING SIZE 8 7/8" DEPTH 307'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 18 1/2 BBL KCC

EQUIPMENT

PUMP TRUCK CEMENTER TERRY JUN 30 2001

# 300 HELPER WAYNE CONFIDENTIAL

BULK TRUCK DRIVER LONNIE RECEIVED

# 218 DRIVER

BULK TRUCK DRIVER

#

REMARKS:

THANK YOU

CHARGE TO: E.L. GORSUCH

STREET

CITY STATE ZIP

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment

and furnish cementer and helper to assist owner or

contractor to do work as is listed. The above work was

done to satisfaction and supervision of owner agent or

contractor. I have read & understand the "TERMS AND

CONDITIONS" listed on the reverse side.

SIGNATURE Bill Wynn

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME Bill Wynn

DATE JUL 5 2001

RECEIVED KANSAS CORPORATION COMMISSION

RELEASED JUN 30 2002

CONFIDENTIAL ORIGINAL

TOTAL

## GENERAL TERMS AND CONDITIONS

**DEFINITIONS:** In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

**WARRANTIES:** 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

# ALLIED CEMENTING CO., INC.

5292

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>6/7/01</u>	SEC. <u>14</u>	TWP. <u>21s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>5:15AM</u>	JOB START <u>9:25AM</u>	JOB FINISH <u>9:15AM</u>
LEASE <u>Perfect</u>	WELL # <u>1</u>	LOCATION <u>Friend 1/2 E 13/4 S W/S</u>		COUNTY <u>Finn</u>	STATE <u>Ks</u>		
OLD OR NEW (Circle one)							

CONTRACTOR Mur Fin #16

TYPE OF JOB Cmt 5 1/2 Prod. Csg

HOLE SIZE 7 1/4 T.D. 2665

CASING SIZE 5 1/2 14" DEPTH 2664

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 1200 MINIMUM 100

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 65 **KCC**

EQUIPMENT

PUMP TRUCK CEMENTER Max HELPER Wayne

# 300

BULK TRUCK DRIVER Jarrod

# 291

BULK TRUCK DRIVER Duane

# 315

OWNER Sam

CEMENT

AMOUNT ORDERED 350 lb. Lite weight + 1/4" Flo-sol  
100 lbs. Class C 2 gal. Clo Pro

COMMON @

POZMIX @

GEL **CONFIDENTIAL** @

CHLORIDE @

**RELEASED** @

**JUN 30 2002** @

HANDLED **FROM CONFIDENTIAL** @

MILEAGE @

TOTAL

REMARKS:

Cmt Rat Hole with 15sk, Cmt Acms-Hole with 10sk, Cmt 5 1/2 Csg with 325sk, Lite + 100 gk Class C Washup Pump Lines Drop Plug Displace 65% AKL Land Plug Float Hold Circulated 20 AKL Cmt to Pit

SERVICE

DEPTH OF JOB 2665

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE mi @

PLUG @

TOTAL

CHARGE TO: E.L. Gorsch

STREET

CITY STATE ZIP

FLOAT EQUIPMENT

5 1/2

1- AFU Float 5 Hor @

9- Centralizers @

Latadown ACS. @

TOTAL

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Tom Osterbuhr

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

Tom Osterbuhr

PRINTED NAME

## GENERAL TERMS AND CONDITIONS

**DEFINITIONS:** In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

**WARRANTIES:** 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

**GEOLOGICAL & COMPLETION SUMMARY**

**OPERATOR: E. L. Gorsuch**

**WELL NAME: Pfeifer #1**

**LOCATION: 1320' FSL, 1250' FEL Sec 14-T21S-R33W**

**ELEVATIONS: G.L.-2885', K.B.-2890 (ref.datum)**

**SPUD DATE: 06/04/01 DRILLING COMPLETED: 06/06/01**

**DRILLING CONTRACTOR: Murfin Drlg.- Rig #16**

**KCC#: 32773**

**API#: 15-055-21725**

**COUNTY: Finney**

**TOTAL DEPTH: 2665'**

**COMPLETION DATE: 06/14/01**

**KCC#: 30606**

**SURFACE CASING: 8.625", new 23#**

**SET @: 307'**

**CASING EQUIPMENT:**

**CEMENT:**

**COMMENTS: Circulated cement to the surface**

**ORIGINAL CONFIDENTIAL**

**PRODUCTION CASING: 5.500", 14#**

**SET @: 2664'**

**CASING EQUIPMENT:**

**1<sup>st</sup> STAGE CEMENT:**

**2<sup>nd</sup> STAGE CEMENT:**

**COMMENTS: Circulated cement to the surface**

**KCC**

**JUN 30 2001**

**CONFIDENTIAL**

**OPEN-HOLE LOGS: Rosel- DIL, G/R, CDNL-CAL**

**CASED-HOLE LOGS: None**

**SIGNIFICANT DEPTHS: (log depths measured from K.B. @ 3013')**

**RELEASED**

Horizon	Depth	Datum	Remarks
T/Cedar Hills	1615'	+1275'	
B/Stone Corral	2096'	+ 794'	
T/Hollenberg	2591'	+ 299'	
T/Herington	2620'	+ 270'	
Rotary Total Depth	2665'	+ 225'	

**JUN 30 2002**

**FROM CONFIDENTIAL**

**PERFORATIONS: 2622'-2628' w/4spf**

**ACID TREATMENTS: 1000 gallons of 20% FE acid.**

**REMARKS:**

**RECEIVED  
KANSAS CORPORATION COMMISSION**

**JUL 5 2001 Prepared by: Ronald G. Osterbuhr**

**CONSERVATION DIVISION**