



STATE OF KANSAS
STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas



WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

NORTH



Locate well correctly on above Section Plat

Stafford County. Sec. 34 Twp. 21 Rge. 12(E) (W)

Location as "NE1/4NW1/4SW1/4" or footage from lines NWc. W 1/2 SW 1/2

Lease Owner Torrey and Feaster

Lease Name Wittrock Well No. 1

Office Address 608 Wolcott Building, Hutchinson, Kansas

Character of Well (Completed as Oil, Gas or Dry Hole) Dry Hole

Date, well completed 5-27-38 193

Application for plugging filed yes 193

Application for plugging approved yes 193

Plugging Commenced 5-30-38 193

Plugging Completed 6-3-38 193

Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production 193

Was permission obtained from the Conservation Division or its agents before plugging was commenced?

Yes

Name of Conservation Agent who supervised plugging of this well Ed Scheil

Producing formation Depth to top Bottom Total Depth of Well 3704 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				10"	240'	
				5 3/16ths	1500'	✓
	left in hole all but	1500'	5 3/16ths			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled up with mud from the bottom to 2500'. Plugged at 240' 15' cement on top of that. Filled up with mud from there to within 15' of surface. 15' cement on top of surface pipe to bottom of cellar.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Torrey and Feaster

Address 608 Wolcott Building, Hutchinson, Kansas

STATE OF KANSAS, COUNTY OF RENO, ss.

Elsie Vandiver

(employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature)

Elsie Vandiver

608 Wolcott Building, Hutchinson, Kansas

(Address)


SUBSCRIBED AND SWORN TO before me this 14th day of June, 1938

My commission expires Nov. 4, 1939

Notary Public

Withdraw

15.185.01654.0000



A F F I D A V I T

STATE OF KANSAS

SS:

COUNTY OF RENO

Elsie Vandiver of lawful age, being first duly sworn on oath, deposes and says: THAT she is Bookkeeper for Torrey and Feaster, Drilling Contractors engaged for the drilling of the test well located in the Northwest corner of the West One-half of the South-west quarter of Section thirty-four, Township twenty-one, Range twelve west, Stafford County, Kansas, and that the attached is a true and correct copy of the log of the completed well.


Further affiant sayeth not.

Elsie Vandiver

Subscribed and sworn to before me, a Notary Public, this 1st day of June, 1938.

Ruth Rickenbrode

My Commission Expires November 4, 1939

W E L L L O GT O R R E Y and F E A S T E R

NWc W $\frac{1}{2}$ SW $\frac{1}{4}$
 Sec. 34-21-12W
 Stafford County,
 Kansas

"Wittrock # 1

Total Depth. 3685
 Comm. 4-20-38 Comp. 5-14-38

Production: Dry

CASING.

10" 240' 5" 3678'

sand	75
sand	230
red rock	645
red rock & blue shale	901
shale & shells	1090
shale & shells salt	1300
salt & shale & lime shells	1530
lime & sand	1605
lime & shale	1754
lime	1830
lime & shale	1900
lime	2297
lime & shale	2361
broken lime & shale	2445
lime & shale	2540
lime	2675
lime & shale	2850
lime & broken lime	2928
lime	2976
lime & shale	3095
lime	3148
lime & shale	3195
lime	3238
red rock & blue shale	3278
shale	3287
lime	3300
K. C. Lime	3344
Top of K. C. 3310	
lime	3420
H. lime	3436
soft lime	3444
lime	3547
conglomerate	3580
chat	3601
chirt shells & shale	3625
chirt & shale	3642
chirt & green shale	3680
green shale	3682
Arbuckle lime	3685
Arbuckle lime	3704
HFV	

Abandoned