

KANSAS

FORM CP-3
Rev. 5-5-81

STATE CORPORATION COMMISSION
CONSERVATION DIVISION AGENT REPORT

API Number 15-D97-20,811 ✓ 00.00

200 Colorado Derby Bldg.
Wichita, KS 67202

Operator's Full Name Graham Michael's Corp

Complete Address 211 N. Broadway, Box 247 - Wichita Kans 67202

Lease Name Burkhead Well No. 1-33-~~1~~

Location C NE SW Sec. 33 Twp. 30 S Rge. 18 W (East) (West)

County Kiowa Total Depth 820

Abandoned Oil Well Gas Well Input Well SWD Well D & A

Other well as hereafter indicated Got stuck with surface pipe at 637'. Pulled off hole

Plugging Contractor Hilddinger Ready mix, Greensburg Kans

Address Greensburg Kansas License No. _____

Operation Completed: Hour: 2:00 PM Day: 24 Month: September Year: 19 81

Plugging Operations attended by Agent? All Part None

The above well was plugged as follows:

There is ^{8 1/2} 585' surface casing 52' below ground level to 637'. There was 182' of hole below this pipe. As Mr. Dave Patterson had 12 yards of cement poured down open hole, it filled pipe to surface + about 16" in collar. There was no plugger contacted till he called me on 25th September 1981. Cementing accomplished by Hilddinger Ready Mix. They skidded rig 75' east the collar was filled with dirt when I viewed the well on 27th September 1981 at 3:00 P.M.

RECEIVED
STATE CORPORATION COMMISSION

I hereby certify that the above well was plugged as herein stated.

SEP 29 1981

DATE 10-29-81

INV. NO. 8911-W

Signed: Paul Luthi CONSERVATION DIVISION
Conservation Division Agent: Wichita, Kansas

FIELD REPORT

API 15-097-20,811.00.00

DATE. Sept. 25, 1981

OPERATOR. Graham Michaelis Corp

LEASE. Barkhill 1-33


LOCATION. SEC. 33 .TWP 30 S. RGE. 18 W

COUNTY. Kiowa

Drilling Co. Slawson Drilling Co.

Rig # Buster Glen Crawford

REMARKS. (WHAT WAS SAID OR SEEN).



Dave Patterson called this A.M. + gave me this information. They drilled to 820' lost circulation at 636' then drilled dry to 820'. When running 8 5/8" surface pipe couldn't get deeper than 637'. So they screwed off 1 joint of surface pipe 52'. Then they had "Hildinger's Ready Mix" bring out 12 yds of cement and run it down the hole that was drilled, this filled the hole to top + put 6" of cement in cellar. Slawson Drilling Co. wouldn't move off of hole until it was plugged. They shidded rig 75' the cellar was filled with dirt when I received the location 25th September 1981 at 3:00 PM. Cementing was completed 24th September 1981 at 2:00 PM.

I sent in forms CP-2 + CP-3 9-26-81 P.A.L.

FOR THE STATE. Paul Luthi

MAKE (2) TWO COPIES, KEEP ONE AND SEND ORIGINAL TO: KCC 200 COLORADO DERBY BLDG. WICHITA KANSAS 67202

RECEIVED STATE CORPORATION COMMISSION

SEP 29 1981

CONSERVATION DIVISION Wichita, Kansas

KANSAS COROPRATION COMMISSION
202 W. 1st St. 200 COLORADO DERBY BLDG.
WICHITA, KANSAS 67202