

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

(C)

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Bittling Building,
Wichita, Kansas.

RECEIVED
JUL 1 1935
BY *Jme*

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

NORTH

County. Sec. 10 Twp. 21 Rge. 6 (W) X

Locate well correctly on above 640 A. Plat

Lease Name. Brown
 Lease Owner. G. C. Hipple
 Office Address. c/o Chamber of Commerce
 Character of Well (Oil, Gas or Dry). dry Total Depth of Well. 3447 Feet
 Date, well, completed. June 17 1935
 Application for plugging and log of well filed. June 17 1935
 Application for plugging approved. June 17 (by telephone) 1935
June 19 (confirmed by letter)
 Plugging Commenced. June 18 1935
 Plugging Completed. June 20 1935
 Reason for abandonment of well or producing formation.
Dry
 If a producing well is abandoned, date of last production. 193
 Was permission obtained from the Conservation Commission or its agents before plugging was commenced? yes

Name of Conservation Officer who supervised plugging of this well. Theodore W. Cady (Gear wason + his well) Jm.c.
 Producing formation. chat Depth to top. 3400 Bottom. 3447
 Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				15 1/2	90	left in
				12 1/2	230	pulled out
				10	2050	" "
				8 1/2	2800	" "
				6	3150	" "
				5	3400	" "

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth, placed, from.....feet tofeet for each plug set.

Plugged with heavy mud to 3400 feet. Wooden plug on top of mud. One hundred feet of heavy mud on top of wooden plug. Cement plug put in at 230 feet (20 feet of cement)

PLUGGING
FILE SEC 10-T-21R-6W
BOOK PAGE 6-LINE 25

(If additional description is necessary use BACK of this sheet)

Does the above conform strictly to the Conservation Division regulations? yes
 Was exception made? no If so describe.....
 Correspondence regarding this well should be addressed to G. C. Hipple, c/o Chamber of Commerce
 Address. Hutchinson, Kansas

STATE OF Kansas, COUNTY OF Reno, ss. G. C. Hipple (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) G. C. Hipple
c/o Chamber of Commerce, Hutchinson, Kansas
 (Address)

SUBSCRIBED AND SWORN to before me this 25 day of June, 1935

My commission expires April 30, 1938

Esther Josephine Taylor
Notary Public.

June 20, 1935

15.159.05266.0000

LOG OF NO. 3 BROWN WELL, W $\frac{1}{2}$ - NE $\frac{1}{4}$ SEC. 10-21-6W RICE COUNTY, KS.

Sand		80	Shale	2250	2255
Red Rock	80	250	Lime	2255	2265
Shale	250	535	Shale	2265	2280
Salt	535	870	Lime	2280	2290
Lime	870	875	Shale	2290	2300
Shale	875	905	Lime	2300	2450
Lime	905	910	Water	2450	2455
Shale & Shells	910	1000	Lime	2455	2630
Shale	1000	1055	Shale	2630	2640
Red Rock	1055	1060	Lime	2640	2650
Shale	1060	1125	Sand	2650	2695
Red Rock	1125	1130	Sand Water	2695	2735
Lime	1130	1160	Shale	2735	2810
Shale	1160	1195	Lime	2810	2815
Lime	1195	1250	Shale	2815	2825
Sand	1250	1260	Lime Shells & Shale	2825	2845
Lime	1260	1280	Lime	2845	2895
Red Rock	1280	1285	Shale	2895	2900
Blue Shale	1285	1305	Lime	2900	2990
Shale	1305	1355	Shale	2990	3000
Shale & Shells	1355	1440	Lime	3000	3030
Shale	1440	1450	Shale	3030	3033
Red Rock	1450	1460	Lime	3033	3090
Shale	1460	1515	Shale	3090	3110
Lime	1515	1545	Lime	3110	3160
Red Rock	1545	1555	Shale	3160	3165
Lime	1555	1570	Lime	3165	3175
Shale	1570	1585	Shale	3175	3180
Lime	1585	1590	Lime	3180	3185
Shale	1590	1620	Shale	3185	3190
Lime	1620	1710	Lime	3190	3200
Blue Shale	1710	1715	Shale	3200	3210
Lime	1715	1720	Lime	3210	3215
Shale	1720	1725	Red Rock	3215	3218
Lime	1725	1740	Shale	3218	3225
Shale	1740	1770	Lime Sdy.	3225	3235
Shale & Shells	1770	1820	Lime	3235	3240
Shale	1820	1860	Brown Shale	3240	3250
Lime	1860	1865	Red Rock	3250	3260
Shale	1865	1880	Lime	3260	3265
Red Rock	1880	1890	Shale	3265	3280
Shale	1890	1940	Lime	3280	3290
Lime	1940	1960	Red Rock	3290	3295
Shale	1960	2015	Shale	3295	3310
Shale	2015	2020	Lime	3310	3320
Lime	2020	2030	Shale	3320	3360
Shale	2030	2095	Red Rock	3360	3385
Red Rock	2095	2110	Red Chat	3396	3400
Lime	2110	2125	Break Red	3424	3426
Shale	2125	2215	Chat	3426	3437
Lime	2215	2225	White	3437	3442
Shale	2225	2235	Chat	3442	3447
Shale	2235	2240			
Lime	2240	2250			

PLUGGING
 FILE SEC 10 T 3180 R 6
 BOOK PAGE 6 LINE 25

(Over)

CASING RECORD

WATER

15 $\frac{1}{2}$ in.	90
12 $\frac{1}{2}$	230
10	2050
8	2800
6	3150
5	3400

2 B Water	1600
2 B	2300
2 B	2500
H. F.	2700
H. F.	2930
Some Water)	
Little Oil)	3432