

STATE OF KANSAS
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging of formations.

Rice County. Sec. 9 Twp. 21 Rge. (E) 7 (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines. SW NW NW
Lease Owner. Sage, Yankey & Helling
Lease Name. John Gossman Well No. 5
Office Address. Box 551, El Dorado, Kansas
Character of Well (completed as Oil, Gas or Dry Hole). Oil
Date well completed. June 9, 1937 19
Application for plugging filed. August 29, 1947 19
Application for plugging approved. August 30, 1947 19
Plugging commenced. September 4, 1947 19
Plugging completed. September 18, 1947 19
Reason for abandonment of well or producing formation. Non-profitable production
If a producing well is abandoned, date of last production. August, 1947 19
Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? Yes



Locate well correctly on above
Section Plat

Name of Conservation Agent who supervised plugging of this well. R. Durkee
Producing formation. Conglomerate Depth to top. Bottom. Total Depth of Well. 3371 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				15 1/2	103'	
				8 1/2	3350'	2455.55'
				6 5/8	29' 2"	

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from...feet to...feet for each plug set.

Filled hole with sand from 3371' to 3362'
Run 6 sacks of cement at 3362'
Mudded to 150'
Set bridge and run 30 sacks of cement at 150'
Mudded to 10' of base of cellar
Run 10 sacks of cement to cap

10-9-1947

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to. T. A. Helling
Address. Box 551, El Dorado, Kansas

STATE OF Kansas, COUNTY OF Butler, ss.
T. A. Helling, Partner (employee or owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-
described well as filed and that the same are true and correct. So help me God.

(Signature) [Signature]
Box 551, El Dorado, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 6th day of October 1947.

My commission expires January 10, 1948

Notary Public.
PLUGGING
FILE SEC 9 T 21 R 7 W
BOOK PAGE 122 LINE 31

WELL LOG

SAGE, YANKEY & HELLING
John Goseman #5

SEC. 9 T. 21 R. 7W
SW NW NW

Total Depth 3371'
Comm. 5-18-37 Comp. 6-9-37
Contractor. Stearns & Walker Drlg. Co.
Issued. 7-31-37

County. Rice

CASING:

15½" 103'
8½" 3350'
6-5/8" liner 29'2" at 3362

Elevation.

Production. Pot. 3850 B.

Figures Indicate Bottom of Formations

surface hole	103
sand red rock & shells	424
shale & shells & salt	810
shale & lime shells	1061
shale & brkn lime	1158
brkn lime	1290
shale & shells	1358
sand	1388
brkn lime & shale	1485
shale & shells	1742
brkn lime	1819
shale & shells	2108
brkn lime	2155
shale & shells	2308
shale	2396
shale & shells	2480
lime	2466
brkn lime	2480
lime	2520
brkn lime	2610
shale	2625
lime	2655
shale & shells	2852
brkn lime	2894
lime & shale	2949
lime	2995
sand	3010
lime	3119
shale	3227
lime	3245
shale & shells	3345
shale	3350
red rock	3362
conglomerate pay	3371
Total Depth.	

PLUGGING
FILE SEC 9 T 21 R 7W
BOOK PAGE 129 LINE 31

SAGE, YANKEY & HELLING ✓
 John Gossman No. 5. ✓

SEC. 9 T. 21 R. 7W
 SW NW NW

Total Depth. 3371'
 Conn. 5-18-37 Comp. 6-9-37
 Shot or Treated.
 Contractor. Stearns & Walker Drlg. Co.
 Issued. 7-31-37

County. Rice



Elevation.

CASING:
 15 1/4" 103' cemented 100 feet
 8 1/2" 3350' " 200 feet
 6 5/8" liner 29' 2" at 3362

Production. Pot. 3850 B.

Figures Indicate Bottom of Formations.

surface hole	103
sand red rock & shells	424
shale & shells & salt	810
shale & lime shells	1061
shale & brkn lime	1158
brkn lime	1290
shale & shells	1358
sand	1388
brkn lime & shale	1485
shale & shells	1742
brkn lime	1819
shale & shells	2108
brkn lime	2155
shale & shells	2308
shale	2396
shale & shells	2420
lime	2466
brkn lime	2480
lime	2520
brkn lime	2610
shale	2625
lime	2655
shale & shells	2852
brkn lime	2894
lime & shale	2949
lime	2995
sand	3010
lime	3119
shale	3227
lime	3245
shale & shells	3345
shale	3350
red rock	3362
conglomerate pay	3371
Total Depth.	3371

6 sy 3362
30 sy 150
10 sy top
Gen Oil Tool

Cemented

PLUGGING
 FILE SEC 9 T. 21 R. 7W
 BOOK PAGE 122 LINE 31