TO: API Well Number: 15-109-20649-00-00 Sec/Twnshp/Rge: 6-11S-33W Spot: SWNWSW STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING 1650 feet from S Section Line, 330 feet from W Section Line 266 N. Main St., Ste, 220 Lease Name: CLOSE Well #: 1-6 Wichita, KS 67202-1513 Total Vertical Depth: 4770 feet County: LOGAN Depth (ft) Pulled (ft) Comments Operator License No.: 5030 String Size 4769 PROD 4.5 235 SX Op Name: VESS OIL CORPORATION SURF 8.625 330 190 SX Address: 1700 WATERFRONT PKWY BLDG 500 WICHITA, KS 67206 Well Type: OiL **UIC Docket No:** Date/Time to Plug: 11/09/2017 12:00 PM Plug Co. License No.: 35052 Plug Co. Name: HUSKER ENERGY SERVICES, INC. Proposal Revd. from: DAVID VAN DIKE Company: VESS OIL CORPORATION DBA Phone: (316) 682-1537 Proposed Ordered 450 sx 60/40 pozmix 4% gel cement w/800 # hulls. Plugging | 8 5/8" surface casing set at 330' w/190 sx cement. **Method:** 4 1/2" production casing set at 4769' w/235 sx cement. TD 4770', PBTD 4747', Stage Collar set at 2654' w/370 sx cement. Perforations: 4346' - 4350' and 4656' - 4666' Plugging Proposal Received By: CASE MORRIS WitnessType: COMPLETE (100%) Date/Time Plugging Completed: 11/09/2017 3:00 PM KCC Agent: DARREL DIPMAN **Actual Plugging Report:** Perfs: Ran tubing to 4300' and pumped 105 sx cement w/400 # hulls. Pulled tubing to 3050' and Top **Bot Thru Comments** pumped 105 sx cement w/200 # hulls. Pulled tubing to 1525' and pumped 135 sx cement w/200 4656 4666 # hulls. Cement circulated to surface. Pulled tubing to surface. Connected to 4 1/2" production 4346 4350 casing and pumped 15 sx cement. Connected to 8 5/8" surface casing and pumped 10 sx cement. GPS: 39.12366N -101.03330W

Remarks: HUSKER ENERGY SERVICES INC. PULLING UNIT. SWIFT SERVICES CEMENT TICKET # 30,975

Plugged through: TBG

District: 04

Signed Danrel Tymon Received

(TECHNICIAN)

CM

Form CP-2/3

KANSAS CORPORATION COMMISSION