

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

15.113.04599.0000

API NUMBER none

LEASE NAME F. A. Hetzke

WELL NUMBER 8

3960 Ft. from S Section Line

1650 Ft. from E Section Line

SEC. 29 TWP. 21 RGE. 1 (X) or (W)

COUNTY McPherson

Date Well Completed 8-10-37

Plugging Commenced 11-7-85

Plugging Completed 11-7-85

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

LEASE OPERATOR HESS OIL COMPANY

ADDRESS P.O. BOX 905, McPHERSON, KANSAS 67460

PHONE#(316) 241-4640 OPERATORS LICENSE NO. 5663

Character of Well oil

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Did you notify the KCC/KDHE Joint District Office prior to plugging this well? yes

Which KCC/KDHE Joint Office did you notify? Salina

Is ACO-1 filed? If not, is well log attached? yes

Producing Formation Hunton Depth to Top 3284 Bottom 3326 T.D. 3326

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put in	Pulled out
surface	fresh water	139'	0'	10 3/4"	139'	none
Hunton	Oil, salt wt	3308'	0'	7"	3308'	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.

Set plug at 300'. Cemented w/100 sx. 60/40 poz 300' - surface.

Between 10" & 7", cemented w/150 sx. 300' - surface.

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Hess Oil Company License No.

Address same

STATE OF KANSAS COUNTY OF McPHERSON, ss.

Bryan Hess, Manager (Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) Bryan Hess

(Address)

SUBSCRIBED AND SWORN TO before me this 12th day of Nov, 1985

RECEIVED
STATE CORPORATION COMMISSION

Gladys I. Huber
Notary Public

My Commission Expires April 8, 1986


NOV 13 1985
CONSERVATION DIVISION
Wichita, Kansas

NOTARY PUBLIC - State of Kansas
GLADYS I. HUBER
My Appt. Exp. CP-4 08-84

640 Acres
N

WELL RECORD

Mail to Corporation Commission, Oklahoma City, Oklahoma



Locate Well Correctly

COUNTY McPherson, Kansas SEC. 29, TWP. 21S, RGE. 1W
 COMPANY OPERATING Continental Oil Co.
 OFFICE ADDRESS Ponca City, Oklahoma
 FARM NAME F. A. Hetzke WELL NO. 8
 DRILLING STARTED 7-13, 1937, DRILLING FINISHED 8-10, 1937
 DATE OF FIRST PRODUCTION 8-15-37 COMPLETED.....
 WELL LOCATED 1320' S. & 990' E. of N/4 cor 4 ft. North of South
 Line and ft. East of West Line of Quarter Section.
 Elevation (Relative to sea level) DERRICK FLR. GROUND
 CHARACTER OF WELL (Oil, gas or dry hole) Oil

OIL OR GAS SANDS OR ZONES

Name	From	To	Name	From	To
1 <u>Hunton Lime</u>	<u>3283</u>	<u>3326</u>	4		
2			5		
3			6		

WATER SANDS

Name	From	To	Water level	Name	From	To	Water level
1				4			
2				5			
3				6			

CASING RECORD

Size	Wt.	Thds.	Make	Amount Set		Amount Pulled		Packer Record			
				Ft.	In.	Ft.	In.	Size	Length	Depth Set	Make.
<u>10"</u>	<u>40#</u>			<u>139</u>	<u>6</u>		<u>None</u>				
<u>7 OD</u>	<u>20#</u>	<u>10</u>	<u>Smls.</u>	<u>3308</u>	<u>2</u>		<u>" "</u>				

Liner Record: Amount Kind Top Bottom

CEMENTING AND MUDDING RECORD

Size	Amount Set		Sacks Cement	Chemical		Method of Cementing	Amount	Mudding Method	Results (See Note)
	Feet	In.		Gal.	Make				
<u>10"</u>	<u>139</u>	<u>6</u>	<u>150</u>			<u>Halliburton</u>			
<u>7 OD</u>	<u>3308</u>	<u>2</u>	<u>300</u>			<u>"</u>			

NOTE: What method was used to protect sands when outer strings were pulled?

NOTE: Were bottom hole plugs used? If so, state kind, depth set and results obtained

TOOLS USED

Rotary tools were used from 0 feet to 3286 feet, and from feet to
 Cable tools were used from 3286 feet to 3326 feet, and from feet to
 Type Rig.

PRODUCTION DATA

Production first 24 hours 752 bbls. Gravity, Emulsion per cent., Water per cent.
 Production second 24 hours bbls. Gravity, Emulsion per cent., Water per cent.
 If gas well, cubic per 24 hours Rock Pressure lbs. per square inch

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

How Williams
 Name and title of representative of company.

Subscribed and sworn to before me this the 21 day of August 1937

My Commission expires

RECEIVED
 STATE CORPORATION COMMISSION
 NOV 13 1937
 Notary Public.
 CONSERVATION DIVISION
 Wichita, Kansas

