

STATE OF KANSAS  
STATE CORPORATION COMMISSION

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

WELL PLUGGING RECORD

Mc Pherson County, Sec. 29 Twp. 21 Rge. 1 (E) W (W)

Location as "NE/CNWxSWx" or footage from lines SW SE NW

Lease Owner Jenkins-Ray Supply

Lease Name Huxman Well No. 8

Office Address Box 967

Character of Well (completed as Oil, Gas or Dry Hole) Oil Well

Date well completed 7-16-38 19

Application for plugging filed 7-20-65 19

Application for plugging approved 7-23-65 19


Plugging commenced 8-4-65 19

Plugging completed 8-7-65 19

Reason for abandonment of well or producing formation Depleted

If a producing well is abandoned, date of last production Unknown 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Gilbert Toman

Producing formation Hunton Lime Depth to top Bottom Total Depth of Well 3290' Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10"	141'	None
				7"	3279'	904'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Checked hole to 3290' dumped gravel to 3240' dumped 6 sacks cement.

Set bridge @ 168' poured gravel and dumped 2 sacks cement. Cemented to base of top collar with 4 yards ready mix cement.

RECEIVED  
STATE CORPORATION COMMISSION

DEC 29 1965  
12-29-65

CONSERVATION DIVISION  
Wichita, Kan.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Albert Leach

Address Sterling, Colorado

STATE OF Oklahoma, COUNTY OF Kay, ss.

C.C. Jenkins (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *C.C. Jenkins*

Box 967, Ponca City, Oklahoma  
(Address)


SUBSCRIBED AND SWORN TO before me this 27 day of Dec, 19-65

*Marnie Batten*  
Notary Public.

My commission expires 8-3-67



**WELL RECORD**



Locate Well Correctly

MAIL TO CORPORATION COMMISSION, OKLAHOMA CITY, OKLAHOMA  
 COUNTY McPherson, SEC. 29, TWP. 21 S, RGE. 1 W  
 COMPANY OPERATING Continental Oil Company  
 OFFICE ADDRESS Forney City, Oklahoma  
 FARM NAME J. P. HUNTER WELL NO. 8  
 DRILLING STARTED 6-18, 1938, DRILLING FINISHED 7-16, 1938  
 DATE OF FIRST PRODUCTION 7-20-38 COMPLETED \_\_\_\_\_  
 WELL LOCATED 350' North and 990' West of center of  
1/4 1/4 1/4 ft. North of South  
 Line and Section 29, Township 21 South, Range 1 West  
 Elevation (Relative to sea level) DERRICK FLOOR \_\_\_\_\_ GROUND \_\_\_\_\_  
 CHARACTER OF WELL (Oil, gas or dry hole) Oil

**OIL OR GAS SANDS OR ZONES**

Name	From	To	Name	From	To
1 <u>Hunter Idma</u>	<u>3251'</u>	<u>3290'</u>	4		
2			5		
3			6		

**WATER SANDS**

Name	From	To	Water level	Name	From	To	Water level
1				4			
2				5			
3				6			

**CASING RECORD**

Size	Wt.	Thds.	Make	Amount Set		Amount Pulled		Packer Record			
				Ft.	In.	Ft.	In.	Size	Length	Depth Set	Make
10"				141'	2"						
7"				3279'							

Liner Record: Amount \_\_\_\_\_ Kind \_\_\_\_\_ Top \_\_\_\_\_ Bottom \_\_\_\_\_

**CEMENTING AND MUDDING RECORD**

Size	Amount Set		Sacks Cement	Chemical		Method of Cementing	Amount	Mudding Method	Results (See Note)
	Ft.	In.		Gal.	Make				
10"	141'	2"	150			Halliburton			
7"	3279'		300			"			

NOTE: What method was used to protect sands when outer strings were pulled? \_\_\_\_\_

NOTE: Were bottom hole plugs used? \_\_\_\_\_ If so, state kind, depth set and results obtained \_\_\_\_\_

**TOOLS USED**

Rotary tools were used from 0 feet to 3251 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_

Cable tools were used from 3251 feet to 3290 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_

Type Rig \_\_\_\_\_

**PRODUCTION DATA**

Production first 24 hours 568 bbls. Gravity \_\_\_\_\_, Emulsion \_\_\_\_\_ per cent, Water \_\_\_\_\_ per cent

Pressure and Potential 1102 bbls. Gravity 9-19-38, Emulsion \_\_\_\_\_ per cent, Water \_\_\_\_\_ per cent

If gas well, cubic per 24 hours \_\_\_\_\_ Rock Pressure: lbs. per square inch \_\_\_\_\_

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Name and title of representative of company. \_\_\_\_\_

Subscribed and sworn to before me this 20 day of August, 1938

My Commission expires \_\_\_\_\_

Notary Public.

HNW;  
 8-20-1938  
 LPC  
 Geol-Gulf-Ohio.

