AFFIDAVIT OF COMPLETION FORM

This form shall be filed in duplicate with the Kansa rado Derby Building, Wichita, Kansas 67202, within the well, regardless of how the well was completed. Attach separate letter of request if the information on since two will then be held confidential. Circle one: Oil, Gas Dry SWD, OWWO, Injection. The Applications must be filed for dual completion, communication with the logs (i.e. electrical log, sonic RCC # (316) 263-3238. (Rules 82-2-105 & 82-2-125)	ten days after the completion of tion is to be held confidential. If de one will be of public record and type and complete ALL sections. Aingling, SWD and injection, T.A.
OPERATOR WILD BOYS & THE SILVER BULLET OIL CO'S	API NO. 15=113-20.938-A
ADDRESS PO Box 4448	COUNTY McPherson
Wichita, Kansas 67204	FIELD N/A
**CONTACT PERSON John McPherson	PROD. FORMATION N/A
PHONE 264-1800	LEASE VOSHELL WEST
PURCHASERN/A	WELL NO. 1 'A'
ADDRESS	WELL LOCATION App. C NE NE
DRILLING SUPREME DRILLING, INC.	660 Ft. from N Line and
ADDRESS 9235 E. Harry - Suite 10	640 Ft. from E Line of
Bldg 200, Wichita 67207	the NE SEC-17 TWP-21S RGE-3W
PLUGGING HALLIBURTON SERVICES	WELL PLAT
CONTRACTOR ADDRESS McPherson, Kansas	→ KCC 1/
	(Office Use)
TOTAL DEPTH 3900' BEED 900'- Surface	
TOTAL DEPTH 3900' PBTD 900'- Surface	17
SPUD DATE 11-13-81 DATE COMPLETED 11-24-81	
ELEV: GR 1458 DF 1468 KB 1471	
DRILLED WITH (SABLA) (ROTARY) (ATA) TOOLS	
Amount of surface pipe set and cemented 275'/933'	. DV Tool Used? No
AFFIDAVI	<u>T</u>
STATE OF Kansas , COUNTY OF Sedge	vick SS, I,
R. A. Christensen OF LAWFUL AGE, BE	
DEPOSES THAT HE IS employee KRRK)	(OF) Wild Boys and The Silver Eullet
OPERATOR OF THE Voshell West LEASE	
THIS AFFIDAVIT FOR AND ON THE BEHALF OF SAID OPERATOR	OR, THAT WELL NO. 1A ON
SAID LEASE HAS BEEN COMPLETED AS OF THE 24th DAY	· · · · · · · · · · · · · · · · · · ·
ALL INFORMATION ENTERED HEREIN WITH RESPECT TO SAID	
FURTHER AFFIANT SAITH NOT.	
	(S) KA Statewen.
SUBSCRIBED AND SWORN BEFORE ME THIS 3 DAY OF	19 00
DAT OF) Of the state of
MY COMMISSION EXPIRES: Otober 29, 1982	NOTARY PUBLIC
	DONNA HALE ARD STATE NOTARY BURNEY
**The person who can be reached by phone regarding a mation. Within 45 days of completion, a witnessed required if the well produces more than 25 BOPD or i	any mustigns concerning this infor- initial test by the Commission is a located in a Basic Order Pool.

The Course Fill Course

THE THO WELL LOG

Show all important zones of porosity and contents thereof; carad intervals, and all drill-atom tasts, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

FORMATION DESCRIPTION, CONTENTS, ETC.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

	ON DESCRIPTION, C			TOP	BOTTO	<u></u>	NAME		DEPTH
	No DSTs			2538 3235 3489 3697 3707 3746 5782 3786 3850			Lansing Mississip Kinderhoo Mistner Maquoketa Viola Simpson S Simpson S Arbuckle	ok 1 Sh	-1067 -1764 -2018 -2226 -2236 -2275 -2311 -2315 -2379
	· · · · · · · · · · · · · · · · · · ·	, <u>, , , , , , , , , , , , , , , , , , </u>							
				CASING	DECORD	(New)	Por Web		_
Report of all strin	·		,	Satting depth			()	Туре	end percent
Purpose of string	Sixe hole drilled	Size casing sat	Weight lbs/ft.	Satting depth	Тура сеп		Sacks	Туре	&ditives
Purpose of string	Size hole drilled	Size cosing set (in 0.0.)	Weight lbs/ft.	275	Туре сеп	on	Sacks 250	Тури 0 2% Ge	1, 3% CaCl2
Purpose of string	Sixe hole drilled	Size casing sat	Weight lbs/ft.		Тура сеп	on	Sacks	Тури 0 2% Ge	&ditives
Purpose of string	Size hole drilled	Size cosing set (in 0.0.)	Weight lbs/ft.	275	Туре сеп	on	Sacks 250	Тури 0 2% Ge	1, 3% CaCl2
Purpose of string	Size hole drilled	Size casing set (in 0.D.) 13 3/8 8 5/811	Weight lbs/ft.	275	Commo	on on	Sacks 250	2% Ge	1, 3% CaCl2
Surface Production	Sixe hole drilled 17½" 12½"	Size casing set (in 0.D.) 13 3/8 8 5/811	Weight lbs/ft. 1 48# 24#	275	Commo	on on PERFORA	250 500	Type a 2% Ge 2% Ge	1, 3% CaCl2
Surface Production	Sixe hole drilled 17½" 12½" LINER RECO	Size casing set (in 0.D.) 13 3/8 8 5/811	Weight lbs/ft. 1 48# 24#	275 9 33	Commo	on on PERFORA	250 500	Type a 2% Ge 2% Ge	1, 3% CaC12
Purpose of string Surface Production Top, ft.	Sixe hole drilled 17½" 12½" LINER RECOI	Size casing set (in 0.D.) 13 3/8 8 5/811	Weight lbs/ft. 1 48# 24#	275 9 33	Commo	on on PERFORA	250 500	Type a 2% Ge 2% Ge	1, 3% CaC12
Purpose of string Surface Production Top, ft.	Size hole drilled 17½'' 12½'' LINER RECOI Bottom, ft. TUBING RECO	Size casing set (in O.D.) 13 3/8 8 5/8 RD Sacks cas Packer a	Weight lbs/ft. 1 48# 24# ment at ut	275 9 33	Commo	PERFORA	Sacks 250 500 STION RECO	Type a 2% Ge 2% Ge	1, 3% CaC12 1, 2% CaC12
Purpose of string Surface Production Top, ft.	Size hole drilled 17½'' 12½'' LINER RECOI Bottom, ft. TUBING RECO	Size casing sof (in O.D.) 13 3/8 8 5/811 RD Socks case ORD Packer a	Weight lbs/ft. 1 48# 24# ment at ut	275 9 33	Commo	PERFORA	Sacks 250 500 STION RECO	Type a 2% Ge 2% Ge	1, 3% CaC12 1, 2% CaC12
Purpose of string	Size hole drilled 17½'' 12½'' LINER RECOI Bottom, ft. TUBING RECO	Size casing set (in O.D.) 13 3/8 8 5/811 RD Socks case ORD Packer a	Weight lbs/ft. 1 48# 24# ment at ut	275 9 33	Commo	PERFORA	Sacks 250 500 STION RECO	Type a 2% Ge 2% Ge	1, 3% CaC12 1, 2% CaC12
Purpose of string Surface Production Top, ft.	Sixe hole drilled 17½ 12½ LINER RECOI Bottom, ft. TUBING RECO Setting depth	Size casing sof (in O.D.) 13 3/8 8 5/811 RD Socks case ORD Packer a	Weight lbs/ft. 1 48# 24# ment at ut	275 9 33	Commo	PERFORA	Sacks 250 500 STION RECO	Type a 2% Ge 2% Ge	1, 3% CaC12 1, 2% CaC12
Purpose of string Surface Production Top, ft.	Sixe hole drilled 17½ 12½ LINER RECOI Bottom, ft. TUBING RECO Setting depth	Size casing sof (in O.D.) 13 3/8 8 5/811 RD Socks case ORD Packer a	Weight lbs/ft. 1 48# 24# weight lbs/ft. 1 48# 24# URE, SHOT, Material used	275 9 33	Commo	PERFORA	Sacks 250 500 STION RECO	Type Q 2% Ge 2% Ge P P P P P P P P P P P P P P P P P P	1, 3% CaC12 1, 2% CaC12
Purpose of string Surface Production Top, ft.	Sixe hole drilled 17½ 12½ LINER RECOI Bottom, ft. TUBING RECO Setting depth	Size casing sof (in O.D.) 13 3/8 8 5/811 RD Socks case ORD Packer a	Weight lbs/ft. 1 48# 24# Weight lbs/ft. 1 48# 24# WRE, SHOT, Material used Gas	275 933 Shots p	Commo	PERFORA	Sacks 250 500 STION RECO	Type Q 2% Ge 2% Ge P P P P P P P P P P P P P P P P P P	1, 3% CaC12 1, 2% CaC12