


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas

NORTH



Locate well correctly on above  
Section Plat

Rush County, Sec. 23 Twp. 18 Rge. 16 (E) W (W)

Location as "NE/CNWXSWX" or footage from lines C N/2 SW/4  
Lease Owner Independent Lease Management Company  
Lease Name Koriel "B" Well No. 3  
Office Address Wichita, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) \_\_\_\_\_  
Date well completed \_\_\_\_\_ 19\_\_\_\_  
Application for plugging filed \_\_\_\_\_ 19\_\_\_\_  
Application for plugging approved \_\_\_\_\_ 19\_\_\_\_  
Plugging commenced 10-20-66 \_\_\_\_\_ 19\_\_\_\_  
Plugging completed 10-24-66 \_\_\_\_\_ 19\_\_\_\_  
Reason for abandonment of well or producing formation Depleted.

If a producing well is abandoned, date of last production \_\_\_\_\_ 19\_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Leo Massey  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3508 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				12"	212'	None
				10"	990'	None
				7"	3496'	2038'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Checked hole to 3500', sanded hole to 3475' and dumped 5 sacks of cement @ 3475' with dump bailer. Pulled 7" casing, set 10' rock bridge @ 300' and dumped 8 yards of ready-mix cement to cap well.

RECEIVED  
STATE CORPORATION COMMISSION  
11-15-66  
NOV 15 1966  
1966

PLUGGING COMPLETE.

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor KNIGHT CASING PULLING COMPANY  
Address CHASE, KANSAS

STATE OF KANSAS, COUNTY OF RICE, ss.  
Noel J. Knight (employee of owner) or ~~(owner)~~ of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Noel J. Knight  
Chase, Kansas  
(Address)

SUBSCRIBED AND SWORN TO before me this 28th day of October, 1966

My commission expires May 20, 1968  
Milton J. Volin Notary Public.

Flynn Oil Company  
 Date spudded: April 1, 1937  
 Date set casing: April 21, 1937  
 Date completed: April 29, 1937

Loc. 23-18S-16W  
 Rush County, Kansas  
 Herndon Drilling Company  
 Total depth : 3508'

From	To	Formation	Remarks
0	90	Soil and sand	
90	195	Shale	
195	211	Shale	
211	385	Shale and shells	
385	412	Shale and shells	
412	430	Sand	
430	505	Sand	
505	550	Red rock and shale	
550	590	Sand	
590	665	Shale and red rock	
665	820	Shale and shells	
820	965	Red rock and shale	
965	975	Shale and red rock	
975	990	Anhydrite	
990	1020	Anhydrite	
1020	1035	Shale and shells	
1035	1310	Shale and salt	
1310	1535	Shale and shells and salt	
1535	1685	Shale and shells	
1685	1725	Broken lime	
1725	1760	Broken lime	
1760	1810	Lime	
1810	1870	Lime	
1870	1900	Broken lime	
1900	1935	Lime	
1935	1990	Broken lime	
1990	2035	Broken lime	
2035	2080	Lime	
2080	2140	Lime	
2140	2200	Lime	
2200	2255	Lime	
2255	2310	Lime	
2310	2385	Broken lime	
2385	2475	Broken lime	
2475	2550	Broken lime	
2550	2625	Broken lime	
2625	2690	Broken lime	
2690	2755	Lime	
2755	2815	Lime	
2815	2865	Broken lime	
2865	2885	Lime	
2885	2945	Lime	
2945	3010	Lime	
3010	3060	Lime	
3060	3095	Lime	
3095	3105	Lime	
3105	3155	Broken lime	
3155	3210	Broken lime	
3210	3225	Broken lime	
3225	3270	Lime	
3270	3320	Lime	
3320	3360	Lime	
3360	3390	Lime	
3390	3440	Lime	
3440	3490	Lime	
3490	3493	Red shale	
3493	3500	Sand	
3500	3508	Sand - - - - - showing of oil	

RECEIVED  
 COMMISSIONER OF GEOL. & NAT. RES.  
 DEC 19 1960  
 COMMISSIONER DIVISION  
 STATE OF KANSAS

#3

15.165-02144.00.00

Log of Koriel #3B

Flynn Oil Company  
 Date spudded: April 1, 1937  
 Date set casing: April 21, 1937  
 Date completed: April 29, 1937

C N/2 SW  
 Loc. 23-18S-16W  
 Rush County, Kansas  
 Herndon Drilling Company  
 Total depth : 3508'

From	To	Formation	Remarks
0	90	Soil and sand	
90	195	Shale	
195	211	Shale	
211	385	Shale and shells	
385	412	Shale and shells	
412	430	Sand	
430	505	Sand	
505	550	Red rock and shale	
550	590	Sand	
590	665	Shale and red rock	
665	820	Shale and shells	
820	965	Red rock and shale	
965	975	Shale and red rock	
975	990	Anhydrite	
990	1020	Anhydrite	
1020	1035	Shale and shells	
1035	1310	Shale and salt	
1310	1535	Shale and shells and salt	
1535	1685	Shale and shells	
1685	1725	Broken lime	
1725	1760	Broken lime	
1760	1810	Lime	
1810	1870	Lime	
1870	1900	Broken lime	
1900	1935	Lime	
1935	1990	Broken lime	
1990	2035	Broken lime	
2035	2080	Lime	
2080	2140	Lime	
2140	2200	Lime	
2200	2255	Lime	
2255	2310	Lime	
2310	2385	Broken lime	
2385	2475	Broken lime	
2475	2550	Broken lime	
2550	2625	Broken lime	
2625	2690	Broken lime	
2690	2755	Lime	
2755	2815	Lime	
2815	2865	Broken lime	
2865	2885	Lime	
2885	2945	Lime	
2945	3010	Lime	
3010	3060	Lime	
3060	3095	Lime	
3095	3105	Lime	
3105	3155	Broken lime	
3155	3210	Broken lime	
3210	3225	Broken lime	
3225	3270	Lime	
3270	3320	Lime	
3320	3360	Lime	
3360	3390	Lime	
3390	3440	Lime	
3440	3490	Lime	
3490	3493	Red shale	
3493	3500	Sand	
3500	3508	Sand	showing of oil

**RECEIVED**  
 STATE CORPORATION COMMISSION  
 OCT 21 1966  
 CONSTRUCTION DIVISION  
 WICHITA, KANSAS

# 3