

STATE OF KANSAS  
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

OR  
FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

NORTH



Locate well correctly on above  
Section Plat

RICE County. Sec. 15 Twp. 21 Rge. (E) 7 (W)  
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SE $\frac{1}{2}$  NE $\frac{1}{2}$  NW $\frac{1}{2}$   
Lease Owner J. A. Aylward  
Lease Name Hauschild Well No. 3  
Office Address 813 First Natl. Bank Bldg. Wichita, Kans.  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed September 4, 1936. 19  
Application for plugging filed June 23, 1943. 19  
Application for plugging approved June 24, 1943. 19  
Plugging commenced September 20, 1943. 19  
Plugging completed September 27, 1943. 19  
Reason for abandonment of well or producing formation Oil exhausted  
If a producing well is abandoned, date of last production 19  
Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes

Name of Conservation Agent who supervised plugging of this well Ruel Durkee  
Producing formation Conglomerate Depth to top Bottom Total Depth of Well 3389' Feet  
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				16"	110'	none
				7"	3363'	2820'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled with sand 3363', 10 sacks cement at 3363', blue mud to 150', 30 sacks cement at 150', and 10 sacks at base of cellar



(If additional description is necessary, use BACK of this sheet)  
Correspondence regarding this well should be addressed to J. A. Aylward,  
Address 813 First National Bank Building, Wichita, Kansas.

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.  
R. E. EVANS (employee of owner) or (owner or operator) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) [Signature]  
Wichita, Kansas.  
(Address)

SUBSCRIBED AND SWORN to before me this 30th day of September

My commission expires January 19, 1947.

Notary Public  
[Signature]

10-2-1943

HAUSCHILD NO. 3.

L. E. DOUGLAS

SE $\frac{1}{4}$  NE $\frac{1}{4}$  NW $\frac{1}{4}$  of Section  
15-218-7W, Rice Co., Kansas.

Comm. 7-22-36 Comp. 9-4-36

Elevation.  
Potential - Pot. 8686 B.

Contractor L. E. Douglas

Casing: 7" - 3363'

Figures Indicate Bottom of Formations.

Red Rock	347
shale and shells	506
shale & salt	1005
shale & lime	1210
shale & shells	1416
lime brkn	1725
shale & lime	1819
shale & shells	2013
lime	2117
lime and shale	2170
lime brkn	2350
shale	2396
lime	2700
shale	2884
shale & shells	2903
lime	2960
shale	2972
lime	3142
shale	3147
lime	3203
shale & shells	3359
red rock	3372
conglomerate	3389

Total Depth.


15-218-7W  
79-40

15-218-7W

**MATERIAL REPORT  
AND  
PLUGGING RECORD**

Mail To: STATE CORPORATION COMMISSION  
Conservation Division  
800 Bitting Building  
Wichita, Kansas

NOTICE: All questions on this form must be answered.



Locate well <sup>S</sup> correctly.

Company Operating J. A. AYLWARD  
Office Address 813 First National Bank Building  
Wichita 2, Kansas

County Rice Sec. 15 Twp. 21s Rge. 7W  
Farm Name Hauschild Well No. 3 Field Wherry  
Well Location Sec 1 NE 1/4 NW 1/4  
Name of Producing Sand Conglomerate Total Depth 3389'  
Commenced Plugging September 20, 1943 Finished September 27, 1943

DAILY AVERAGE PRODUCTION:

Initial Production: Oil \_\_\_\_\_ Gas \_\_\_\_\_ Water \_\_\_\_\_  
Production when Plugged: Oil None Gas \_\_\_\_\_ Water \_\_\_\_\_

Estimated Total Remaining Reserves Attributable to Well at Time Abandoned \_\_\_\_\_

**INFORMATION ON MATERIALS RECLAIMED FROM WELL  
CASING, TUBING AND ROD DATA**

Description	Size	Recovered		Junk		Reusable		Disposition Made Or To Be Made Of Usable Material
		Ft.	Tons	Ft.	Tons	Ft.	Tons	
Casing	7 "	2820	33			2820	33	Sold for Reuse
Tubing	2 1/2 "	3370	10			3370	10	" " "
Rods	3/4"	3370	2			3370	2	" " "

**SURFACE EQUIPMENT**

Quantity	Description	*Condition	Est. Tons	Disposition Made Or To Be Made Of Reclaimed Material
1	40 HP Eng.	2	2	Junk
1	84' Derrick	2	3	For reuse
1	Eng. & Belt			
	House	2	2	For reuse

\* Usable, Usable with minor repairs, or junk.

Date: September 30, 1943 Signed: \_\_\_\_\_  
(For Operating Co. Title)



*Handwritten notes:*  
15 21 7W  
79 40

It is very important that all questions on this form be answered, as this Department has been asked by the Petroleum Administration for War to supply data on well abandonments undertaken during the war.

**This information is very essential in aiding the war effort; therefore, this Department is requiring this report to be mailed within 5 days after the abandonment of your well.**

19-6756