



BRIDGEPORT MACHINE COMPANY  
HAUSCHILD # 6-A

Sec. 15 T. 21 R. 2W

Total Depth 3378'  
Comm. 9-26-39 Comp. 10-9-39

County Rice

CASING:

10" 96' 7"  
6 5/8" 3375'

Elevation  
Production Pot. 585 Bbl.

Figures Indicate Bottom of Formations

Sand	70
Red Rock & Shale	108
Shale & Shells	615
Salt	660
Shale & Salt	930
Shale & Shells	995
Broken Line	1160
Shale	1217
Shale & Lime Shells	1355
Broken Line	1542
Lime & Shale	1796
Shale & Shells	2321
Lime & Shale	2400
Lime	2430
Shale	2465
Lime (Soft)	2716
Lime (Hard)	2725
Lime (Soft)	2917
Lime & Shale	2992
Lime	3190
Broken Lime	3196
Lime	3216
Lime & Shale	3353
Shale	3373
Conglomerate	3378

Cemented 96' 7" of 10" Casing with 100 Sacks of Incor Cement-Halliburton  
Cemented 3375' of 6 5/8" O.D. Casing with 110 Sacks of Incor Cement-Halliburton.

PLUGGING	
FILE NO.	15 21 R 7W
BOOK PAGE	112
LINE	8



