

Magnolia Petroleum Company
 Lottie Mosbarger Well #2
 Center SW NW SW of Sec. 32-20S-15W
 Barton County, Kansas.

Drilling Commenced - November 17, 1947
 Drilling Completed - December 9, 1947, by
 Kiowa Drilling Company, Wichita, Kansas.

CASING RECORD:

8-5/8" Casing @ 1015' w/450 sacks
 circulated - None pulled out.

FORMATION	TOP	BOTTOM
Sand & clay	0	160
Sand & shale	160	230
Shale & shells	230	460
Sand & shale	460	540
Red bed & shale	540	900
Red bed	900	1000
Anhydrite	1000	1015
8-5/8" Surface casing @ 1015' w/450 sacks		
Anhydrite & lime	1015	1020
Lime, shale & shells	1020	1370
Shale & shells	1370	1550
Shale, salt & shells	1550	1630
Shale & shells	1630	1805
Lime	1805	1845
Shale & shells	1845	1875
Lime	1875	1940
Shale & shells	1940	2185
Lime	2185	2360
Broken lime	2360	2375
Lime	2375	2455
Lime & shale	2455	2840
Lime	2840	2935
Broken lime	2935	3015
Lime	3015	3125
Broken lime	3125	3170
Lime	3170	3405
Lime & shale	3405	3460
Lime	3460	3532
Shale	3532	3545
Lime	3545	3730
Conglomerate	3730	3805
Shale	3805	3817
Lime	3817	3855
Chert	3855	3880
Lime & chert	3880	3925
Lime & shale	3925	3950
Shale, sand & chert	3850	4005
Lime & chert	4005	4040
Chert & lime	4040	4060
Lime	4060	4100

Total Depth 4100'

Well drilled dry - Plugged and abandoned December 11, 1947
 By Kiowa Drilling Company, Wichita, Kansas.
 Under Supervision of H. W. Kerr

Magnolia Petroleum Company
 Lottie Mosbarger Well #2
 Center SW NW SW of Sec. 32-20S-15W
 Barton County, Kansas.

Drilling Commenced - November 17, 1947
 Drilling Completed - December 9, 1947, by
 Kiowa Drilling Company, Wichita, Kansas.

CASING RECORD:

8-5/8" Casing @ 1015' w/450 sacks
 circulated - None pulled out.

FORMATION	TOP	BOTTOM
Sand & clay	0	160
Sand & shale	160	230
Shale & shells	230	460
Sand & shale	460	540
Red bed & shale	540	900
Red bed	900	1000
Anhydrite	1000	1015
8-5/8" Surface casing @ 1015' w/450 sacks		
Anhydrite & lime	1015	1020
Lime, shale & shells	1020	1370
Shale & shells	1370	1550
Shale, salt & shells	1550	1630
Shale & shells	1630	1805
Lime	1805	1845
Shale & shells	1845	1875
Lime	1875	1940
Shale & shells	1940	2185
Lime	2185	2360
Broken lime	2360	2375
Lime	2375	2455
Lime & shale	2455	2840
Lime	2840	2935
Broken lime	2935	3015
Lime	3015	3125
Broken lime	3125	3170
Lime	3170	3405
Lime & shale	3405	3460
Lime	3460	3532
Shale	3532	3545
Lime	3545	3730
Conglomerate	3730	3805
Shale	3805	3817
Lime	3817	3855
Chert	3855	3880
Lime & chert	3880	3925
Lime & shale	3925	3950
Shale, sand & chert	3850	4005
Lime & chert	4005	4040
Chert & lime	4040	4060
Lime	4060	4100

Total Depth 4100'

Well drilled dry - Plugged and abandoned December 11, 1947
 By Kiowa Drilling Company, Wichita, Kansas.
 Under Supervision of H. W. Kerr