

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
266 N. Main St., Ste. 220
Wichita, KS 67202-1513

API Well Number: 15-205-26741-00-01
Spot: NWSESESE Sec/Twnshp/Rge: 29-27S-16E
523 feet from S Section Line, 640 feet from E Section Line
Lease Name: VARNER, ROY E. Well #: 29-1
County: WILSON Total Vertical Depth: 1288 feet

Operator License No.: <u>35341</u>	String	Size	Depth (ft)	Pulled (ft)	Comments
Op Name: <u>RIVER ROCK OPERATING, LLC</u>	CIBP		1050		
Address: <u>211 N. ROBINSON SUITE 200</u>	PROD	4.5	1280		150 SX
<u>OKLAHOMA CITY, OK 73102</u>	SURF	8.625	22		5 SX

Well Type: CM UIC Docket No: _____ Date/Time to Plug: 12/27/2017 12:00 PM
Plug Co. License No.: 33749 Plug Co. Name: KEPLEY WELL SERVICE, LLC
Proposal Rcvd. from: JORDAN JAMESON Company: RIVER ROCK OPERATING Phone: (620) 432-4221

Proposed Plugging Method: Circulate cement from TD to Surface through tubing plus 10% excess. Top off cement at surface as needed. Cut off casing 5ft below ground level and reclaim pad to original topography.

Plugging Proposal Received By: ALAN DUNNING WitnessType: NONE
Date/Time Plugging Completed: 12/27/2017 12:00 PM KCC Agent: ALAN DUNNING

Actual Plugging Report:

A 2.375 inch cement string was run to TD and then 68 sacks of cement with cottonseed hulls were pumped. The cement string was pulled to 500 ft and the well pumped full of cement to surface. The cement string was removed and the well topped off. The wellhead was cut off below plow depth and the location restored. A total of 143 sacks of portland cement were used to plug well.

Perfs:

Top	Bot	Thru	Comments
809	1059		

RECEIVED
KCC DIST #3
JAN 16 2018
CHANUTE, KS
AD

INVESTIGATED
FEB 08 2018

Remarks:
Plugged through: CSG

District: 03

Signed Alan Dunning
(TECHNICIAN)