CARD MUST BE TYPED

OF State of Kansas INTENTION TO DRILL NOTICE (see rules on reverse side)

CARD MUST BE SIGNED


mHC/NOHE 3-1-85

		(sec rules on t	reverse side)
Starting Date:	3 4 month day	85 year <i>1.25</i>	API Number 15- $O5/-24/78-000$
OPERATOR: License Gear	# 5151 Petroleum Co	., Inc.	. SW NW . NE Sec . 2 Twp . 1.3 S, Rge . 17. 🖾 West
Address 300 Sutton Place			4290 Ft North from Southeast Corner of Section
City/State/Zip Wichita, KS 67202			(Note: Locate well on Section Plat on reverse side)
Contact PersonJim. That cher			
Phone316-265-3351			Nearest lease or unit boundary line330 feet.
CONTRACTOR: License #530.2			County Ellis
Name Red Tiger Drilling Co			Lease Name Staab Well# 1-2
City/State Wichita, KS			Domestic well within 330 feet:
W 00 00 1F		T C	
Well Drilled For:	Well Class:	Type Equipment:	Municipal well within one mile : 🔀 yes 🔯 no
	Well Class: ☐ Infield	X Mod Rotary	
	•		Depth to Bottom of fresh water
[X] Oil ☐ Swd	☐ Infield	[X] Mud Rotary	Depth to Bottom of fresh water
[X] Oil ☐ Swd ☐ Gas ☐ Inj	☐ Infield ※ Pool Ext. ☐ Wildcat	Mud Rotary ☐ Air Rotary	Depth to Bottom of fresh water
[X Oil	☐ Infield ☑ Pool Ext. ☐ Wildcat as follows:	Mud Rotary ☐ Air Rotary	Depth to Bottom of fresh water 150 450 feet Lowest usable water formation Dako ta Depth to Bottom of usable water 500 700. feet
[X] Oil	☐ Infield 【 Pool Ext. ☐ Wildcat as follows:	Mud Rotary☐ Air Rotary☐ Cable	Depth to Bottom of fresh water 150 450 feet Lowest usable water formation Dako ta Depth to Bottom of usable water 500 700 feet Surface pipe by Alternate: 1 2 2 320 410 feet
[X] Oil	☐ Infield	Mud Rotary☐ Air Rotary☐ Cable Depth	Depth to Bottom of fresh water Lowest usable water formation Depth to Bottom of usable water Depth to Bottom of feet
Swd Swd Swd Sas Inj OWWO Expl If OWWO: old weil info Operator Operator Well Name Comp Date Operator O	☐ Infield	Mud Rotary Air Rotary Cable Depth O	Depth to Bottom of fresh water Lowest usable water formation Depth to Bottom of usable water Depth to Bottom of usable water Depth to Bottom of usable water Surface pipe by Alternate: Surface pipe to be set Conductor pipe if any required Ground surface elevation 150 450 feet Dakota 700 feet Surface pipe to be set 100 100 feet Conductor pipe if any required Unknown Feet MSL
Swd Swd Swd Gas Inj Swd Expl If OWWO: old weil info Operator Operator Operator Omp Date Omp Date Operator Operat	☐ Infield	Mud Rotary Air Rotary Cable Depth Cuble	Depth to Bottom of fresh water Lowest usable water formation Depth to Bottom of usable water Depth to Bottom of usable water Depth to Bottom of usable water Dakota Depth to Bottom of usable water Dakota Dob feet Surface pipe by Alternate: 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Swd Swd Swd Sas Inj OWWO Expl If OWWO: old weil info Operator Operator Well Name Comp Date Operator O	☐ Infield	Mud Rotary Air Rotary Cable Depth Cuble	Depth to Bottom of fresh water Lowest usable water formation Depth to Bottom of usable water Depth to Bottom of feet
Marcological Components Marcological Co	☐ Infield	Mud Rotary Air Rotary Cable Depth Cuble	Depth to Bottom of fresh water Lowest usable water formation Depth to Bottom of usable water Depth to Bottom of usable water Depth to Bottom of usable water Surface pipe by Alternate: Surface pipe to be set Conductor pipe if any required none Ground surface elevation This Authorization Expires Approved By 150 450 feet none feet unknown feet MSL

Must be filed with the K.C.C. five (5) days prior to commencing well This card void if drilling not started within six (6) months of date received by K.C.C.

CONSERVATION DIVISION Wichits, Kansas

986, T BYN 3-1-85 SP61-10-50 Noise remanage attom of Fird WHHE 3-380 Ft.



Important procedures to follow:

- 1. Notify District office before setting surface casing.
- 2. Set surface casing by circulating cement to the top.
- File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
- 4. Notify District office 48 hours prior to old well workover or re-entry.
- Prior to plugging, prepare a plugging plan, then obtain agreement from the appropriate district office for an approved plugging plan.
- 6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
- Obtain an approved injection docket number before disposing of salt water.
- 8. Notify K.C.C. within 10 days when injection commences or terminates.
- 9. If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

State Corporation Commission of Kansas Conservation Division 200 Colorado Derby Building Wichita, Kansas 67202 (316) 263-3238