


STATE OF KANSAS  
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas

WELL PLUGGING RECORD

Rice County, Sec. 27 Twp. 20 Rge. 8 (E) (W)



Locate well correctly on above  
Section Plat

Location as "NE/CNW/SE/SW" or footage from lines SE NE SW  
Lease Owner Thomas A. Allan  
Lease Name Florence Edgar Well No. 1  
Office Address R. R. #1 Great Bend, Kansas 67530  
Character of Well (completed as Oil, Gas or Dry Hole) \_\_\_\_\_  
Date well completed \_\_\_\_\_ 19\_\_\_\_  
Application for plugging filed 11-16-67 19\_\_\_\_  
Application for plugging approved 11-17-67 19\_\_\_\_  
Plugging commenced 1-27-67 19\_\_\_\_  
Plugging completed 3-4-67 19\_\_\_\_  
Reason for abandonment of well or producing formation \_\_\_\_\_

If a producing well is abandoned, date of last production \_\_\_\_\_ 19\_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Gilbert Toman  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3303 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	199	None
				5 1/2	None	2823

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Dug out cellar. Broke out tubing head and connections.

Rigged up. Working pipe. Shot pipe at 2810'.

Working pipe. Circulating. Spotted 70 bbl. of oil.

Working pipe. Pulling pipe.

Pulling pipe. Set overnight plug at 200' rock bridge. Dumped 6 sacks of cement.

Bailed down hole. Dumped 10 sacks of cement. Filled hole and rock bridge. Capped well with 10 sacks of cement.

RECEIVED  
STATE CORPORATION COMMISSION

MAR 16 1967

3-16-67

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Forbes Casing Pulling, Inc.  
Address P. O. Box 221 Great Bend, Kansas CONSERVATION DIVISION  
Wichita, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.  
J. O. Forbes (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) J. O. Forbes  
P. O. Box 221 Great Bend, Kansas  
(Address)

SUBSCRIBED AND SWORN TO before me this 15 day of March, 19 67

My commission expires May 27, 1969 Notary Public.

15-159-05024-0000

KANSAS WELL LOG BUREAU --- KANSAS GEOLOGICAL SOCIETY

500 EAST MURDOCK - WICHITA, KANSAS

COMPANY ALLAN et al

SEC. 27 T. 20 R. 8W

FARM. Florence Edgar

NO. 1

LOC. SE NE SW

TOTAL DEPTH 3303' RB

COMM. 3-13-51

COMP. 4-1-51


SHOT OR TREATED

CONTRACTOR Tom Allan

ISSUED 5-19-51

COUNTY

Rice KANSAS



CASING

8 5/8" 199' cem w/170 sxs  
5 1/2" 3299' cem w/75 sxs

ELEVATION 1656 RB

PRODUCTION I. P. Flow 9bbl.  
/hr. thru 1/4" choke

FIGURES INDICATE BOTTOM OF FORMATIONS

surface soil	18	Lansing	2900
sand	90	Cherty Conglomerate	3297
red beds	197		
anhydrite	210	Rotary Bushing Measurements	
red & green shale	330		
gray shale & anhydrite	360		
red & green shale	490		
gray shale	750		
red shale	780		
gray shale & salt	1010		
anhydrite	1210		
lime	1300		
shale	1330		
cherty lime	1380		
shale	1430		
lime & shale	1510		
shale	1560		
lime	1640		
shale & shells	1880		
shale	2000		
shale & lime	2015		
shale	2080		
lime	2110		
sand & shale	2130		
shale & shells	2160		
shale	2230		
shale & shells	2400		
sand	2410		
shale & shells	2470		
lime	2555		
shale	2575		
lime	2660		
shale	2680		
lime & shale	2740		
sand & shale	2800		
shale & shells	2875		
shale & sand	2900		
lime & shale	3265		
red & green shale	3297		
sand, Oil stained	3299		
Rotary 3299-3297			
cable tools			
Varicolored chert & sand	3303 RB		
Total depth			
Tops:			
Brown Lime	2872		