

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32115  
Name: GLB Exploration, Inc.  
Address: 200 North Harvey, Suite 800  
City/State/Zip: Oklahoma City, OK 73102  
Purchaser: None  
Operator Contact Person: Glenn Blumstein  
Phone: (405) 272-0715  
Contractor: Name: Mallard JV, INC.  
License: 4958  
Wellsite Geologist: Bill Hamilton  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

API No. 15 - 097-214560000  
County: Kiowa  
20's of W/2 E/2 SE. 16 Twp. 28 S. R. 20  East  West  
1,300 feet from S / N (circle one) Line of Section  
990 feet from E / W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: J. Clayton Well #: 1-16  
Field Name: Mullinville  
Producing Formation: None  
Elevation: Ground: 2,319 Kelly Bushing: 2,324  
Total Depth: 5,050 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 562 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

RECEIVED  
STATE CORPORATION COMMISSION  
OCT 25 2000  
Wichita, Kansas  
CONSERVATION DIVISION


If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_  
10/05/00 10/13/00 10/14/00  
Spud Date or Date Reached TD Completion Date or Recompletion Date

Drilling Fluid Management Plan D&A JH 1-10-01  
(Data must be collected from the Reserve Pit)  
Chloride content 5,000 ppm Fluid volume 3,500 bbls  
Dewatering method used evaporation  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Glenn Blumstein  
Title: President Date: 10/23/00  
Subscribed and sworn to before me this 23 day of OCTOBER,  
2000.  
Notary Public: Michelle Hone Love  
Date Commission Expires: Sept 11, 2002



**KCC Office Use ONLY**

Letter of Confidentiality Attached  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

X

Operator Name: GLB Exploration, Inc. Lease Name: J. Clayton Well #: 1-16  
 Sec. 16 Twp. 28 S. R. 20  East  West County: Kiowa

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  Array Induction, Compensated neutron/Density Micro Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top <span style="float: right;">2,324 KB Datum</span>  Heebner 4,153 Lansing 4,312 Base Kansas City 4,713 Cherokee 4,853 Mississippi 4,922 <div style="text-align: right; border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;">                     RECEIVED                      STATE CORPORATION COMMISSION                       OCT 25 2000                 </div>
---	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	23	562	lite &	225	3% GaCl
					Common		

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate	1,200-50	60/40 poz	50	6% gel
<input type="checkbox"/> Protect Casing	530-580	" "	100	"
<input checked="" type="checkbox"/> Plug Off Zone	3-40	" "	10	"

Fill rat hole with 15 sacks and mouse hole with 10 sacks.

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumed Production, SWD or Enhr. <u>D&amp;A</u>	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
---	---

Estimated Production Per 24 Hours	Oil <u>N/A</u> Bbls.	Gas <u>N/A</u> Mcf	Water <u>N/A</u> Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	----------------------	--------------------	------------------------	---------------	---------

Disposition of Gas <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Sumit ACO-18.)</i>	METHOD OF COMPLETION <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify)	Production Interval
--	---	---------------------





# ALLIED CEMENTING CO., INC. 4303 ORIGINAL

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
GREAT BEND

DATE <u>10-14-00</u>	SEC. <u>16</u>	TWP. <u>28S</u>	RANGE <u>20W</u>	CALLED OUT <u>2:30 PM</u>	ON LOCATION <u>4:45/D</u>	JOB START <u>5:15/D</u>	JOB FINISH <u>6:30</u>
LEASE <u>JC Capital</u>	WELL# <u>1-16</u>	LOCATION <u>154 + MURKINVILLE MAIN STREET</u>			COUNTY <u>KLINGA</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)		<u>1 1/2" 1 1/2" 5 1/2"</u>					

CONTRACTOR MALCARRA DALE OWNER GLB EXPLORATION INC

TYPE OF JOB ROTARY RIG

HOLE SIZE 7 7/8" T.D. 5050' CEMENT AMOUNT ORDERED 135 cu ft 60/40 80%

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2" DEPTH 1250' 500'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK # 181 CEMENTER BUD HELPER BURA

BULK TRUCK # 341 DRIVER STEVE

BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**REMARKS:**

**SERVICE**

1st RUN 1250' (HERE FULL MUD MIXED)

SPILL 60/40 80% 60/40 80% DISPLACED DEPTH OF JOB 1250

TO BALANCE W/ MUD 2ND RUN PUMP TRUCK CHARGE \_\_\_\_\_

500' (HERE FULL MUD) MIX 500' 60/40 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

1st 60/40 80% DISPLACED 60/40 80% MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOP RUNS BEING, NY MIX 100/40 80% PLUG 135 cu ft DHP @ \_\_\_\_\_

TO FILL RUNS RT+ LICE W/ 15 cu ft 60/40 80% @ \_\_\_\_\_

PLUS HOUSEHOLD W/ 110 cu ft 60/40 80% @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: GLB EXPLORATION INC

STREET 200 No HARVEY Suite 800

CITY OKLA City STATE OKLA ZIP 73102

**FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Lawson R Ueban

Lawson R Ueban

PRINTED NAME

# ALLIED CEMENTING CO., INC. 4332 ORIGINAL

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665.

SERVICE POINT:  
St Bend

DATE <u>10-6-00</u>	SEC. <u>16</u>	TWP. <u>28</u>	RANGE <u>20</u>	CALLED OUT <u>3:30 AM</u>	ON LOCATION <u>7:30 AM</u>	JOB START <u>11:20 AM</u>	JOB FINISH <u>12:15 PM</u>
LEASE <u>J. Clayton</u>		WELL # <u>1-16</u>	LOCATION <u>Mullinville - Main St &amp; 154</u>		COUNTY <u>Kiowa</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)			<u>1/2W, 1/2W, 3/4 into</u>				

CONTRACTOR Mallard  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4" T.D. 1019'  
 CASING SIZE 8 5/8 New 23# DEPTH 562'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 35'  
 CEMENT LEFT IN CSG. 35'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 33 3/4 bbls

OWNER Sevme  
 CEMENT  
 AMOUNT ORDERED 125 lbs 65/55 670 net 4# placed  
100 lbs common 370 cc, 270 net,  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Tom D  
 # 181 HELPER Bob B.  
 BULK TRUCK  
 # 258 DRIVER Steve T.  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Ran 562' of 8 5/8" cas. Brake circulation.  
Mixed 125 lbs lite 65cc, 4# placed 1/2  
balanced by 100 lbs common 37cc  
to 100', released plug. Employed with  
fresh H<sub>2</sub>O. Landed plug at 400' #  
Released a float did hold.  
Cement did circulate.  
Stouha

**SERVICE**

DEPTH OF JOB 562'  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 PLUG 8 5/8" Anchor @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: G.L.B. Explorations Inc.  
 STREET 200 N. Hawey  
 CITY Okla city STATE Okla ZIP 73102

**FLOAT EQUIPMENT**

1-8 5/8" Anchorline @ \_\_\_\_\_  
1-8 5/8" Insert @ \_\_\_\_\_  
3-8 5/8 Centralizers @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

[Signature]  
 PRINTED NAME

# ALLIED CEMENTING CO., INC. 4332

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: **ORIGINAL**  
*St. Bernard*

DATE <i>10-6-00</i>	SEC <i>16</i>	TWP <i>28</i>	RANGE <i>20</i>	CALLED OUT <i>3:30 AM</i>	ON LOCATION <i>7:30 AM</i>	JOB START <i>11:20 AM</i>	JOB FINISH <i>12:15 PM</i>
LEASE <i>J. Clante</i>		WELL # <i>1-11e</i>	LOCATION <i>Mullinville - Main St + 154</i>		COUNTY <i>Kiowa</i>	STATE <i>Ks</i>	
OLD OR NEW (Circle one)			<i>1 1/2 W, 1 1/2 W, 3/4 into</i>				

CONTRACTOR *Mallard*  
 TYPE OF JOB *Surface*  
 HOLE SIZE *12 1/4"* T.D. *1010'*  
 CASING SIZE *8 5/8 New 23#* DEPTH *562'*  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT *35'*  
 CEMENT LEFT IN CSG. *35'*  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT *33 3/4 bbls*

OWNER *Same*  
 CEMENT AMOUNT ORDERED *125 lbs 65/65 670 gal 1/4# placed*  
*100 lbs common 390 cc, 290 gal,*  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

EQUIPMENT  
 PUMP TRUCK CEMENTER *Tennel*  
 # *181* HELPER *Bob B.*  
 BULK TRUCK  
 # *258* DRIVER *Steve T.*  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:  
*Run 562' of 8 5/8" csg. Brake circulation.*  
*Mixed 125 lbs lite 390cc, 1/4# placed/ft.*  
*Followed by 100 lbs common 390cc*  
*390 gal. Released plug. Displaced with*  
*fresh H<sub>2</sub>O. Landed plug at 400' #*  
*Released a float did hold.*  
*Cement did circulate.*  
*Shaha*

SERVICE  
 DEPTH OF JOB *562'*  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 PLUG *1-8 5/8" Pulver* \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

CHARGE TO: *GLB Exploration Inc.*  
 STREET *200 N. Hawsey*  
 CITY *Okla city* STATE *Okla* ZIP *73102*

FLOAT EQUIPMENT  
*1-8 5/8" Heiderhoe* \_\_\_\_\_ @ \_\_\_\_\_  
*1-8 5/8" Insert* \_\_\_\_\_ @ \_\_\_\_\_  
*3-8 5/8" Centralizer* \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE *X O B M*

*X Perry Henning*  
 PRINTED NAME

# ALLIED CEMENTING CO., INC. 4332

Federal Tax I.D.# 48-0727860

ORIGINAL

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665.

SERVICE POINT:

St Bend

DATE 10-6-00	SEC 16	TWP. 28	RANGE 20	CALLED OUT 3:30 AM	ON LOCATION 7:30 AM	JOB START 11:20 AM	JOB FINISH 12:15 PM
LEASE J. Carter	WELL # 1-16	LOCATION Mullinville - Main St 154			COUNTY Kiowa	STATE KS	
OLD OR NEW (Circle one)		1 1/2 W, 1 1/2 W, 3/4 into					

CONTRACTOR Mallard

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 1010'

CASING SIZE 8 5/8" DW 23# DEPTH 562'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 35'

CEMENT LEFT IN CSG. 35'

PERFS. \_\_\_\_\_

DISPLACEMENT 33 3/4 bbls

EQUIPMENT

PUMP TRUCK CEMENTER Team D

# 181 HELPER Bob B.

BULK TRUCK

# 258 DRIVER Steve T.

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

OWNER Sevner

CEMENT

AMOUNT ORDERED 175 lbs 65/65 670 gal 4# flored

100 lbs common 370 cc, 270 gal,

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

REMARKS:

Run 562' of 8 5/8" csg. Brake circulation.

Mixed 175 lbs lite 370cc, 4# flored/cg.

Followed by 100 lbs common 370cc

370 gal. Released plug. Displaced with

fresh H<sub>2</sub>O. Landed plug at 400'.

Released a float did hold.

Cement did circulate.

Shonka

SERVICE

DEPTH OF JOB 562'

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

PLUG 1-8 5/8" Pulver @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: GLB Exploration Inc.

STREET 200 W. Hawley

CITY Okla city STATE Okla ZIP 73102

FLOAT EQUIPMENT

1-8 5/8" Heiderhoe @ \_\_\_\_\_

1-8 5/8" Insert @ \_\_\_\_\_

3-8 5/8" Centralizer @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE X O B M

SIGNATURE X Perry Hermon

PRINTED NAME \_\_\_\_\_