STATE OF KANSAS STATE CORPORATION COMMISSION

dive All Information Completely Make Required Affidavit Mail or Delive Report to:

WELL PLUGGING RECORD

| Locate well correctly on above | Location as "N. Lease Owner Lease Name Office Address Character of W Date well comp Application for Application for Plugging comm Plugging compl Reason for aba | E/CNW¼SW¼" J. W. Bird J. J. Dirks 28 Kennedy fell (completed as leted plugging filed plugging approve enced | Street, Soil, Gas of July Febr GFebr | Bradford, I Dry Hole) (2, 1945 uary 10, 19 uary 10, 19 | W NE Pennsylvani Dil Well P53 (verbal | 19 |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------|-----------------------------------------|
| | Lease Owner Lease Name Office Address Character of W Date well comp Application for Application for Plugging comm Plugging compl Reason for aba | J. W. Bird J. J. Dirks 28 Kennedy ell (completed as leted plugging filed plugging approve enced eted eted eleted ele | Street, Soil, Gas or July Febr Febr Febr | Bradford, I Dry Hole) (2, 1945 uary 10, 19 uary 10, 19 | Pennsylvani Dil Well 953 (verbal 953 (verbal | 19 19 19 |
| Locate well correctly on above | Lease Name Office Address Character of W Date well comp Application for Application for Plugging comm Plugging compl Reason for aba | J. J. Dirks 28 Kennedy ell (completed as leted plugging filed plugging approve enced eted eted plugging approve | Street, Street, Soil, Gas or July Febr Febr Febr | Bradford, I Dry Hole) (2, 1945 uary 10, 19 uary 10, 19 uary 10, 19 | Pennsylvani Dil Well 1953 (verbal 1953 (verbal | 19 19 19 |
| Locate well correctly on above | Character of W Date well comp Application for Application for Plugging comm Plugging compl Reason for aba | ell (completed as leted | s Oil, Gas or July Febr d Febr Febr | Dry Hole) (2, 1945 uary 10, 19 uary 10, 19 uary 10, 19 | Dil Well 1953 (verbal 1953 (verbal | 19 |
| Locate well correctly on above | Date well comp Application for Application for Plugging comm Plugging compl Reason for aba | leted plugging filed plugging approve enced | July Febr d Febr Febr | 2,1945 wary 10, 19 wary 10, 19 wary 10, 19 | 953 (verbal 953 (verbal |) 19 |
| Locate well correctly on above | Application for Application for Plugging comm Plugging compl Reason for aba | plugging filed plugging approve encedeted | rebr d Febr Febr | uary 10, 19 uary 10, 19 uary 10, 19 | (verbar |) 19 |
| Locate well correctly on above | Application for Plugging comm Plugging compl Reason for aba | plugging approve enced eted | d <u>Febr</u> Febr | uary 10, 19 | (verbar |) 19 |
| Locate well correctly on above | Plugging comm Plugging compl Reason for aba | enced eted | Febr | uary 10, 19 | 953 | |
| Locate well correctly on above | Reason for aba | | Febr | ninamer TX TC | | 19 |
| Locate well correctly on above | | ndonment of wel | | | 953 | 19 |
| Locate well correctly on above | Tf a producing | | l or producing | g formation | oil deplete | <u></u> |
| Locate well correctly on above | | li ia abandana | d data of lost | | | 19 |
| Locate well correctly on above | | | - | - | | e plugging was com- |
| Section Plat | manced? | | Ye | S | _ | o brobbing and com- |
| Name of Conservation Agent who sup- | ervised plugging of th | is well | M. | A. Rives, | | *************************************** |
| Producing formationLime | Dep | th to top 20.22 | Botton | <u> 3728</u> т | otal Depth of W | ell 3728 Feet |
| Show depth and thickness of all water | r, oil and gas formatio | ns. | | | | |
| OIL, GAS OR WATER RECORD | OS | | | | C | ASING RECORD |
| Formation | Content | From | То | Size' | Put In | Pulled Out |
| | | | | 8-5/8" | 1023' | none |
| | | •••••••••••••••• | | 5-1/2" | 37231 | 26801 |
| | | | | | | |
| *************************************** | | | | | | |
| *************************************** | | | | .44===== | | |
| *************************************** | | *************************************** | | | | |
| | ******************************* | *************************************** | *************************************** | | | ······································ |
| Describe in detail the manner in | | | 7 41 | | | |
| | jell an 330 fee | et of 5-1/2 d plug. Pu t to base o | mped 100 | sacks of ce | ement from | |
| Vame of Plugging Contractor | (If additional | description is necessar | ry, use BACK of | this sheet) | | |
| STATE OF PARSASSIFIE | That I have knowled | ge of the facts, s | tatements, an | | s. operator) of the contained and t | above-described well, |
| eing first duly sworn on oath, says: lescribed well as filed and that the say | me are true and corre | (Signature) | J. 28 | Mennedy Mennedy | St. To | radford to |

WELL LOG

Company: Bird & Sheedy Lease: Dirk #2 County: Paynee Contractor: Campbell Drilling Company Well Commenced: June 1, 1945 Well Finished: July 2, 1945

8 . n 8

ه ن

Ø

| 305 355 410 Shale & Shale & Shale 355 410 Shale 3510 575 Red Red Bed 575 605 Sand 605 770 Shale 770 965 Red Bed & Shale 1000 1010 Red Bed & Shale 1010 1010 1014 Anhydrite-Run 30 joints 8 5/8" casing 1014 1038 Anhydrite 1015 1250 Red Bed 51250 1560 Shale 31250 1560 Shale 31250 1560 Shale 31250 1790 Shale & Shale 1190 Shale & Shale 1190 Shale & Shale 1190 Shale & Shale 3205 2055 2055 Shale & Lime 2035 Shale & Shale 2005 2075 2300 Lime & Shale 2005 Shale & Shale 2005 2000 2340 Lime & Shale 2000 2840 2873 Shale & Shells 2000 2800 2800 2800 2800 2800 2800 280 | From O | <u>To</u> | Cellar |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|----------------------------------------------------|
| 356 410 875 Red Bed 575 805 3and 605 770 8hale 965 1000 Red Bed \$ shale 1000 1010 Red Bed \$ shale 1000 1010 Red Bed \$ shale 1000 1010 Red Bed \$ shale 1010 1014 Anhydrite—Run 30 joints 8 5/8° casing 1014 1035 Anhydrite 1036 1250 Red Bed 1250 Red Bed 1250 1560 Shale 8hale 1690 1790 Shale \$ shale 1690 1790 Shale \$ shale \$ shale 1690 1790 Shale \$ shale \$ shale 1940 2035 Shale \$ shale \$ shale 1940 2035 Shale \$ shale \$ shale 2035 2065 Shale \$ shale \$ shale 2035 2065 Shale \$ shale \$ shale 2036 2075 Lime \$ shale \$ shale 2030 2340 Lime-Ft. Riley 2340 2620 Lime \$ shale \$ shale 2620 2660 Shale 2650 2710 Shale \$ shells 2660 2710 Shale \$ shale \$ shells 2673 2895 Shale \$ shale \$ shale 2935 Lime 2936 2935 Lime \$ shale \$ shale 2935 Lime \$ shale \$ shale 2935 2935 Lime \$ shale \$ shale 2935 2935 Lime \$ shale \$ shale 2935 2935 2935 Lime \$ shale \$ shale 2935 2935 2935 Lime \$ shale \$ shale 3320 2935 Lime \$ shale 33343 3355 Shale \$ Lime \$ shale 33343 3355 Shale 3350 3355 Lime \$ shale 3350 3555 Shale \$ Lime \$ shale 3550 3550 Lime \$ shale 3550 3555 Shale 3550 \$ Lime \$ \$ Lim | • | | |
| 410 675 605 9and 675 605 9and 605 770 Shale 770 965 Red Bed & Shale 1000 1010 Red Bed 1010 1014 Anhydrite—Run 30 joints 8 5/8° casing 1014 1035 Anhydrite 1035 1250 Red Bed 1250 1560 Shale 1250 1560 Shale 1690 1790 Shale 1790 1940 Shale & Shale 1940 2035 Shale & Shells 2035 2065 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2250 2650 Shale 2260 2550 Shale & Shells 2300 2340 Lime+Ft, Riley 2340 2220 Lime & Shale 2840 2277 Shale & Shells 2898 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 3238 Lime 3227 3238 Lime 3237 3235 Shale & Lime 3237 3235 Shale & Lime 3237 3235 Shale & Lime 3343 3355 Shale & Lime 3355 3580 Lime 3355 3580 Lime 3520 3515 Lime & Shale 3520 3515 Lime & Shale 3520 3515 Lime & Shale | | | |
| 675 605 770 Shale 676 770 965 Red Bed 6770 965 Red Bed & Shale 1000 1010 Red Bed & Shale 1010 1014 Anhydrite-Run 30 joints 8 5/8° casing 1014 1035 Anhydrite 1035 1250 Red Bed 1250 1560 Shale 1560 1690 Shale 1690 1790 Shale 1790 1940 Shale & Shale 1690 1940 Shale & Shells 1940 2035 Shele & Lime 2035 2066 Shale & Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2500 2540 Lime-Ft, Riley 2540 2620 Lime & Shale 2650 2710 Shale & Shells 2660 2710 Shale & Shells 2710 2840 Shale 2840 2873 Shale & Shells 2893 2935 Lime 2936 2975 Shale & Shells 2936 2975 Shale & Shells 2936 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3058 3120 Lime & Shale 3120 3196 Lime 3196 3217 Lime & Shale 3276 3310 Lime 3343 3355 Shale & Lime 33543 3355 Shale & Lime 3550 3555 Lime 3520 3555 Lime 3520 3555 Lime 3520 3555 Lime | | | |
| ## State | | | |
| 770 965 Red Bed & Shale 1000 1010 Red Bed & Shale 1010 1014 Anhydrite—Run 30 joints 8 5/8° casing 1014 1035 Anhydrite 1035 1250 Red Bed 1250 1560 Shale 1250 1560 Shale 1250 1590 Salt & Shale 1290 1790 Shale 1790 1940 Shale & Shells 1940 2035 Shale & Shells 2035 2066 Shale & Shells 2066 2078 Lime 2075 2300 Lime & Shale 2300 2340 Lime—Ft. Riley 2340 2620 Lime & Shale 2620 2660 Shale 2620 2660 Shale 2620 2660 Shale 2840 2873 Shale & Shells 2840 2873 Shale & Lime 2876 3020 Lime & Shale 2895 2935 Lime 2936 2935 Lime 2936 2935 Lime 3058 3120 Lime & Shale 3120 3196 Lime & Shale 3120 3196 Salt & Lime 3120 3196 3217 Lime & Shale 3276 3217 5239 3276 Shale & Lime 3239 3275 Shale & Lime 3243 3355 Shale & Lime 3365 3520 Lime 3520 3615 Lime 3520 3615 Lime | | | , St. 10. 11 Jr. |
| 965 1000 Red Bed & Shale 1010 1014 Anhydrite-Run 30 joints 8 5/8s casing 1014 1035 Anhydrite 1035 1280 Red Bed 1250 1560 Shale 1560 1590 Shale 1790 1940 Shale & Shells 1940 2035 Shale & Shells 1940 2035 Shale & Shells 2035 2056 Shale & Shells 2075 2500 Lime & Shale 2520 2650 Shale & Shells 2620 2650 Shale & Shells 2620 2650 Shale & Shells 2840 2873 Shale & Shells 2895 2935 Lime 2895 2935 Lime 2896 2975 Shale & Shells 2896 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3195 3217 Lime & Shale 3195 3217 Sand Lime 3276 3310 Lime & Shale 3343 3355 Shale & Lime 3350 3515 Lime & Shale 3520 3615 3655 Shale & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3521 Shale & Lime 3520 3515 Lime & Shale 3520 3515 Lime & Shale 3520 3515 Lime & Shale 3521 Shale & Lime & Shale 3521 Shale & Lime & Shale 35343 3355 Shale 35520 3615 Lime & Shale 3565 3656 Shale | | | |
| 1000 1014 Anhydrite-Run 30 joints 8 5/8° casing 1014 1035 Anhydrite 1035 1280 Red Bed 1250 1560 Shale 1560 1590 Salt & Shale 1690 1790 Shale & Shells 1940 2035 Shale & Shells 2035 2065 Shale & Shells 2065 2075 Lime & Shale 2500 2540 Lime & Shale 2520 2650 Shale & Shells 2620 2650 Shale & Shells 2630 2710 Shale & Shells 2840 2873 Shale & Shells 2895 Shale & Lime 2840 2873 Shale & Shells 2896 2935 Lime 2936 2975 Shale & Shells 2936 2975 Shale & Shells 2000 3058 Lime 2010 3196 Lime & Shale 3058 3120 Lime & Shale 3058 3120 Lime & Shale 3058 3120 Lime & Shale 3120 3196 Lime & Shale 3120 3195 Shale & Lime 3239 3276 Shale & Lime 3239 3275 Shale & Lime 3239 3275 Shale & Lime 3343 3355 Shale & Shale 3355 3520 Lime & Shale 3550 3515 Lime & Shale 35510 3545 Lime & Shale 35520 3515 Lime & Shale 35515 3655 Shale | | | |
| 1010 1014 Anhydrite—Run 30 joints 8 5/8* casing 1014 1035 Anhydrite 1035 1280 Red Bed 1280 1560 Shale 1560 1690 Salt & Shale 1690 1790 Shale & Shells 1940 2035 Shale & Shells 1940 2035 Shale & Shells 2035 2066 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2300 2340 Lime—Ft. Riley 2340 2620 Lime & Shale 2650 2710 Shale & Shells 2840 2873 Shale & Shells 2873 2885 Shale & Lime 2893 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3058 3120 Lime & Shale 3196 3217 3239 Lime 3239 3276 Shale & Lime 3239 3276 Shale & Lime 3343 3355 Shale 3355 3520 Lime 3510 3543 Lime & Shale 3550 3615 Lime & Shale 3551 3550 3615 Lime & Shale 3551 3555 Shale | | | |
| 1014 1035 Anhydrite 1035 1250 Red Bed 1250 1560 Shele 1560 1690 Salt & Shale 1690 1790 Shele 1790 1940 Shale & Shells 1940 2035 Shale & Lime 2035 2066 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2520 2660 Shale 2620 Lime & Shells 2620 2660 Shale 2620 Shale & Shells 2710 Shale & Shells 2710 2940 Shale & Shells 2840 2673 Shale & Shells 2873 2896 Shale & Lime 2835 2935 Lime 2935 2935 Lime 2935 2935 Lime 3058 3120 Lime & Shale 3120 3196 Shale & Shells 3120 3196 Shale & Shells 3120 3196 Lime 3259 3276 Shale & Lime 3343 3356 Shale & Lime 3355 3520 Lime 3550 3615 Lime & Shale 3550 3615 Shale | | | Anhydrite-Run 30 Joints 8 5/8° casing |
| 1035 1260 Red Bed 1250 1560 Shale 1690 1690 Salt & Shale 1690 1790 Shale & Shells 1940 2035 Shale & Shells 2055 2066 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2050 2540 Lime & Shale 2050 2660 Shale & Shells 2060 2660 Shale 2060 Shale 2060 2660 Shale 2060 Shale 2060 2710 Shale & Shells 20710 2940 Shale 2080 2873 Shale & Shells 2080 2873 Shale & Shells 2080 2935 Lime 2080 2935 Lime 2080 2935 Lime 2090 3058 Shale & Shale 2010 3196 3217 Lime & Shale 3058 3120 Lime & Shale 3058 310 3343 Lime & Shale 3058 3550 3650 Lime 3058 3550 Shale | | | A an la an Bana A de di |
| 1940 2035 Shale & Lime 2035 2066 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2300 2340 Lime-Ft. Riley 2340 2620 Lime & Shele 2620 2660 Shale 2650 2710 Shale & Shells 2710 2840 Shale 2840 2873 Shale & Lime 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3196 Lime 3196 3217 Lime & Shale 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3343 3355 Shale & Lime 3343 3355 Shale 3343 3355 Shale 3550 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale | | | Red Bed |
| 1940 2035 Shale & Lime 2035 2066 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2300 2340 Lime-Ft. Riley 2340 2620 Lime & Shele 2620 2660 Shale 2650 2710 Shale & Shells 2710 2840 Shale 2840 2873 Shale & Lime 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3196 Lime 3196 3217 Lime & Shale 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3343 3355 Shale & Lime 3343 3355 Shale 3343 3355 Shale 3550 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale | | | Shale |
| 1940 2035 Shale & Lime 2035 2066 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2300 2340 Lime-Ft. Riley 2340 2620 Lime & Shele 2620 2660 Shale 2650 2710 Shale & Shells 2710 2840 Shale 2840 2873 Shale & Lime 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3196 Lime 3196 3217 Lime & Shale 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3343 3355 Shale & Lime 3343 3355 Shale 3343 3355 Shale 3550 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale | | | Salt & Shale |
| 1940 2035 Shale & Lime 2035 2066 Shale & Shells 2065 2075 Lime 2075 2300 Lime & Shale 2300 2340 Lime-Ft. Riley 2340 2620 Lime & Shele 2620 2660 Shale 2650 2710 Shale & Shells 2710 2840 Shale 2840 2873 Shale & Lime 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3196 Lime 3196 3217 Lime & Shale 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3217 5239 Lime 3343 3355 Shale & Lime 3343 3355 Shale 3343 3355 Shale 3550 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale | | | Shale |
| 2500 2540 Lime & Shale 2520 2550 Shale & Shells 2560 2710 Shale & Shells 2710 2840 Shale & Shells 2840 2873 Shale & Shells 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5238 Lime 3239 3275 Shale & Lime 3239 3275 Shale & Lime 33239 3275 Shale & Lime 3343 3355 Shale 3356 3520 Lime 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime | 1790 | | Shale & Shells |
| 2500 2540 Lime & Shale 2520 2550 Shale & Shells 2560 2710 Shale & Shells 2710 2840 Shale & Shells 2840 2873 Shale & Shells 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5238 Lime 3239 3275 Shale & Lime 3239 3275 Shale & Lime 33239 3275 Shale & Lime 3343 3355 Shale 3356 3520 Lime 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime | | | Shale & Lime |
| 2500 2540 Lime & Shale 2520 2550 Shale & Shells 2560 2710 Shale & Shells 2710 2840 Shale & Shells 2840 2873 Shale & Shells 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5238 Lime 3239 3275 Shale & Lime 3239 3275 Shale & Lime 33239 3275 Shale & Lime 3343 3355 Shale 3356 3520 Lime 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime | | | Shale & Shells |
| 2500 2540 Lime & Shale 2520 2550 Shale & Shells 2560 2710 Shale & Shells 2710 2840 Shale & Shells 2840 2873 Shale & Shells 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5238 Lime 3239 3275 Shale & Lime 3239 3275 Shale & Lime 33239 3275 Shale & Lime 3343 3355 Shale 3356 3520 Lime 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime | | | Line |
| 2500 2540 Lime & Shale 2520 2550 Shale & Shells 2560 2710 Shale & Shells 2710 2840 Shale & Shells 2840 2873 Shale & Shells 2873 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5238 Lime 3239 3275 Shale & Lime 3239 3275 Shale & Lime 33239 3275 Shale & Lime 3343 3355 Shale 3356 3520 Lime 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime | | | Lime & Shale |
| 2540 2650 Shale 2650 2710 Shale & Shells 2650 2710 Shale & Shells 2710 2840 Shale 2840 2873 Shale & Shells 2840 2873 Shale & Shells 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime & Shale 3120 3195 Lime 3196 3217 Lime & Shale 3127 5239 Lime 3239 3276 Shale & Lime 3217 5239 Lime 3217 5239 Lime 3218 3343 Lime 3343 3355 Shale & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale | | | Lime-Ft. Riley |
| 2620 2650 Shale Shells 2650 2710 Shale Shells 2710 2840 Shale Shells 2840 2873 Shale Shells 2893 2895 Shale Shells 2935 2935 Lime 2935 2975 Shale Shells 2976 3020 Lime Shale 3058 3120 Lime Shale 3120 3195 Lime 3195 3217 Lime Shale 3196 3217 Lime Shale 3217 5238 Lime 3239 3276 Shale Lime 3217 5238 Lime 3239 3276 Shale Lime 3343 3355 Shale 3355 Shale 3355 Shale 3520 3615 Lime Shale 3520 3615 Lime Shale | | | |
| 2650 2710 Shale & Shells 2710 2840 Shale & Shells 2840 2873 Shale & Shells 2875 2895 Shale & Lime 2895 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime 3120 3195 Lime 3120 3195 Lime 3127 Lime & Shale 3127 Sale 3217 Lime & Shale 3217 5239 Lime 3275 3275 Shale & Lime 3275 3310 Lime & Shale 3343 3355 Shale 3343 3355 Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale 3520 3615 Lime & Shale | | | |
| 2710 | | | |
| 2840 2873 Shale & Shells 2873 2895 Shale & Lime 2898 2935 Lime 2935 2975 Shale & Shells 2976 3020 Lime & Shale 3058 3120 Lime 3120 3195 Lime 3195 3217 Lime & Shale 3217 5239 Lime 3239 3275 Shale & Lime 3276 3310 Lime 3310 3343 Lime & Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | | Shale |
| 2976 3020 Lime & Shale 2020 3058 Lime 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5239 Lime 3239 3275 Shale & Lime 3275 -3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | 2873 | Shale & Shells \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| 2976 3020 Lime & Shale 2020 3058 Lime 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5239 Lime 3239 3275 Shale & Lime 3275 -3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | | Shale & Line |
| 2976 3020 Lime & Shale 2020 3058 Lime 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5239 Lime 3239 3275 Shale & Lime 3275 -3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | | Lime |
| 2976 | | | Shale & Shells |
| 2020 3058 Lime 3058 3120 Lime 3120 3195 Lime 3195 3217 Lime 3217 5239 Lime 3259 3275 Shale 3275 -3310 Lime 3310 Jime Shale 3343 3355 Shale 3355 3520 Lime 3520 Jime Shale 3520 Jime Shale 3615 Shale | | | |
| 3058 3120 Lime & Shale 3120 3195 Lime 3195 3217 Lime & Shale 3217 5239 Lime 3259 3275 Shale & Lime 3275 3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | | |
| 3120 3196 Lime 3196 3217 Lime & Shele 3217 5239 Lime 3239 3276 Shele & Lime 3276 -3310 Lime 3310 3343 Lime & Shele 3343 3355 Shele 3356 3520 Lime 3520 3615 Lime & Shele 3615 3656 Shele | | | |
| 3195 3217 Lime & Shele 3217 5239 Lime 3239 3275 Shale & Lime 3275 -3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | | |
| 3217 5239 Lime 3259 3276 Shale & Lime 3275 -3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 Shale | | | |
| 3239 3275 Shale & Lime 3275 -3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shele | | | |
| 3275 -3310 Lime 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | 3278 | |
| 3310 3343 Lime & Shale 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | | |
| 3343 3355 Shale 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shale | | | |
| 3355 3520 Lime 3520 3615 Lime & Shale 3615 3655 Shele | | | |
| 3520 3615 Lime & Shale 3615 3656 Shele | | | |
| 3615 3655 Shele | | | |
| | | | |
| COOP OLTO THING TO DE COUNTRACT AL UNO SE ACIDATE | 3655 | 3723 | Lime-T.DCemented w/200 ax cement |

State of Kansas

90

County of Sedgwick) I, the undersigned, being duly sworn, on oath state that the above statement and log is a true and correct record and log of the well drilled at the location above described.

Tresement

GAMPBELL DRILLING COMPANY

By Later August 28, 1948

GAMPBELL DRILLING COMPANY

By Later August 28, 1948

daline L. Thagner

كالبالعزفيلة

RECEIVED STATE CONCENTION ON MISSING

8721 O 5 RAM

COMSERVATION CIVISION Wichitz, Konaso