Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

- 6-- 8

Type Test	t:				(-	See Instrud	tions on Hev	erse Siae	9)				
Op	en Flow	,			Test Date	: 4/9/	118		ΔPI	No. 15 - ΔD	7 -24081 -		
De	liverabil	ty				<i></i>					1 0-1001	၂ 	
Company Lr	diar	bil	<u>(</u> .,	This			Lease /	L				Well Nu	mber
County Ber	ber		Location SW SENESE			Section - 2		TWP 35 S		RNG (EW) 12W		Acres Attributed	
Field					Reservoir				_	hering Conne	ction		
Completion	on Date				Plug Bac	k Total Dep	oth		Packer S				
11/17					9317				5-4-	None			
Casing Size Weight 5.5" (5.50 #			华	Internal D	Jiameter	Set at 5317		Perforations H818		то <i>491</i> 4			
Tubing Size - Weight 2-875"				Internal Diameter Set at				Perforations		То			
	npletion	(Describe)				d Productio			Pump Ur	nit or Traveling	Plunger? Yes	y No	
Producing Thru (Annulus / Tubing)			-	% Carbon Dioxide				% Nitrogen		Gas Gravity - G			
Vertical D		^-				Pres	ssure Taps				(Meter	Run) (P	rover) Size
Pressure	Buildup	3 Shut in .		4-9 2	0 <u>/8/</u> at	1:30	(AM) (PM)	Taken			at	((AM) (PM)
Wellton Line:									20				
_						OBSERVE	ED SURFACE	DATA			Duration of Shut	-in	4_Hou
Static / Dynamic Property	Orific Size (inche	e Mer Prover P	Circle one: Meter Prover Pressure psig (Pm)		Flowing Temperature t	Well Head Temperature t	perature (P_w) or (P_t) or (P_t)		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c)		Duration Liquid		d Produced Barrels)
Shut-In			,	Inches H ₂ 0		-	30	psia	psig O	p sìa			
Flow							80		0			 	<u> </u>
					<u> </u>	FLOW ST	REAM ATTRI	BUTES	1	1		_!	
Plate Coefficcient (F _b) (F _p) Mefd		Circlo one: Meter or Prover Pressure psia		Press Extension ✓ P _m x h F _g		tor Temperature		Fa	iation actor - - pv	Metered Flow R (Mcfd)	GOR (Cubic For Barre)		Flowing Fluid Gravity G _m
		_		-	(OPEN FLO	OW) (DELIV	/ERABILITY)	CAL CUI	 ATIONS				<u> </u>
(P _c) ² =		_: (P,	,)² =	:	P _d =			- 14.4) +		:) ² = 0.2) ² =	07 ———
(P _e)² - (I or (P _e)² - (I	P _a) ²	(P _c) ² - (P _w) ²		pose formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ ded by: $P_c^2 - P_a^2$	LOG of formula 1. or 2.	P.2-P.2	Backpressur Stope =or- Assign Standard		l n x i	roe	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
					_								
Open Flor	w	- <u>-</u>		Mcfd @ 14.	65 psia		Deliverabil	ity	<u> </u>	<u>_</u>	 //cfd @ 14.65 ps	ia	
The i	undersig	ned authorit	y, on b	ehalf of the	Company, s	tates that h	ne is duly aut	horized t	o make th	e above repor	t and that he ha	as know	ledge of
				report is true	and correct	t. Executaç	•		عہ day of				20 18
			nee 64 a-			APR 2-3			7	£			
			ess (if an		•					' ForCo	ompany		•
		For	Commissi	on	CO	N SERVATI ON WICHITA		1-23	3-18	Checl	red by		

exempt status und	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator
correct to the best of equipment insta I hereby reque	of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the
(Check	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D
_	e to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
	-,
Date:	

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

-5 72 177

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.