


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

NORTH



Locate well correctly on above
Section Plat

McPherson,

County. Sec. 12 Twp. 19 Rge. (E) 2 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines G SW

Lease Owner McPherson Oil & Gas Development Co.

Lease Name Wallace Well No. 1

Office Address United Life Bldg., Salina, Kansas

Character of Well (Completed as Oil, Gas or Dry Hole) Gas

Date, well completed 1/20 1930

Application for plugging filed 12/20 1937

Application for plugging approved 12/21 1938

Plugging Commenced 1/25 1938

Plugging Completed 2/4 1938

Reason for abandonment of well or producing formation Depleted

If a producing well is abandoned, date of last production Unknown 193

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Guy Wiershing

Producing formation Chat Depth to top 2915' Bottom 2943' Total Depth of Well 2943' Feet.

Show depth and thickness of all water, oil and gas formations. as per log attached


OIL, GAS OR WATER RECORDS

CASING RECORD


Formation	Content	From	To	Size	Put In	Pulled Out
				20"	119'3"	None
				15 $\frac{1}{2}$ "	360	360
				12 $\frac{1}{2}$ "	1469'6"	1469'6"
				10"	2320	2320
				8 $\frac{1}{2}$ "	2915	2152'1"

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

100 buckets of mjd in bottom, hole bridged 150' with mud, rock and 15 sacks cement. Hole filled to top with mud and capped with 10 sacks of cement.



2-23-38



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to McPherson Oil & Gas Development Co.
Address United life Bldg., Salina, Kansas

STATE OF Kansas, COUNTY OF McPherson, ss.

C. H. Smith (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. H. Smith

(Address)

SUBSCRIBED AND SWORN to before me this 21 day of February, 1938

My commission expires January 21, 1942

9-37-5M

Notary Public.

LOG OF WALLACE NO. 1


Pipe Record

20" 119-3
 15 1/2" 380 Pulled
 12 1/2" 1469-6 Pulled
 10 set at 2076 - Run to 2320 Pulled
 8 1/4" " 2617 " " 2915

Water Record

1/2 Bailer P. H. @ 230'
 1 " " " " 765'
 8 " " " " 1050"
 Hole Full water @ 1455'
 4 Bailleurs P. H. @ 1615'
 Hole Full Water @ 2190'
 " " " " 2524'

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Soil	0	15	Lime	1100	1160
Sand	15	94	Shale	1160	1165
Blue Slate	94	140	Lime	1165	1170
Red Rock	140	150	Shale	1170	1235
Slate Blue	150	185	Red Rock	1235	1240
Red Rock	185	190	Shale, Blue	1240	1300
Slate, Blue	190	205	Lime	1300	1305
Lime	205	215	Red Rock	1305	1300
Blue Slate	215	225	Blue Shale	1310	1355
Lime	225	235	Red Rock	1355	1360
Blue Slate	235	310	Shale, Blue	1360	1400
Lime	310	320	Lime	1400	1425
Shale	320	350	Shale	1425	1445
Gray Slate	350	360	Sand	1445	1455
Blue Shale	360	385	Shale	1455	1485
Slate	385	390	Lime	1485	1495
Lime	390	400	Shale	1495	1500
Slate	400	405	Lime	1500	1505
Lime	405	440	Shale	1505	1510
White Shale	440	445	Lime	1510	1515
Lime	445	455	Shale	1515	1520
Blue Slate	455	465	Lime	1520	1525
Lime	465	470	Shale	1525	1530
White Slate	470	480	Lime	1530	1550
Lime	480	490	Slate	1550	1555
Slate	490	505	Lime	1555	1565
Lime	505	535	Slate	1565	1570
Blue Shale	535	540	Red Rock	1570	1575
Lime	540	550	Lime	1575	1585
Red Rock	550	560	Shale	1585	1615
Lime	560	605	White Sand	1615	1635
Blue Slate	605	615	Shale, White	1635	1655
Red Rock	615	625	Lime	1665	1675
Lime	625	665	Shale, Blue	1675	1710
Shale	665	770	Lime	1710	1725
Lime	770	780	Shale, Blue	1725	1735
Blue Shale	780	805	Lime	1735	1775
Lime	805	820	Shale	1775	1785
Shale	820	830	Lime	1785	1855
Lime	830	850	Shale	1855	1870
Blue Shale	850	860	Lime	1870	1945
Lime	860	875	Shale	1945	1960
Red Rock	875	880	Lime	1960	2045
Blue Shale	880	890	Shale	2045	2070
Lime	890	895	Lime	2070	2078
Shale White	895	910	Shale	2078	2083
Lime	910	915	Lime	2083	2120
Slate	915	925	Shale	2120	2135
Lime	925	950	Lime	2135	2190
Slate, White	950	965	Sand	2190	2215
Slate Blue	965	970	Shale	2215	2255
Lime	970	990	Lime	2255	2265
Slate	990	1000	Shale	2265	2270
Lime	1000	1010	Red Rock	2270	2275
Slate, White	1010	1020	Lime	2275	2280
Lime	1020	1050	Shale, Blue	2280	2324
Shale	1050	1055	Lime	2324	2490
Lime	1055	1065	Shale	2490	2495



Formation	Top	Bottom	Formation	Top	Bottom
Blue Shale	1065	1070	Lime	2495	2610
Lime	1070	1080	Shale, Black	2610	2617
Shale	1080	1100	Lime	2617	2645
			Blue Shale	2645	2655
			Lime	2655	2680
			Shale	2680	2700
			Lime	2700	2710
			Shale	2710	2715
			Lime	2715	2720
			Shale	2720	2760
			Red Rock	2760	2765
			Lime	2765	2770
			Shale	2770	2790
			Shale & Shells	2790	2805
			Shale	2805	2840
			Lime	2840	2850
			Shale	2850	2855
			Lime	2855	2865
			Shale	2865	2885
			Lime	2885	2890
			Shale	2890	2902
			Lime	2902	2907
			Red Rock	2907	2915
			Chat	2915	2943
					Total depth

PLUGGING
FILE SEC. 13T. 19R. 2W.
BOOK PAGE 1 LINE 15

LOG OF WALLAGE NO. 1

Pipe Record

Water Record

20" 119-3
13 1/2" 330 Pulled
12 1/2" 1459-6 Pulled
10 set at 2076 - run to 2320 Pulled
9 1/2 " " 2617 " " 2913

1/2 Bailer P. H. 0 230'
1 " " " " 765'
8 " " " " 1050'
Hole Full water 0 1435'
4 Bailleurs P. H. 0 1615'
Hole Full water 0 2190'
" " " " 2524'

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Soil	0	15	Lime	1100	1160
Sand	15	94	Shale	1160	1165
Blue Slate	94	140	Lime	1165	1170
Red Rock	140	150	Shale	1170	1235
Slate Blue	150	185	Red Rock	1235	1240
Red Rock	185	190	Shale, Blue	1240	1300
Slate, Blue	190	205	Lime	1300	1305
Lime	205	215	Red Rock	1305	1310
Blue Slate	215	225	Blue Shale	1310	1355
Lime	225	235	Red Rock	1355	1360
Blue Slate	235	310	Shale, Blue	1360	1400
Lime	310	320	Lime	1400	1425
Shale	320	360	Shale	1425	1445
Gray Slate	360	365	Sand	1445	1455
Blue Shale	365	385	Shale	1455	1495
Slate	385	390	Lime	1495	1495
Lime	390	400	Shale	1495	1500
Slate	400	405	Lime	1500	1505
Lime	405	440	Shale	1505	1510
White Shale	440	445	Lime	1510	1515
Lime	445	455	Shale	1515	1520
Blue Slate	455	465	Lime	1520	1525
Lime	465	470	Shale	1525	1530
White Slate	470	490	Lime	1530	1530
Lime	490	490	Slate	1530	1535
Slate	490	505	Lime	1535	1565
Lime	505	535	Slate	1565	1570
Blue Shale	535	540	Red Rock	1570	1575
Lime	540	550	Lime	1575	1585
Red Rock	550	560	Shale	1585	1615
Lime	560	605	White Sand	1615	1635
Blue Slate	605	615	Shale, White	1635	1655
Red Rock	615	625	Lime	1655	1675
Lime	625	765	Shale, Blue	1675	1710
Shale	765	770	Lime	1710	1725
Lime	770	780	Shale, Blue	1725	1735
Blue Shale	780	805	Lime	1735	1775
Lime	805	820	Shale	1775	1935
Shale	820	830	Lime	1785	1935
Lime	830	850	Shale	1855	1970
Blue Shale	850	860	Lime	1870	1945
Lime	860	875	Shale	1945	1960
Red Rock	875	880	Lime	1960	2045
Blue Shale	880	890	Shale	2045	2070
Lime	890	895	Lime	2070	2078
Shale White	895	910	Shale	2078	2083
Lime	910	915	Lime	2083	2120
Slate	915	925	Shale	2120	2135
Lime	925	950	Lime	2135	2190
Slate, White	950	965	Sand	2190	2215
Slate Blue	965	970	Shale	2215	2255
Lime	970	990	Lime	2255	2265
Slate	990	1000	Shale	2265	2270
Lime	1000	1010	Red Rock	2270	2275
Slate, White	1010	1020	Lime	2275	2280
Lime	1020	1050	Shale, Blue	2280	2324
Shale	1050	1055	Lime	2324	2490
Lime	1055	1065	Shale	2490	2495

LOGGING
FIG. SEC. 12-T-19-R-24
BOGGS PAGE 4 LINE 15

Formation	Top	Bottom	Formation	Top	Bottom
Blue Shale	1065	1070	Lime	2695	2610
Lime	1070	1080	Shale, Black	2610	2617
Shale	1080	1100	Lime	2617	2645
			Blue Shale	2645	2655
			Lime	2655	2680
			Shale	2680	2700
			Lime	2700	2710
			Shale	2710	2715
			Lime	2715	2720
			Shale	2720	2760
			Red Rock	2760	2765
			Lime	2765	2770
			Shale	2770	2780
			Shale & Shells	2780	2805
			Shale	2805	2840
			Lime	2840	2850
			Shale	2850	2855
			Lime	2855	2865
			Shale	2865	2885
			Lime	2885	2890
			Shale	2890	2902
			Lime	2902	2907
			Red Rock	2907	2915
			Chert	2915	2943
					Total depth

