Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bitting Building Wichita, Kansus

WELL PLUGGING RECORD

NORTH											
	1										
	! 		0								
	<u> </u> 		l r								
	ļ		 								
	<u> </u>	<u> </u>									
	 		t								
	r										

20S Rge. BartonCounty, Sec.... Location as "NE/CNW4SW4" or footage from lines.. Lease Owner Gulf Oil Corporation Lease Name L. A. Steckel Office AddressPost Office Box 661, Tulsa 2, Oklahoma Character of Well (completed as Oil, Gas or Dry Hole) ... Oil February 11 Date well completed. November 9 Application for plugging filed.. Application for plugging approved. December 24 Plugging commenced. 19. December 30 ..19.**51** Plugging completed... Reason for abandonment of well or producing formation No. longer profitable to produce. If a producing well is abandoned, date of last production March 24 Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Locate well correctly on above Section Plat

Producing formation Arbuckle

Name of Conservation Agent who supervised plugging of this well. Mr. C. D. Stough Depth to top. 3259! Bottom. 3274! Total Depth of Well. 3274. Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	То	Size	Put In	Pulled Out
				7" OD	3267.	27571
	ĺ			10-3/4"OD	1561	Ot
	[
	Į.					
,	ĺ					
,	\		ļ.	\	\	}
	1				i	

Describe in detail the manner in	which the well was plu	gged, indicating	where the m	ud fluid was plac	ed and the meth	od or methods used in

introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from..... feet for each plug set. Filled hole with sand from 3270' to 3250'. Dumped 6 sacks cement on top of sand at 3250'. Ripped 7" casing at 2790' and 2700'. Recovered 2757! of 7" casing. Mudded hole from 3250' to 160'. Set 10' rock bridge 160' to 150', dumped 20 sacks cement on bridge, mudded hole to 30', capped with 10 sacks cement (If additional description is necessary, use BACK of this sheet) Name of Plugging Contractor C. E. Shull Great Bend, Kansas

STATE	OF	ansas	3		., COUNTY	OF	Rice		68.	
	Ţ	L. H.	Wrig	ht		(er	mployee of own	er) אונילס'ס גיינו	ne exercise e	CENTROL the above-described well,
being fi	st duly sworn o	n oath,	says:	That I have	knowledge o	of the facts,	statements, an	d matters l	herein copt	ained and the log of the above-
							179	7/1/2		
					(8	ignature)		116116	<i>←.</i>	***************************************

Subscribed and Sworn to before me this. 321

Notary Public.

JAN - 7 1952

NOW PROPERTY Wichics, Konsuc

WELL RECORD

WELL NO. LEASE

L. A. Steckel

COMPANY Gulf Oil Corporation AUTH. K-2325

Of Pennsylvania

DATE-Drilling Began

1-14-36

Well Completed

2-11-36

First Production 2-7-36

SHOT-Date With

Quarts-From

To

38

遊 盏

Lime

Shale

elede

Lime

shale

cmil

Broken Lime

elads & emil Shele & shells

SAND RECORD Siliceous Lime - 5259' to 5274' OTTAMBOT

Total Depth - 8274

INITIAL PRODUCTION* *P" 1621 011, No water. (2/14)

CASING	RECORD
--------	--------

Size	Wt.	Thd.	Class	Make	Run	Sacks Cement	Pounds Cal. Chlo.	Pulled	Left In
10	# 40#	8	SH	Lapwold S	. 156	100	300		156*
70	D 24#	10	Nash	SS&GOLW	3261	100			5261
						DRI			Reor bus
(70	- po	ttos	9 10	s. SH som	less	remain	der Ne	South	Chester
		Le	pweld	steel).		1860			alien ols
				La Constitución de la Constituci		1550			
-	BWG KONE	SEATING		THE RESIDENCE OF THE PARTY OF T	Electron	1670	CONTRACTOR OF THE PARTY OF THE	Market Sales	ole

1 208 R_11W 00 Berton County, Kenses ක නි

(*) Best Day; "F", Flowing Naturally; "L", Air-Gas Lift; "S", Swabbing; "P", Pumping.

Elevation 17601


Lime Topeka

EZ74', TOTAL DEFTH

sull aucabill8

Shale & shale

ED MISSION NOV 1 4 1951 CONSERVATION DIVIDION Wichita, Kans



Total - diged farer

- 1780°

WELL RECORD

Le As Steekel COMPANY Celf Cil CorporesionaUTH. K-2020

oT

WELL NO. LEASE

First Production

Of Pennsylvenia

DATE-Drilling Began 1-15-26 Well Completed 2-11-26

Ву

Quarts—From

SHOT-Date With

SAND RECORD SELECTION - SESSI GROOSE NOTTANNOT

INITIAL PRODUCTION* "F" 1821 011, No water. (2/14)

KANTERNA Cast of the Land - 4x4 550 18mm

T_ ROE R_LIN	S 1				ECORD	ING RE	CAS				
		Loft In	Pulled	Pounds Cal. Chlo.	Sacks Cement	Run	Make	Class	.bdT	.3 W	Size
9	Surface	1.56		008	00£ 15	AND DESCRIPTION OF THE PARTY OF	d blesqui	超	8	%DA	101
	Sand Shale &	hells			001 40		PROMES	Billing	O.L	444	CONT
	Shale &	sand rock			120)					
	Shale &	DOMESTIC STREET, STREE	Rayoli	der Ber	1320	Committee Committee Control of	1808 86 48	31 8	100000	6.6	- 443
n County - Lanson	Lime & s				1410		a(Leoda	DESIRE.	Sec.		
	Lime				1550)					
	Lime & sl	hale			1670 1680						

(*) Best Day: "F", Flowing Naturally; "L", &e81 as Lift; "S", Swabbing; "P", Pumping. em11 Shale 1725 Lime 1740 Shale 1750 Broken lime 1815 Lime & shale 1870 Shale & shells 2290 Shale 2340 Lime 2425 Shale & shells 2495 Lime Topeka 2895 Shale 2980 Lime 3259 Siliceous lime 5274', TOTAL DEPTH

NOV 1.4 1951 CONCESSION DIVISION DIVISION Canall Sinoly