


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Barton County. Sec. 7 Twp 20S Rge 11W (E) (W)
Location as "NE/CNW/SW" or footage from lines Center E/2 SW SE
Lease Owner The Texas Company
Lease Name F. Petz Well No. 5
Office Address 614 Bitting Bldg., Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed November 1, 19 40
Application for plugging filed August 6, 19 58
Application for plugging approved August 6, 19 58
Plugging commenced August 6, 19 58
Plugging completed August 14, 19 58
Reason for abandonment of well or producing formation Ceased to be a commercial producer
If a producing well is abandoned, date of last production February, 19 58
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Donald Truan
Producing formation Arbuckle Depth to top 3306 Bottom 3337 Total Depth of Well 3337 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10-3/4"	260	None
				7"	3306	1511'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

3337' to 3330' - Sand
3330' to 3275' - 6 Sacks Cement
3275' to 260' - Heavy Mud
260' to 250' - Rock Bridge
250' to 190' - 3 Sacks Cement
190' to 25' - Heavy Mud
25' to 20' - Rock Bridge
20' - Bottom of Cellar

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Glenn & Smith Pipe Pulling Company
Address Ellinwood, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
G. R. Bates (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) G. R. Bates
614 Bitting Building, Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 19th day of August, 19 58
W. Howard Kistler
Notary Public.

My commission expires September 20, 1960

PLUGGING
FILE SEC 7 T 20 R 11W
BOOK PAGE 120 LINE 45

LOG OF WELL

SHEET **1**

OWNER **The Texas Company** DIVISION **Oklahoma** DATE MADE **12/5/40**
 DISTRICT **Kansas** LEASE **F. Pets** WELL NO. **5**
 STATE **Kansas** COUNTY OR PARISH **Barton** TWP. **20 S** RANGE **11 W** SEC. **7**
 LOCATION OF WELL **Approximately 660' from the South and 1650' from the East Lines**
0-E-1/2 SW SE
 COMMENCED RIGGING UP **10/10/40** COMMENCED DRILLING **10/11/40** COMPLETED DRILLING **11/1/40**
 DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR **J. E. Trigg**
 CABLE FROM **3306** TO **3337** ROTARY FROM **0** TO **3306** COMPANY RIG No. _____
 TOTAL DEPTH **3337** MEASURED BY **H. O. Farrell** ELEVATION **1781**

CASING RECORD

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS		
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT
7"OD	22# BS	3306							T.P.			FT.
10-3/4"OD	35# LW	260										FT.
												FT.
												FT.
												FT.
												FT.
												FT.
												FT.

7"OD Set w/ 75 Backs Cement - 10-3/4" Set w/190 Backs Cement

WAS CASING CEMENTED? _____ IF SO, HOW MANY BACKS OF CEMENT USED? _____
 LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. BLANK _____ FT. AND INS. PERFORATED _____
 HOW PUT TOGETHER _____ COUPLING _____ FLUSH-JOINT _____ INSERTED _____
 REMARKS: _____

EQUIPMENT RECORD

TUBING				SUCKER RODS			PUMPING OUTFIT
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND	DESCRIPTION, KIND, SIZE, ETC.
2-7/8"OD	6.50#	3279'		SS KUE			

FLOWING, PUMPING, GASSEY OR DRY **Pumping** PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE _____
 KIND OF SHOT _____ SIZE OF SHOT, QUARTS _____
 NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____
 LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT _____
 BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____
 TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBLs. PER DAY _____
 PRODUCTION AFTER SHOT _____ BBLs. PER DAY. SHOT FURNISHED BY _____
 NAME OF SHOOTER _____ SHOT INSPECTED _____ BY _____ (COMPANY EMPLOYEE) _____
 COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____
 TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____

REMARKS: **Depthograph Potential 1428 Bbls. Oil & No Water**
Acidized w/ 3000 Gallon Acid

RECEIVED
 OIL & GAS COMMISSION

AUG 20 1950

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED
 STATE UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG
 IF THE SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT WRITE ON BOTTOM OF LAST SHEET OF LOG

PLUGGING TOTAL NUMBER OF SHEETS **2**
 FILE SEC. **7** T. **20** R. **11W**
 BOOK PAGE **170** LINE **15**

15.009.19487.0000

Form PO-214 Sheet 2 1-37 15M

LOG OF WELL

SHEET NO. 2

District **Kansas**Owner **The Turan Company Farm F. Fetz**Well No. **5**

FORMATION	BOTTOM	AMOUNT	COLOR	HARD or SOFT	DEPTH CORES TAKEN	REMARKS
Surface	260	260				
Red Beds	570	270				
Shale & Shells	870	340				
Salt	1270	400				
Shale & Shells	1830	560				
Lime	1929	99				
Shale & Shells	2706	786				
Lime	2941	232				
Shale	3062	121				
Lime	3300	238				
Shale	3306	6				
Lime	3322	162				
Lime	3337	31				
Total Depth	3337					

ST. LOUIS
 DIVISION

MAY 20 1958

CONSERVATION DIVISION
 Wichita, Kansas

Set 10-3/4" CD at 260'

Top Arbuckle 3306'

Set 7" CD at 3306'