STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 200 Colorado Derby Building Wichita, Kansas 67202

WELL PLUGGING APPLICATION FORM (File One Copy)

API NUMBER 15-159-20,567.00.0	Pof this well)
LEASE OPERATOR Aladdin Petroleum Corporation	
ADDRESS 809 Petroleum Bldg., Wichita, Ks. 67202	•
LEASE (FARM) Sanster #1 WELL NO. WELL LOCAL	
SEC. 13 TWP. 19s RGE. 8w Or (W) TOTAL DEPTH	1430 PLOG BACK TD
Check One:	•
OIL WELL x GAS WELL D&A SWD or INJ W	ELL DOCKET NO
SURFACE CASING SIZE 7" SET AT 200' CEM	ENTED WITH 100 SACKS
CASING SIZE 4½" SET AT 1429' CEMI	ENTED WITH 75 SACKS
PERFORATED AT 1242-62'	ti di kananangan pangangan pangangan di kanangan pangangan pangangan pangangan pangangan pangangan pangangan p
CONDITION OF WELL: GOOD x POOR CASING LEA	AKJUNK IN HOLE
OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL	
Will plug according to rules & regualtions of	State of Kansas.
(If additional space is needed use	e back of form)
IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? (If not, explain)	Yes IS ACO-1 FILED?
DATE AND HOUR PLUGGING IS DESIRED TO BEGIN	iately
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH REGULATIONS OF THE STATE CORPORATION COMMISSION.	K.S.A. 55-101 et seg AND THE RULES A
NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE	OF PLUGGING OPERATIONS:
James Carpenter	PHONE # ()
ADDRESS 510 N. Wieland, Ellinwood, Ks. 67526	
PLUGGING CONTRACTOR Kelso Casing Pulling	LICENSE NO. 6050
ADDRESS Box 347, Chase, Ks. 67524	PHONE # (316) 938-2941
PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENTION SIGNED:	Rame Below
00T 1 0 1500 DATE:	October 8, 1985

CONSERVATION DIVISION



RADIOACTIVITY LOG

		VS.		COMPANY ALADDIN PETROLEUM CORPORATION					ION				
ET.		KANS		À				-					
l 에번드	7	9,045		WELL		SANST	ER#	1					
ALADDIN CORPORA	T E	H H		FIELD —		WILDC	ΑT						
ALADDIN CORPORAT		RICE		COUNTY	<i>1</i>	RICE			ST	ATE		KANS.	AS
	1	₹		Location	-							Other	Services:
COMPANY	<u> </u>	د ا	County			C - S	W -	NW					PERF.
0	WELL	FIELD	3	Sec	13	Twp	19S		Rge	8W]		I LIKI
Permanent Datum GROUND LEVEL Elev. 1753 Elev.: K.B Log Measured from GROUND LEVEL Ft. Above Perm. Datum Drilling Measured From GROUND LEVEL G.L. 1753 G.L. 1753													
Date 10-14-75 10-14-75													
Run No	Run No. ONE ONE												
Type Lo	og				GAMMA NEUTRON								
Depth-	-Drill	er			1430'			1430'					
Depth-	-Wel	ex			1402' 1402'								
Bottom Logged Interval					1394'140						1		
Top Lo				<u> </u>	900' 900'								
Type F					DRY							ļ	
	nity, F							L_				<u> </u>	
	sity				ļ							<u> </u>	
Leve					ļ			<u> </u>					
Max. r					84 ⁰ 1			L				1	
Operat					1 H(_				↓	
Record					STEVE CARRELL								
Witnessed by					MR. NEWLIN & MR. CARPENTER								
				205 11015	2566		T				12.16	50055	
RUN			ВС	ORE-HOLE RECORD				RECEIVED CASING RECORD (STRENGRATHWING COMMISSION TO					
No.	9 1/4			From	- +	200 st/	ATTE CÂDÎT	POR	A THOUGH C	NIMINI		n	To
ONE	6	3/4	11	<u>0</u> 200'		1430'	1/	170	4 0 40	1	$\frac{0}{0}$		200
TWO	0.	<u>4 / د</u>	-	200		1430	 U	Щ	1 0 1S	4 5_	<u>. U</u>		1429
—	-						1		TION: 5::	1			
	 	CONSERVATION DIVISION Wichita, Kansas					L						
 	 				_+		- W	ICUII	a, Kansa	4			

Fold Here



JOHN CARLIN MICHAEL LENNEN MARGALEE WRIGHT KEITH R. HENLEY JUDITH A. McCONNELL BRIAN J. MCLINE Governor Chairman Commissioner Commissioner Executive Secretary General Counsel

State Corporation Commission

CONSERVATION DIVISION

(Cil, Gas and Water)
200 Colorado Derby Building
202 West 1st Street
WICHITA, KANSAS 67202-1286

THIS NOTICE

JAN 1 1 1986

October 11, 1985

EXPIRES

WELL PLUGGING NOTICE

Sanster #1 C SW NW Sec. 13-19S-8W Rice County 1430'

Aladdin Petroleum Corporation 809 Petroleum Bldg. Wichita, KS 67202

Gentlemen:

This is your notice to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This notice is void after ninety (90) days from the above date.

Sincerely,

William R. Bryson, Director

William R. Bupur

Please submit your proposal for plugging the above captioned well to

DIST. #5 2501 Market Place, Ste. D Salina, KS 67401 913-823-5225

five days prior to plugging the well (KAR-82-3-113).