



DRILLERS LOG

Operator: Honaker Drilling Co., Inc. et al

Contractor: Honaker Drilling Co., Inc.

Leaser Karber #1

	From	To
Shale	0	90
Sand	90	110
Shale	110	145

Run 5 joints 8 5/8" new casing-149', set at 145', cemented with 125 sacks cement, 1 sack CaCl.

Plug & Cement	153	145
Shale	145	280
Red bed	280	350
Shale	350	440
Shale & Shells	440	650
Anhydrite	650	670
Shale & Shells	670	910
Shale	910	950
Salt, Shale & Shells	950	1250
Shale & Shells	1250	1463
Line & Shale	1463	1490
Line & Sand	1490	1550
Sand	1550	1570
Shale & Shells	1570	1600
Line & Shale	1600	2770
Line	2770	2970
Line & Shale	2970	3050
Line	3050	3305
Line & Conglomerate	3305	3379

T. D. 3379' (Rotary Bushing Measurement Less 4' 3375')

COMPANY TIME WITH DRILL PIPE

8-7-50	Circulating	3 Hrs	
8-8-50	Circulating	1 Hr	20 Min
8-9-50	Circulating	2 Hrs	30 Min
8-10-50	Circulating	3 Hrs	30 Min
		10 Hrs	20 Min Total time

RECEIVED

Conservation Div.

AUG 15 1950

STATE CORPORATION  
COMMISSION  
KANSAS

The foregoing is correct to the best of my knowledge.

HONAKER DRILLING CO., INC.

PLUGGING

FILE SEC 6-119-112  
BOOK PAGE 21 LINE 18

By \_\_\_\_\_  
President