

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
and Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Barton County. Sec. 26 Twp. 20S Rge. 14 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SW/4 NE/4 SW/4

Lease Owner The Bay Petroleum Corporation

Lease Name Amerada- Weathers Well No. 1

Office Address Box 957, Denver, Colorado

Character of Well (completed as Oil, Gas or Dry Hole) Oil Well

Date well completed Oct. 15 1945

Application for plugging filed May. 26 1947

Application for plugging approved May. 28 1947

Plugging commenced July. 1 1947

Plugging completed July. 19 1947

Reason for abandonment of well or producing formation Failure to produce in sufficient quantity to warrant continued production.

If a producing well is abandoned, date of last production June, 20 1947

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. H.W. Kerr

Producing formation Arbuckle Depth to top 3523 Bottom 3540 Total Depth of Well 3540 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|-----------|---------|------|----|------------|--------|------------|
| | | | | 8 5/8" od. | 825 | None |
| | | | | 5 1/2" od. | 3525 | 2636'8" |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Ran 5 sax of cement to bottom of hole,
Mudded hole, and set bridge at 250',
Ran 15 sax of cement,
Mudded hole and ran 10 sax cement to base of cellar.



7-28-1947

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The Bay Petroleum Corporation,
Address Box 513, Chase, Kansas.

STATE OF Kansas, COUNTY OF Rice, ss.
Forrest Crawford (employee of owner) on and to whom is assigned of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Forrest Crawford

(Address) _____

SUBSCRIBED AND SWORN TO before me this 26 day of July, 1947

My commission expires May 20, 1950

PLUGGING
FILE SEC 26 T 20 R 14W
BOOK PAGE 111 LINE 24

WELL RECORD

15.009.07166.0000

THE BAY PETROLEUM CORPORATION, WICHITA, KANSAS

AMERADA-WEATHERS # 1, SW/4, NE/4, SW/4, Sec. 26-20S
14W. Barton County, Kansas

Contractor. Mercury Drilling Co. Tulsa, Okla.

Drilling Commenced- July 13, 1945.

Drilling Completed- August 27, 1945.


Rotary - 0' to 3527'
Cable - 3527' to 3539'

Section 26, Twp. 20S, Range 14W
Barton, County, Kansas.

Casing Record- Set and cemented 40 jts. of 8 5/8" Surface Pipe at 825' with 400 sacks of bulk cement. Set and cemented 117 jts. of 5 1/2" O.D. 14# casing with 100 sacks HOWCO bulk cement at 3525'.

| <u>FORMATION</u> | <u>TOP</u> | <u>BOTTOM</u> | <u>FORMATION</u> | <u>TOP</u> | <u>BOTTOM</u> |
|---------------------|------------|---------------|---------------------|------------|---------------|
| Cellar | 0 | 5 | Shale and lime | 2045 | 2120 |
| Surface sand & clay | 5 | 105 | Lime | 2120 | 2285 |
| Shale and shells | 105 | 185 | Broken lime & shale | 2285 | 2385 |
| Shale | 185 | 320 | Shale & lime shale | 2385 | 2460 |
| Sand | 320 | 355 | Lime | 2460 | 2555 |
| Red rock | 355 | 445 | Lime and shale | 2555 | 2690 |
| Sand | 445 | 540 | Lime | 2690 | 2735 |
| Red bed and sand | 540 | 605 | Lime and shale | 2735 | 2810 |
| Shale and red bed | 605 | 750 | Lime | 2810 | 2965 |
| Red bed | 750 | 815 | Lime and shale | 2965 | 2985 |
| Anhydrite Lime | 815 | 825 | Lime | 2985 | 3217 |
| Lime and shells | 825 | 835 | Lime and shale | 3217 | 3245 |
| Shale and shells | 835 | 1200 | Shale | 3245 | 3296 |
| Salt | 1200 | 1460 | Lime | 3296 | 3515 |
| Shale | 1460 | 1600 | Conglomerate | 3515 | 3518 |
| Shale and shells | 1600 | 1700 | Lime | 3518 | 3527 |
| Lime- sandy | 1700 | 1765 | | | |
| Lime and shale | 1765 | 1890 | Lime | 3527 | 3533 |
| Sand | 1890 | 1930 | Shale | 3533 | 3535 |
| Lime and shale | 1930 | 1965 | Lime | 3535 | 3539 |
| Lime | 1965 | 2045 | | | |

We hereby certify that the above is a true and correct record of the log on the Amerada- Weathers #1 well in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter, Section 26, Township 20 South, Range 14W Barton County, Kansas.



Mercury Drilling Company

By
Chester H. Westfall
Chester H. Westfall
President.

COPY

COPY

PLUGGING
FILE SEC 26 T 20 R 14W
BOOK PAGE 111 LINE 24