


15-145-01336-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above
Section Plat

Pawnee County, Sec. 10 Twp. 23 Rge. 17 (E) (W)
Location as "NE/CNW'SW" or footage from lines NW NW NW
Lease Owner Rock Island Oil & Refining
Lease Name Anderson B Well No. 2
Office Address Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole)
Date well completed 19
Application for plugging filed 19
Application for plugging approved 19
Plugging commenced 12/24/66 19
Plugging completed 1/3/67 19
Reason for abandonment of well or producing formation depleted.

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well L. Massey
Producing formation Depth to top Bottom Total Depth of Well X2228 Feet
Show depth and thickness of all water, oil and gas formations. 4300

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
		CONSERVATION DIVISION		10 3/4	266	none
		CONSERVATION DIVISION		5 1/2	4299	2601
		JAN 23 1967				
			1-23-1967			
		CONSERVATION DIVISION				
		Wichita, Kansas				

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Raised mast, checked hole to 4202', ran sand to 4180' and dumped 5 sacks cement. Dug cellar, tried to remove ring from head but couldn't. Had hole loaded, cut ring from head. Rigged up over 5 1/2" casing and removed slips and laid pig iron out. Removed head and put control head on. Rigged back up and worked tension to 22". Had hole loaded, shot pipe at 3077', 2884' and at 2788'. Ran shot and stopped at 515. Pulled firing head out of shot and tried to fish shot out but couldn't. Tried to fish for shot, waited on pump truck, pumped one load of water and pumps broke down. Brought it back to shop. Worked on pump in shop. Pump 60 barrels of water to push plug out. Checked hole and it was clean. Shot pipe at 2597', pulled 60 joints. ~~XXXXXXXXXX~~ Pulled 22 joints of 5 1/2". Loaded junk rack. Lowered mast and racked unit. Pumped 150 sacks cement and 40 sacks mud.

PLUGGING COMPLETE.

(If additional description is necessary, use BACK of this sheet)
KNIGHT CASING PULLING COMPANY

Name of Plugging Contractor
Address CHASE, KANSAS

STATE OF KANSAS, COUNTY OF RICE, ss.
NOEL I. KNIGHT (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Noel I. Knight
CHASE, KANSAS (Address)

SUBSCRIBED AND SWORN to before me this 17 day of Jan, 19 67

My commission expires Oct 22-1970
Notary Public.

THE CARL TODD DRILLING COMPANY
404 KFH Building
Wichita, Kansas

RECEIVED
STATE CORPORATION COMMISSION

DEC 27 1966

CONSERVATION DIVISION
Wichita, Kansas

Wood River Oil & Refining Co., Inc.
Anderson B 2
NW NW Sec. 10-23-17W
Pawnee County, Kansas

COMMENCED: May 26, 1955
COMPLETED: June 8, 1955

ELEVATION: 2095 Derrick Floor

CASING RECORD

0 - 135	Surface clay and shale	10-3/4" OD 40# casing set at 266'
135 - 160	Sand rock	with 185 sacks cement & 3 sacks CC
160 - 215	Sand rock and shale	
215 - 266	Iron, sand and shale	5-1/2" OD 15.5# casing set at 4299'
266 - 330	Shale and shells	cemented with 150 sacks.
330 - 595	Shale and Red Bed	
595 - 680	Sand	
680 - 800	Shale, sand & Red Bed	
800 - 1130	Shale, shells & Red Bed	
1130 - 1160	Anhydrite	
1160 - 2010	Shale and shells	
2010 - 2435	Shale and lime	
2435 - 2515	Lime and shale	
2515 - 2655	Shale	
2655 - 2784	Lime and shale	
2784 - 2890	Shale and lime	
2890 - 3060	Shale	
3060 - 3235	Shale and lime	
3235 - 3380	Shale and lime	
3380 - 3465	Shale	
3465 - 3560	Lime and shale	
3560 - 3660	Lime and shale	
3660 - 3770	Shale	
3770 - 3815	Lime and shale	
3815 - 3986	Lime	
3986 - 4170	Lime	
4170 - 4210	Lime and chert	
4210 - 4220	Shaley Cong.	
4220 - 4237	Cong.	
4237 - 4285	Cherty Cong.	
4285 - 4300	Chert	
4300	Rotary Total Depth	

I hereby certify that the above is a true and correct log, to the best of my knowledge and belief.

THE CARL TODD DRILLING COMPANY

By: *Carl Todd*